

## Index to genera and species, Volume 1 (1990)

### Acarina

*Ameronothus dubidini* 197  
*Cymbaeremaeus cymba* 197  
*Gobiella* Balogh & Mahunka 103  
*Graptoppia foveolata* (Balogh) 104, 105  
– *tanaitica* Karppinen & Poltavskaja sp. n. 104, 105  
*Infernobates* Karppinen & Poltavskaja gen. n. 103  
– *cielli* Karppinen & Poltavskaja sp. n. 103, 104  
*Kaszabobates* Balogh 103  
– *kaszabi* (Balogh & Mahunka) 103  
*Medioppia* Subias & Minguez 129  
– *centrodentata* Gordeeva & Niemi sp. n. 129, 130  
– *media* (Michelcic) 129  
– *minidentata* Subias 129  
– *tridentata* Subias 129  
*Oppia fallax* var. *obsoleta* Paoli 130  
*Oppia media* Michelcic 129  
*Zetorchestes phylliterus* Mahunka 106  
– *reticulatus* Karppinen & Poltavskaja sp. n. 105, 106

### Coleoptera

*Abropus carnifex* (Fabricius) 3, 4, 8-12, 15  
*Acrotona pusilla* (Brundin) 110  
*Aemalodera centromaculata* Solier 9, 12, 15  
– *testacea* (Jeannel) 9, 12, 15  
*Agelastica* Chevrolat 120  
*Ahasverus advena* (Waltl) 110  
*Amara brunnea* (Gyllenhal) 235  
– *littorea* Thomson 110  
*Antarctonomus complanatus* (Blanchard) 3, 9-11, 15  
*Aplousonyx chalybeus* (Hope) 203  
*Asemum striatum* (Linnaeus) 171-173  
*Astenus pulchellus* (Heer) 110  
*Atheta coriaria* (Kraatz) 110  
– *xanthopus* (Thomson) 110  
*Atholus bimaculatus* (Linnaeus) 110  
– *duodecimstriatus* (Schränk) 110  
*Arysa marginata* (Hope) 202  
*Barypus clivinooides* (Curtis) 9, 10, 15  
*Bembidiomorphum convexum* Champion 9, 10, 15  
*Bohemiellina flavipennis* (Cameron) 110  
*Buprestis haemohordalis* Herbst 221  
– *tarda* Fabricius 222  
*Caenoscelis subdeplanata* Brisout de Barneville 110  
*Calathus micropterus* (Duftschmid) 234-236  
*Carabus hortensis* Linnaeus 235  
*Carpophilus hemipterus* (Linnaeus) 110  
– *marginellus* Motschulsky 110  
*Cascellius aeneoniger* Waterhouse 9-11, 15  
– *gravesii* Curtis 3, 8, 9-11, 15  
– *hyadesi* Fairmaire 9, 10, 15  
*Catops fuscus* (Panzer) 110  
*Cephaloon* Newman 120  
*Cercyon laminatus* (Sharp) 110  
*Ceroglossus suturalis* (Fabricius) 3, 4, 9-12, 15

*Chrysomela vigintipunctata* (Scopoli) 208  
*Cryptophagus laticollis* Lucas 110  
*Cychnus caraboides* (Linnaeus) 235, 236  
*Dendroctonus valens* LeConte 171-173  
*Dercetina histrio* Baly 203  
*Dinothenarus pubescens* (De Geer) 110  
*Diorhabda lusca* Maulik 202  
*Doryxena grossa* (Hope) 202  
*Eriirhinus* Schönherr 120  
*Galerucella distincta* (Baly) 202  
– *grisescens* (Joann.) 202  
– *placida* Baly 202  
*Galleruca trifasciata* Fabricius 206  
– *trifasciata* Hope 206  
*Gallerucida indica* Harold 204  
*Gauropterus fulgidus* (Fabricius) 110  
*Geotrupes stercorarius* (Linnaeus) 107-110  
– *stercorosus* (Scriba) 107, 108, 110  
– *vernalis* (Linnaeus) 107, 108, 110  
*Hister funestus* Erichson 110  
*Hylaspes* Baly 120  
– *dohrni* Duvivier 204  
– *longicornis* Baly 204  
*Hylobius pales* (Herbst) 171-174  
*Kenodactylus audouini* (Guérin) 12  
*Leistus terminatus* (Hellwig) 235-237  
*Leptacinus batychnus* (Gyllenhal) 110  
*Leptarthra fasciata* Jacoby 206  
*Leptodirus* Schmidt 119  
*Lithocaris ochracea* (Gravenhorst) 110  
*Margarinotus ventralis* (Marseul) 110  
*Melanophila acuminata* De Geer 222  
– *cyanea* (Fabricius) 221-225  
– *cyanea aerea* (Ganglbauer) 222  
– *cyanea cyanea* (Fabricius) 221  
– *formaneki* (Jakobson) 221-225  
– *formaneki bohémica* (Bily) 222  
– *formaneki formaneki* (Jakobson) 222  
– *formaneki lavagnei* (Thery) 222  
*Menippus cervicus* (Hope) 202  
*Meristata dohrni* (Baly) 205  
– *fallax* (Harold) 205  
– *pulumini* (Bryant) 205  
– *quadrifasciata* (Hope) 205  
– *quadrifasciata interrupta* (Kollar & Redtenbacher) 205  
– *sexmaculata* (Kollar & Redtenbacher) 206  
– *spilota* (Hope) 206  
*Metius* sp. 9, 15  
– *blandus* (Dejean) 9, 10, 15  
– *bradytoides* (Fairmaire) 9, 15  
*Migadops latus* (Guérin-Ménéville) 3, 8, 9-12, 15  
*Monachulus* Leng 120  
*Monachus* Chevrolat 120  
*Monochamus* spp. 173  
– *scutellatus* (Say) 171-174  
*Monotoma bicolor* Villa 110  
*Nepalogaleruca elegans* Kirimoto 206

- Nepalogaleruca elegans angustilineata* Kimoto & Takizawa 206  
*Notaris* Germar 120  
*Nothotrechisibus hornensis* (Fairmaire) 9, 15  
*Nottiophilus biguttatus* (Fabricius) 235, 236  
*Oides flava* (Oliver) 201  
 – *livida* (Fabricius) 201  
 – *scutellata* (Hope) 201  
*Oopterus clivinooides* Guérin 12  
 – *soledadius* (Guérin) 9-12, 15  
*Oxypteris acuminata* (DeGeer) 222  
*Oxytelus migrator* Fauvel 110  
*Pallasiola theoneiformis* Mandl 203  
*Patrobus atrorufus* (Ström) 235  
*Periclitena vigorisii* (Hope) 202  
*Perigona nigriceps* (Dejean) 110  
*Philothus discoideus* (Gravenhorst) 110  
 – *longicornis* Stephens 110  
 – *parvicornis* (Gravenhorst) 110  
 – *pseudovarians* Strand 110  
*Pissodes piniphilus* (Herbst) 224  
*Plagiotelum irinum* Solier 9, 15  
*Pseudadimonia variolosa* (Hope) 203  
*Pseudoides flavovittis* (Motschulsky) 203  
*Pseudomedon obscurella* (Erichson) 110  
*Pterostichus melanarius* (Illiger) 235  
 – *oblongopunctatus* (Fabricius) 234-237  
*Ptilium minutissimum* (Ljungh) 110  
*Pycnochila fallaciosa* Chevrolat 9, 12, 15  
*Pytho* sp. 171-173  
*Rhagium inquisitor* (Linnaeus) 171-174  
 – *inquisitor* (Linnaeus) 224  
*Rugilus scutellatus* (Motschulsky) 110  
*Sastroides purpurascens* (Hope) 202  
*Scymnus capicola* Casey 163, 165, 168, 169  
 – *congoanus* Mader 163, 166  
 – *cyclicus* Fürsch 163, 168, 169  
 – *danielssoni* Fürsch sp. n. 163-165, 168, 169  
 – *declaratus* Mader 163-165, 168, 169  
 – *demeteri* Fürsch 163, 164, 167-170  
 – *exasparans* Pope 164  
 – *kibaliensis* Fürsch sp. n. 163-166, 168, 169  
 – *kibonotensis* Weise 163, 166-170  
 – *nummelini* Fürsch sp. n. 163, 167-169  
 – *patruelis* Mader 163, 168, 169  
 – *problematicus* Mader 164  
 – *scapuliferus* Mulsant 163, 167, 169  
 – *scapuliferus posticus* Wollaston 169  
 – *scapuliferus scapuliferus* Mulsant 168, 169  
 – *semidivisus* Mader 166  
 – *simulans* 163, 167, 169  
*Sermyla* Chapuis 120  
*Sermylassa* Reitter 120  
*Sphenoraia bicolor* (Hope) 203  
 – *rutilans* (Hope) 204  
*Stagobium* Schiöde 119  
*Stenotrachelus* Latreille 120  
*Tachinus lignorum* (Linnaeus) 110  
 – *marginatus* Gyllenhal 110  
*Temnostega antarctica* Enderlein 12  
*Tetropium gabrieli* Weise 118  
*Thecturota marchii* (Dodero) 110  
*Thes bergrothi* (Reitter) 110  
*Tomicus piniperda* (Linnaeus) 224, 225  
*Trechisibus* sp. 9, 15  
 – *antarcticus* Dejean 8  
 – *australis* Jeannel 8  
 – *germaini* Jeannel 8  
 – *pernitidus* Jeannel 8  
*Trechus secalis* 235  
*Trirammatius* sp. 9, 15  
*Xanthogaleruca luteola* (Müller) 202  
 – *luteola bicarinata* (Lopatin) 202

## Diptera

- Aenictomyia* Brues 33  
*Aenigmatias lubbocki* (Verrall) 28  
*Aenigmatistes foveolatus* Schmitz 28  
*Aphanotrigonum favillaceum* Becker 227, 230, 231  
*Assuania thalhammeri* Strobl 228, 231  
*Atherix ibis* (Fabricius) 113-116  
 – *variegata* (Walker) 114, 116  
*Camarota curvipennis* Latreille 227, 231  
*Cataclinusa pachycondylae* (Brues) 28  
*Chrysomya marginalis* Wiedemann 151  
 – *megacephala* (Fabricius) 151-153  
 – *regalis* Robineau-Desvoidy 151-153  
*Diplonevra* Lioy 33, 34, 128  
 – *abbreviata* (von Roser) 28  
 – *assmuthi* (Schmitz) 35  
 – *bifasciata* (Walker) 28, 35  
 – *bilineata* (Borgmeier) 33-35  
 – *caudata* (Schmitz) 35  
 – *compressicauda* Beyer 35  
 – *concinna* (Meigen) 28  
 – *evanesces* (Brues) 35  
 – *fasciiventris* (Brues) 35  
 – *florea* (Fabricius) 28  
 – *funebri* (Meigen) 28  
 – *glabra* Schmitz 28  
 – *gynaptera* Fuller & Lee 33-35  
 – *hyalizona* Beyer 35  
 – *ismayi* Disney sp. n. 33, 35, 38  
 – *lucida* Beyer 35  
 – *mortimeri* Disney 33-35, 38  
 – *nigrita* (Malloch) 35  
 – *nigroscutellata* (Malloch) 35  
 – *novaguineae* Beyer 35  
 – *peregrina* (Wiedemann) 35, 36  
 – *predicta* Disney sp. n. 33, 35, 37, 38  
 – *rufivenia* Borgmeier 35  
 – *varians* Beyer 35  
 – *watsoni* Disney 28, 34, 35, 38  
*Dohrniphora* Dahl 33, 34, 38  
*Dohrniphoroidea* Assmuth 34  
 – *cornuta* (Bigot) 28  
*Elachiptera bimaculata* Loew 227, 228  
 – *megaspis* Loew 227, 229  
*Endonepenthia* Schmitz 26  
*Epicnemis flavidula* (Brues) 28  
*Epimegaselia* Beyer 25, 29, 30  
*Fiebrigella* sp. 230  
*Hemiplastophora* Beyer 30  
*Ibisia marginata* (Fabricius) 113, 115, 116  
*Megaselia* Rondani 128  
 – *bisetigera* (Beyer) 29  
 – *bruesi* Disney 26, 28  
 – *caudalis* (Beyer) 29  
 – *congrex* (Beyer) 29  
 – *furvicolor* (Beyer) 29, 30  
 – *rotundicauda* (Beyer) 29, 30  
 – *subulicauda* Schmitz 30  
 – *torautensis* Disney sp. n. 25-29  
*Meromyza* sp. 231  
*Metaplastophora* Beyer 25, 29, 30  
*Metopina cicerci* Disney 33  
*Multinevra macropygidia* Disney 28  
*Myopiomia* Disney 33

*Myopiomyia harmani* Disney 28  
*Myospila bimaculata* (Macquart) 154  
 – *meditabunda* (Fabricius) 154  
*Ortalischema albitarse* (Zetterstedt) 154  
*Oscinella frit* Linnaeus 228, 231  
*Oscinimorpha arcuata* Duda 227, 230  
*Palpiclavina tonkinensis* Silvestri 28  
*Plastophora* Brues 26  
*Plectanocnema nudipes* (Becker) 28  
*Plesioclythia argyrogya* (De Meijere) 28  
*Polyodaspis sulcicollis* Meigen 228, 230  
*Puliciphora rosei* Disney 22  
*Quasipseudacteon* Beyer 25, 29, 30  
*Rhynchomicropteron* Annandale 21, 128  
 – *aphidiforme* Schmitz & Mjöberg 21-23  
 – *beaveri* (Disney) 21  
 – *brevipes* Papp 21  
 – *caecutiens* Schmitz 21  
 – *caecutiens* Silvestri 23  
 – *dudichi* Papp 21  
 – *muluensis* Disney 21  
 – *necaphidiforme* Disney sp. n. 21-23  
 – *nudiventer* Papp 21  
 – *puliciforme* Annandale 21  
 – *silvestrii* Disney sp. n. 21, 23  
 – *vallacki* Disney 21  
*Sciadocera rufomaculata* White 28  
*Scolioptthalmus trapezoides* Becker 227  
*Sepsis biflexuosa* Strobl 154  
 – *luteipes* Melander & Spuler 154  
 – *nigripes* Meigen 154  
 – *thoracica* (Robineau-Desvoidy) 154  
*Siphunculina ornatifrons* Loew 227, 229  
*Speccafrons cypria* Nartshuk sp. n. 227, 229  
 – *halophila* Duda 229, 230  
*Tarsophoromyia* Beyer 25, 29  
*Thaumatomyia notata* Meigen 227, 228, 231  
 – *sulcifrons* Becker 228, 232  
*Themira biloba* Andersson 154  
 – *germanica* Duda 154  
 – *lucida* (Staeger) 154  
 – *malformans* Melander & Spuler 154  
 – *paludosa* Elberg 154  
*Trachysiphonella pori* Harkness & Ismay 227, 230  
*Tricimba humeralis* Loew 228, 230  
 – *meridiana* Dely-Draskovits 227, 231  
*Woodiphora* Schmitz 28  
 – *biroi* (Brues) 28  
 – *papuana* Disney 28  
 – *parvula* Schmitz 28  
 – *retroversa* (Wood) 28  
 – *salomonis* Beyer 28

### Heteroptera

*Acalypta carinata* (Panzer) 214  
 – *gracilis* (Fieber) 214  
 – *marginata* (Wolff) 214  
 – *nigrina* (Fallén) 214  
 – *parvula* (Fallén) 214  
 – *platycheila* (Fieber) 214  
*Acanthosoma haemorrhoidale* (Linnaeus) 214  
*Acompocoris alpinus* Reuter 214  
 – *pygmaeus* (Fallén) 214  
*Acompus rufipes* (Wolff) 214  
*Actinocoris signatus* Reuter 214  
*Adelphocoris lineolatus* (Goeze) 214  
 – *quadripunctatus* (Fabricius) 214  
 – *seticornis* (Fabricius) 214

*Adomerus biguttatus* (Linnaeus) 214  
*Aelia acuminata* (Linnaeus) 214  
 – *klugi* Hahn 214  
*Aeschytelus maculatus* (Fieber) 214  
*Agnocoris rubicundus* (Fallén) 214  
*Agramma femorale* Thomson 214  
 – *tropidopterum* Flor 214  
*Alloeotomus germanicus* E. Wagner 214  
 – *gothicus* (Fallén) 214  
*Alydus calcaratus* (Linnaeus) 214  
*Aneurus avenius* (Dufour) 214  
*Anthocoris confusus* Reuter 214  
 – *gallarumulmi* (De Geer) 214  
 – *limbatus* Fieber 214  
 – *nemoralis* (Fabricius) 214  
 – *nemorum* (Linnaeus) 214  
 – *sibiricus* Reuter 214  
 – *simulans* Reuter 214  
*Aphanus rolandri* (Linnaeus) 214  
*Aphelocheirus aestivalis* (Fabricius) 214  
*Aradus angularis* J. Sahlberg 214  
 – *anisotomus* Puton 214  
 – *aterrimus* Fieber 214  
 – *betulae* (Linnaeus) 214  
 – *betulinus* Fallén 214  
 – *bimaculatus* Reuter 214  
 – *brevicollis* Fallén 214  
 – *cinnamomeus* (Panzer) 214  
 – *corticalis* (Linnaeus) 214  
 – *crenaticollis* R.F. Sahlberg 214  
 – *depressus* (Fabricius) 214  
 – *erosus* Fallén 214  
 – *laeviusculus* Reuter 214  
 – *lugubris* Fallén 214  
 – *pictus* Bärensprung 214  
 – *signaticornis* R.F. Sahlberg 214  
 – *truncatus* Fieber 214  
*Arctocoris carinata* (C. Sahlberg) 214  
 – *germari* (Fieber) 214  
*Atomophora* Reuter 45, 46, 53  
 – *arabica* Linnavuori 47, 49, 51  
 – *basipunctata* Wagner 47, 50, 52  
 – *eximia* Reuter 46, 47  
 – *macrophthalma* Poppius 45, 47, 49, 51  
 – *maculosa erato* Linnavuori 47, 50  
 – *maculosa maculosa* Reuter 50  
 – *maculosa* Reuter 45-48  
 – *nut* Linnavuori 47, 49, 50, 51  
 – *oculata* Reuter 45, 46, 48, 50, 51  
 – *pantherina* Reuter 45-47, 49, 50-52  
 – *pentheus* Linnavuori 47-51  
 – *subpallida* Wagner 47, 50, 53  
*Atomoscelis antennalis* Lindberg 127  
*Atractotomus magnicornis* (Fallén) 214  
 – *mali* (Meyer-Dür) 214  
 – *morio* J. Sahlberg 210, 214  
*Berytinus clavipes* (Fabricius) 214  
 – *crassipes* (Herrich-Schäffer) 214  
 – *minor* (Herrich-Schäffer) 214  
 – *signoreti* (Fieber) 214  
*Blepharidopterus angulatus* (Fallén) 214  
*Bothynotus pilosus* (Boheman) 214  
*Brachyarthrum limitatum* Fieber 214  
*Brachycarenum tigrinus* (Schilling) 214  
*Bryocoris pteridis* (Fallén) 214  
*Callicorixa praeusta* (Fieber) 214  
 – *producta* (Reuter) 214  
 – *wollastoni* (Douglas & Scott) 214  
*Callisphodrus* Stål 139  
*Calocoris biclavatus* (Herrich-Schäffer) 214

- Calocoris fulvomaculatus* (De Geer) 214  
 – *norvegicus* (Gmelin) 215  
 – *ochromelas* (Gmelin) 215  
 – *roseomaculatus* (De Geer) 215  
 – *sexguttatus* (Fabricius) 215  
*Camptotyliidea* Wagner 45, 46, 53, 63  
 – *alba* (Reuter) 45, 54, 55  
 – *albovittata* (Reuter) 45, 54, 55  
 – *alhagii* (Linnavuori) 45, 51, 54, 56, 58, 60  
 – *astarte* (Linnavuori) 45, 53, 54, 57, 60, 61, 62, 63  
 – *astragalii* (Linnavuori) 45, 54, 55, 60  
 – *bast* (Linnavuori) 45, 54, 57  
 – *bipunctata* (Reuter) 45, 54-56  
 – *candida* (Linnavuori) 45, 51, 54, 57, 59  
 – *flavescens* (Puchkov) 45, 54, 59, 60  
 – *fuscomaculata* (Reuter) 45, 54, 56, 57, 62  
 – *lineata* (Reuter) 45, 53, 56, 58  
 – *modesta* (Linnavuori) 45, 54, 60, 61  
 – *pallescens* (Puchkov) 45, 54, 60  
 – *persica* Wagner 53, 54, 56, 57  
 – *suturalis* (Reuter) 45, 51, 54, 56, 58, 60, 62  
 – *vitticollis* (Reuter) 45, 53, 54, 56, 57, 62  
*Camptozygum aequale* (Villers) 215  
*Campylomma verbasci* (Meyer-Dür) 215  
*Capsus ater* (Linnaeus) 215  
 – *wagneri* Remane 215  
*Carpocoris purpureipennis* (De Geer) 215  
*Catoplatus fabricii* (Stål) 215  
*Ceratocombus brevipennis* Poppius 215  
 – *coleopratus* (Zetterstedt) 215  
 – *corticalis* Reuter 215  
*Charagochilus gyllenhali* (Fallén) 215  
*Chartoscirta cincta* (Herrich-Schäffer) 215  
 – *elegantula* (Fallén) 215  
*Chilacis typhae* (Perris) 215  
*Chiloxanthus stellatus* (Curtis) 215  
*Chlamydatus opacus* (Zetterstedt) 215  
 – *pulicarius* (Fallén) 215  
 – *pullus* (Reuter) 215  
 – *saltitans* (Fallén) 215  
 – *wilkinsoni* (Douglas & Scott) 210, 215  
*Chlorochroa juniperina* (Linnaeus) 215  
 – *pinicola* (Mulsant) 215  
*Chorosoma schillingii* (Schummel) 215  
*Cimex columbarius* Jenyns 215  
 – *lectularius* Linnaeus 215  
*Compsidolon* Reuter 123  
 – *maculiorne* Linnavuori 123  
 – *salicellus* (Herrich-Schäffer) 215  
 – *hymelaeae* Wagner 124  
*Componannus* Reuter 123, 128  
 – *hesione* Linnavuori sp. n. 123-127  
 – *longicornis* Wagner 124-127  
 – *maculicornis* Linnavuori 123, 124, 126, 127  
 – *ovatus* Wagner 124, 126, 127  
 – *puncticornis* Reuter 123, 124, 126, 127  
*Coranus subapterus* (De Geer) 215  
*Coreus marginatus* (Linnaeus) 215  
*Cortomeris denticulatus* (Scopoli) 215  
 – *scabricornis* (Panzer) 215  
*Corixa dentipes* (Thomson) 215  
 – *punctata* (Illiger) 215  
*Corizus hyoscyami* (Linnaeus) 215  
*Cremnocephalus albolineatus* Reuter 215  
*Criocoris crassicornis* (Hahn) 210, 215  
 – *quadrimaculatus* (Fallén) 215  
*Cyllocoris histrionicus* (Linnaeus) 215  
*Cymatia bonsdorffi* (C. Sahlberg) 215  
 – *coleoprata* (Fabricius) 215  
*Cymus aurescens* Distant 215  
*Cymus claviculus* (Fallén) 215  
 – *glandicolor* Hahn 215  
 – *melanocephalus* Fieber 215  
*Cyrtorhinus caricus* (Fallén) 215  
*Deraeocoris punctulatus* (Fallén) 215  
 – *scutellaris* (Fabricius) 215  
*Derephysia foliacea* (Fallén) 215  
*Dichrooscytus rufipennis* (Fallén) 215  
*Dictyla convergens* (Herrich-Schäffer) 215  
 – *echii* (Schrank) 215  
*Dicyphus constrictus* (Boheman) 210, 215  
 – *globulifer* (Fallén) 210, 215  
*Dolichonabis limbatus* (Dahlbom) 215  
 – *lineatus* (Dahlbom) 215  
*Dolycoris baccarum* (Linnaeus) 215  
*Drymus brunneus* (R. F. Sahlberg) 215  
 – *pilicornis* (Mulsant & Rey) 215  
 – *ryei* Douglas & Scott 215  
 – *sylvaticus* (Fabricius) 215  
*Dryophilocoris flavoquadrimaculatus* (De Geer) 215  
*Elasmostethus brevis* Lindberg 215  
 – *interstinctus* (Linnaeus) 215  
*Elasmucha ferrugata* (Fabricius) 215  
 – *fieberi* (Jakovlev) 215  
 – *grisea* (Linnaeus) 215  
*Elatophilus nigrellus* 210  
 – *nigricornis* (Zetterstedt) 210, 215  
 – *stigmatellus* (Zetterstedt) 215  
*Empicoris culiciformis* (De Geer) 216  
 – *vagabundus* (Linnaeus) 216  
*Eremocoris abietis* (Linnaeus) 216  
 – *plebejus* (Fallén) 216  
*Eurydema dominulus* (Scopoli) 216  
 – *oleracea* (Linnaeus) 216  
*Eurygaster maura* (Linnaeus) 216  
 – *testudinaria* (Geoffroy) 216  
*Euryopicoris fennicus* E. Wagner 216  
 – *nitidus* (Meyer-Dür) 216  
*Fieberocapsus flaveolus* (Reuter) 216  
*Galeatus spinifrons* (Fallén) 216  
*Gastrodes abietum* Bergroth 216  
 – *grossipes* (De Geer) 216  
*Geocoris ater* (Fabricius) 216  
 – *dispar* (Waga) 216  
 – *lapponicus* Zetterstedt 216  
*Gerris argentatus* Schummel 216  
 – *lacustris* (Linnaeus) 216  
 – *lateralis* Schummel 216  
 – *najas* (De Geer) 216  
 – *odontogaster* (Zetterstedt) 216  
 – *paludum* Fabricius 216  
 – *sphagnetorum* Gaunitz 216  
 – *thoracicus* Schummel 216  
*Glaenocoris propinqua* (Fieber) 210, 216  
*Globiceps flavomaculatus* (Fabricius) 216  
 – *salicicola* Reuter 216  
*Gonianotus marginepunctatus* (Wolff) 216  
*Hallodapus rufescens* (Burmeister) 216  
*Halosalda lateralis* (Fallén) 216  
*Halticus apterus* (Linnaeus) 216  
 – *major* E. Wagner 216  
*Hebrus pusillus* (Fallén) 216  
 – *ruficeps* Thomson 216  
*Hesperocorixa castanea* (Thomson) 216  
 – *linnaei* (Fieber) 216  
 – *sahlbergi* (Fieber) 216  
*Heterogaster urticae* (Fabricius) 216  
*Holcostethus vernalis* (Wolff) 216  
*Hoplomachus thunbergi* (Fallén) 216  
*Hydrometra gracilentia* Horvath 216

- Hydrometa stagnorum* (Linnaeus) 216  
*Ischnocoris angustulus* (Boheman) 216  
*Ischnodemus sabuleti* (Fallén) 216  
*Jalla dumosa* (Linnaeus) 216  
*Kalama tricornis* (Schrank) 216  
*Kleidocerys resedae* (Panzer) 216  
*Labops sahlbergi* (Fallén) 216  
*Lamproplax picea* (Flor) 216  
*Legnotus picipes* (Fallén) 216  
*Leptopterna dolabrata* (Linnaeus) 216  
 – *ferrugata* (Fallén) 216  
*Ligyrocorys sylvestris* (Linnaeus) 216  
*Linnoporus rufoscutellatus* (Latreille) 216  
*Liocoris tripustulatus* (Fabricius) 216  
*Lopus decolor* (Fallén) 216  
*Loricula elegantula* (Bärensprung) 216  
 – *pselaphiformis* Curtis 216  
*Lycocoris campestris* (Fabricius) 216  
 – *nidicola* E. Wagner 216  
*Lygaeus equestris* (Linnaeus) 216  
*Lygocoris contaminatus* (Fallén) 216  
 – *limbatus* (Fallén) 216  
 – *lucorum* (Meyer-Dür) 216  
 – *pabulinus* (Linnaeus) 216  
 – *rhamnocola* (Reuter) 216  
 – *spinolae* (Meyer-Dür) 216  
 – *viridis* (Fallén) 216  
*Lygus gemellatus* (Herrich-Schäffer) 216  
 – *pratensis* (Linnaeus) 217  
 – *punctatus* (Zetterstedt) 217  
 – *rugulipennis* Poppius 217  
 – *wagneri* Remane 217  
*Macrodema micropterum* (Curtis) 217  
*Macrolophus nubilus* (Herrich-Schäffer) 217  
*Macroplax preysleri* (Fieber) 217  
*Macrosaldula scotica* (Curtis) 217  
*Macrosandalus* Stål 139  
*Macrotylus cruciatus* (R.F. Sahlberg) 217  
*Malacocoris chlorizans* (Panzer) 217  
*Malthacosoma* Reuter 46  
*Mecomma ambulans* (Fallén) 217  
 – *dispar* (Boheman) 217  
*Megacoelum infusum* (Herrich-Schäffer) 217  
*Megaloceraea recticornis* (Geoffroy) 217  
*Megalocoleus* Reuter 45  
 – *molliculus* (Fallén) 217  
 – *pilosus* (Schrank) 217  
*Megalonotus antennatus* (Schilling) 217  
 – *chiragra* (Fabricius) 217  
*Mesovelia furcata* Mulsant & Rey 217  
*Metatropis rufescens* (Herrich-Schäffer) 217  
*Micracanthia fennica* (Reuter) 217  
 – *marginalis* (Fallén) 217  
*Micronecta griseola* Horvath 217  
 – *minutissima* (Linnaeus) 217  
 – *poweri* (Douglas & Scott) 217  
*Microvelia reticulata* (Burmeister) 217  
 – *umbricola* Wroblewski 217  
*Miris striatus* (Linnaeus) 217  
*Monalocoris filicis* (Linnaeus) 217  
*Monosynamma bohemani* (Fallén) 210, 217  
*Myrmecophyes alboornatus* (Stål) 217  
*Myrmecoris gracilis* (R.F. Sahlberg) 217  
*Myrmedobia coleoptrata* (Fallén) 217  
 – *distinguenda* Reuter 217  
 – *exilis* (Fallén) 217  
*Myrmus miriformis* (Fallén) 217  
*Nabis brevis* Scholtz 217  
 – *ericetorum* Scholtz 217  
 – *ferus* (Linnaeus) 217  
*Nabis flavomarginatus* Scholtz 217  
 – *inscriptus* (Kirby) 217  
 – *pseudoferus* Remane 217  
 – *punctatus* (Costa) 217  
 – *rugosus* (Linnaeus) 217  
*Neides tipularius* (Linnaeus) 217  
*Nemocoris fallenii* R.F. Sahlberg 217  
*Neomecomma bilineatum* (Fallén) 217  
*Neottiglossa pusilla* (Gmelin) 217  
*Nepa cinerea* Linnaeus 217  
*Nithecus jacobaeae* (Schilling) 217  
*Notonecta glauca* Linnaeus 217  
 – *lutea* Müller 217  
 – *reuteri* Hungerford 217  
*Notostira elongata* (Geoffroy) 217  
 – *erratica* (Linnaeus) 217  
*Nysius ericae* (Schilling) 217  
 – *groenlandicus* (Zetterstedt) 217  
 – *helveticus* (Herrich-Schäffer) 217  
 – *thymi* (Wolff) 217  
*Ochetostethus opacus* (Scholtz) 217  
*Oeciacus hirundinis* (Jenyns) 217  
*Oncotylus punctipes* Reuter 210, 217  
*Orius agilis* (Flor) 217  
 – *horvathi* (Reuter) 217  
 – *niger* (Wolff) 217  
*Orthocephalus brevis* (Panzer) 217  
 – *coriaceus* 210  
 – *saltator* (Hahn) 217  
 – *vittipennis* (Herrich-Schäffer) 210, 217  
*Ortholomus punctipennis* (Herrich-Schäffer) 217  
*Orthonotus rufifrons* (Fallén) 217  
*Orthops basalis* (Costa) 218  
 – *campestris* (Linnaeus) 218  
 – *kalmi* (Linnaeus) 218  
*Orthotylus boreellus* (Zetterstedt) 218  
 – *diaphanus* (Kirschbaum) 218  
 – *ericetorum* (Fallén) 218  
 – *flavinervis* (Kirschbaum) 218  
 – *flavosparsus* (C. Sahlberg) 218  
 – *fuscescens* (Kirschbaum) 218  
 – *leokhares* Linnavuori sp. n. 17  
 – *marginalis* Reuter 218  
 – *nassatus* (Fabricius) 218  
 – *obscurus* Reuter 17  
 – *prasinus* (Fallén) 218  
 – *psalloides* Wagner 17  
 – *tenellus* (Fallén) 218  
 – *virens* (Fallén) 218  
 – *viridinervis* (Kirschbaum) 218  
*Oxycarenus modestus* (Fallén) 218  
*Pachybrachius fracticollis* (Schilling) 218  
 – *luridus* (Hahn) 218  
*Pachycoleus pusillimus* J. Sahlberg 218  
 – *waltli* Fieber 218  
*Pachytomella parallela* (Meyer-Dür) 218  
*Palomena prasina* (Linnaeus) 218  
*Pantilius tunicatus* (Fabricius) 218  
*Paracorixa concinna* (Fieber) 218  
*Peirates sulcicollis* Serville 139  
*Pentatoma rufipes* (Linnaeus) 218  
*Peritrechus angusticollis* (R.F. Sahlberg) 218  
 – *convivus* (Stål) 218  
 – *geniculatus* (Hahn) 218  
 – *nubilus* (Fallén) 218  
*Philomyrmex insignis* R.F. Sahlberg 218  
*Phimodera humeralis* (Dalman) 218  
 – *lapponica* (Zetterstedt) 218  
*Phoenicocoris modestus* (Meyer-Dür) 218  
 – *obscurellus* (Fallén) 218

- Phylus coryli* (Linnaeus) 218  
 – *melanocephalus* (Linnaeus) 218  
*Phymata crassipes* (Fabricius) 218  
*Physatocheila costata* (Fabricius) 218  
*Phytocoris dimidiatus* Kirschbaum 218  
 – *insignis* Reuter 218  
 – *intricatus* Flor 218  
 – *longipennis* Flor 218  
 – *pini* Kirschbaum 218  
 – *populi* (Linnaeus) 218  
 – *tiliae* (Fabricius) 218  
 – *ulmi* (Linnaeus) 218  
*Picromerus bidens* (Linnaeus) 218  
*Piesma capitatum* (Wolff) 218  
 – *maculatum* (Laporte de Castelneau) 218  
 – *quadratum* (Fieber) 218  
*Pilophorus cinnamopterus* (Kirschbaum) 218  
 – *clavatus* (Linnaeus) 218  
 – *confusus* (Kirschbaum) 218  
 – *perplexus* (Douglas & Scott) 218  
*Pinalitus cervinus* (Herrich-Schäffer) 218  
 – *rubricatus* (Fallén) 218  
*Pionosomus varius* (Wolff) 218  
*Pithanus hrabei* Stehlik 210, 218  
 – *maerkeli* (Herrich-Schäffer) 218  
*Pityopsallus lapponicus* (Reuter) 211, 218  
 – *luridus* (Reuter) 218  
*Placochilus seladonicus* (Fallén) 218  
*Plagiognathus albipennis* (Fallén) 218  
 – *arbustorum* (Fabricius) 218  
 – *chrysanthemi* (Wolff) 218  
 – *vitellinus* (Scholtz) 218  
*Plesiocoris rugicollis* (Fallén) 218  
*Plesiodytes pinetellum* (Zetterstedt) 218  
*Plinthisus brevipennis* (Latreille) 218  
 – *pusillus* (Scholtz) 218  
*Polymerus cognatus* (Fieber) 219  
 – *lammesi* Rinne 219  
 – *microphthalmus* (E. Wagner) 219  
 – *nigritus* (Fallén) 219  
 – *palustris* (Reuter) 219  
 – *tepastus* Rinne 219  
 – *unifasciatus* (Fabricius) 219  
 – *vulneratus* (Wolff) 219  
*Psallus aethiops* (Zetterstedt) 219  
 – *alnicola* 211  
 – *ambiguus* (Fallén) 219  
 – *betuleti* (Fallén) 219  
 – *falleni* Reuter 219  
 – *graminicola* (Zetterstedt) 219  
 – *haematodes* (Gmelin) 219  
 – *kolenatii* (Flor) 219  
 – *lepidus* (Fieber) 219  
 – *mollis* (Mulsant & Rey) 219  
 – *perrisi* (Mulsant & Rey) 219  
 – *quercus* (Kirschbaum) 219  
 – *scholtzi* Fieber 211, 219  
 – *variabilis* (Fallén) 219  
 – *varians* (Herrich-Schäffer) 219  
 – *wagneri* Ossiannilsson 219  
*Pterotmetus staphyliniformis* (Schilling) 219  
*Pygolampis bidentata* (Goeze) 219  
*Ranatra linearis* (Linnaeus) 219  
*Rasahus* Amyot & Serville 131, 139  
 – *aeneus* (Walker) 131, 132, 136, 138, 140  
 – *albomaculatus* Mayr 131, 132, 136, 138, 140  
 – *amapaensis* Coscarón 131, 132, 136, 138, 144  
 – *angulatus* Coscarón 131, 132, 136, 138, 144  
 – *arcitenens* Stål 131, 132, 136-138, 144  
 – *arcuiger* (Stål) 131, 132, 136, 138, 144  
 – *argentinensis* Coscarón 131, 132, 136, 138, 144  
 – *atratus* Coscarón 131, 132, 136, 138, 140  
 – *bifurcatus* Champion 131, 132, 136, 138, 140  
 – *biguttatus* (Say) 131, 132, 136, 138, 144  
 – *brasiliensis* Coscarón 131, 132, 136, 138, 140  
 – *castaneus* Coscarón 131, 132, 136, 138, 140  
 – *costarricensis* Coscarón 131, 132, 136, 138  
 – *flavovittatus* Stål 131, 132, 136, 138, 140  
 – *grandis* Fallou 131, 132, 136, 138, 142, 144  
 – *guttipennis* (Stål) 131, 132, 136, 138, 140  
 – *hamatus* (Fabricius) 131, 132, 136, 138, 142, 144  
 – *limai* Pinto 131, 132, 136, 138, 144  
 – *maculipennis* (Lepelletier & Serville) 131, 132, 136, 138, 140  
 – *paraguayensis* Coscarón 131, 132, 136, 138, 140, 141  
 – *peruensis* Coscarón 131, 132, 136, 138, 140, 141  
 – *rufiventris* (Walker) 131, 132, 136, 138, 144  
 – *scutellaris* (Fabricius) 131, 132, 136, 138, 140, 141  
 – *sulcicollis* (Serville) 131, 132, 136, 138, 140  
 – *surinamensis* Coscarón 131, 132, 136, 138, 140  
 – *thoracicus* Stål 131, 132, 136, 138, 144  
 – *vittatus* Coscarón 131, 132, 136-138, 143, 144  
*Rhacognathus punctatus* (Linnaeus) 219  
*Rhinocoris annulatus* (Linnaeus) 219  
*Rhopalus conspersus* (Fieber) 219  
 – *parumpunctatus* (Schilling) 219  
 – *subrufus* (Gmelin) 219  
*Rhyparochromus phoeniceus* (Rossi) 219  
 – *pini* (Linnaeus) 219  
 – (*Raglius*) *maroccanus* Wagner 19  
 – (*R.*) *simplex* (Jakovlev) 19  
 – (*R.*) *tisifone* Linnavuori sp. n. 17-19  
 – (*R.*) *vulgaris* (Schilling) 19  
*Salda littoralis* (Linnaeus) 219  
 – *morio* Zetterstedt 219  
 – *muelleri* (Gmelin) 219  
 – *sahlbergi* Reuter 219  
*Saldula arenicola* (Scholtz) 219  
 – *fucicola* (J. Sahlberg) 219  
 – *opacula* (Zetterstedt) 219  
 – *orthochila* (Fieber) 219  
 – *pallipes* (Fabricius) 219  
 – *palustris* (Douglas) 219  
 – *pilosella* (Thomson) 219  
 – *saltatoria* (Linnaeus) 219  
*Salicarus roseri* (Herrich-Schäffer) 219  
*Sciocoris cursitans* (Fabricius) 219  
 – *microphthalmus* Flor 219  
 – *umbrinus* (Wolff) 219  
*Scoloposcelis obscurella* (Zetterstedt) 219  
 – *pulchella* (Zetterstedt) 219  
*Scolopostethus affinis* (Schilling) 219  
 – *decoratus* (Hahn) 219  
 – *pictus* (Schilling) 219  
 – *pilosus* Reuter 219  
 – *thomsoni* Reuter 219  
*Sehirus luctuosus* Mulsant & Rey 219  
*Sigara distincta* (Fieber) 219  
 – *falleni* (Fieber) 219  
 – *fallenoidea* (Hungerford) 219  
 – *fossarum* (Leach) 219  
 – *hellensii* (C. Sahlberg) 219  
 – *lateralis* (Leach) 219  
 – *limitata* (Fieber) 219  
 – *longipalis* (J. Sahlberg) 219  
 – *nigrolineata* (Fieber) 219  
 – *semistriata* (Fieber) 219  
 – *striata* (Linnaeus) 219  
*Solenoxyphus* Reuter 45, 46  
*Spathocera dalmani* (Schilling) 219

- Sphodrocoris* Stål 139  
*Sphragisticus nebulosus* (Fallén) 219  
*Stagonomus pusillus* (Herrich-Schäffer) 220  
*Stalia boops* (Schiöde) 211, 220  
*Stenodema calcarata* (Fallén) 220  
 – *holsata* (Fabricius) 220  
 – *laevigata* (Linnaeus) 220  
 – *trispinosa* Reuter 220  
 – *virens* (Linnaeus) 220  
*Stenotus binotatus* (Fabricius) 220  
*Stephanitis oberti* (Kolenati) 220  
*Stethoconus cyrtopeltis* (Flor) 220  
*Sthenarus rottermundi* (Scholtz) 220  
*Stictopleurus abutilon* (Rossi) 220  
 – *crassicornis* (Linnaeus) 220  
 – *punctatonervosus* (Goeze) 220  
*Strongylocoris leucocephalus* (Linnaeus) 220  
 – *niger* (Herrich-Schäffer) 220  
 – *steganooides* J. Sahlberg 220  
*Stygnocoris fuliginosus* (Geoffroy) 220  
 – *pygmaeus* (R.F. Sahlberg) 220  
 – *rusticus* (Fallén) 220  
 – *sabulosus* (Schilling) 220  
*Systellonotus triguttatus* (Linnaeus) 220  
*Taeniophorus* Linnavuori 45, 46, 63  
 – *grandoculus* Linnavuori 45  
 – *hyalinus* Linnavuori 45, 57, 60, 61, 63  
*Taphropeltus hamulatus* (Thomson) 220  
*Teloleuca bifasciata* (Thomson) 220  
 – *pellucens* (Fabricius) 220  
*Temnostethus gracilis* (Horvath) 220  
 – *pusillus* (Herrich-Schäffer) 220  
*Teratocoris antennatus* (Boheman) 220  
 – *caricis* Kirkaldy 220  
 – *paludum* J. Sahlberg 220  
 – *saundersi* Douglas & Scott 211, 220  
 – *viridis* Douglas & Scott 220  
*Tetraphleps aterrimus* (J. Sahlberg) 220  
 – *bicuspis* (Herrich-Schäffer) 220  
*Thyreocoris scarabaeoides* (Linnaeus) 220  
*Tingis cardui* (Linnaeus) 220  
*Trapezonotus anorus* (Flor) 220  
 – *arenarius* (Linnaeus) 220  
 – *desertus* Seidenstücker 220  
*Trigonotylus coelestialium* (Kirkaldy) 220  
 – *fuscitarsis* Lammes 220  
 – *ruficornis* (Geoffroy) 220  
*Tritomegas bicolor* (Linnaeus) 220  
*Troilus luridus* (Fabricius) 220  
*Tropistethus holosericeus* (Scholtz) 220  
*Tytthus geminus* (Flor) 220  
 – *pygmaeus* (Zetterstedt) 220  
*Ulmicola spinipes* (Fallén) 220  
*Velia saulii* Tamanini 220  
*Xylocoris cursitans* (Fallén) 211, 220  
 – *formicetorum* (Boheman) 220  
 – *galactinus* (Fallén) 220  
 – *lativentris* (J. Sahlberg) 220  
 – *parvulus* (Reuter) 220  
*Zicrona caerulea* (Linnaeus) 220
- Homoptera
- Acyrtosiphon* (*Liporrhinus*) *chelidonii* (Kaltenbach) 86, 98  
 – (*Metopolophium*) *graminearum* Mordvilko 94  
 – *aurilanicum* Heikinheimo 65, 85  
 – *brachysiphon* Hille Ris Lambers 65, 84, 98  
 – *knechteli* (Börner) 85, 98  
*Anuraphis farfarae* (Koch) 76  
*Aphis avenae* Fabricius 94  
 – *dirhoda* Walker 94  
 – *granaria* Kirby 94  
*Aulacorthum flavum* Müller 81, 82, 98  
 – *speyeri* Börner 82, 83, 98  
 – *vaccinii* Hille Ris Lambers 83, 98  
*Capitophorus carduinus* (Walker) 76, 98  
 – *elaeagni* (Del Guercio) 76  
*Cryptaphis poae* (Hardy) 88, 89, 98  
 – *setiger* Hille Ris Lambers 88  
*Diuraphis* (*Holcaphis*) *calamagrostis* (Ossiannilsson) 68, 69, 98  
 – (*H.*) *frequens* (Walker) 68, 69  
*Dysaphis aizenbergi* (Shaposhnikov) 65, 66, 98  
 – *hirsutissima* Börner 67, 98  
 – *newskyi* (Börner) 65  
 – *ossiannilssoni* Stroyan 65  
*Ericaphis* Börner 73  
 – *empetri* 73  
*Fimbriaphis fimbriata* Richards 73  
 – *lagarrigui* Börner 73  
 – *latifrons* (Börner) 73, 74, 76, 98  
*Hyadaphis foeniculi* Passerini 69, 70  
 – *mellifera* Hottes 69, 70  
 – *passerini* (del Guercio) 69, 70, 98  
 – *polonica* Szelegiewicz 69, 70, 98  
 – *sphondylii* (Koch) 70  
*Hydaphis mosana* Hille Ris Lambers 70, 72, 98  
*Hyperomyzus* (*Neonasonovia*) *sobrinus* Müller 80  
 – (*N.*) *thorsteinni* Stroyan 79, 80  
 – (*N.*) *zirnitsi boeneri* Prevost 79, 80, 98  
 – (*N.*) *zirnitsi* Hille Ris Lambers 79  
*Idiovatus* Börner 73  
*Javesella pellucida* (Fabricius) 149  
*Macrosiphum* 90  
 – (*Sitobion*) *scoticum* Stroyan 94  
*Metadelphax propinqua* (Fieber) 145-149  
*Metopolophium* Mordvilko 73, 90  
 – *beiquei* Hille Ris Lambers 94  
 – *brevirostre* Heikinheimo 94  
 – *dirhodum* (Walker) 87  
 – *festucae* (Theobald) 87, 88  
 – *graminearum* Mordvilko 94  
 – *tenerum* Hille Ris Lambers 87, 88, 98  
*Myzodium* Börner 73  
 – *lagarrigui* Remaudiere 73  
 – *modestum* (Hottes) 76, 98  
*Myzus* (Nectarosiphon) 74  
*Nasonovia* (*Kakimia*) *saxifragae* (Doncaster & Stroyan) 99-101  
 – (*K.*) *vannesi* Stenseth 78, 98  
*Neodecorosiphon muscicolens* Heinze 88  
*Nilaparvata lugens* (Stål) 149  
*Ovatus* van der Groot 73  
*Pseudacaudella rubida* Börner 72, 73, 98  
*Rhodobium porosum* (Sanderson) 90, 92, 98  
*Rhopalosiphonium* (*Pseudorhopalosiphonium*) *calthae* Koch 80, 81, 98  
*Schizomyzuz lindneri* Börner 73  
*Sitobion* (*Metobion*) Heikinheimo 65  
 – (*Metobion*) *graminearum* (Mordvilko) 65, 93, 94, 98  
 – *dryopteridis* (Holman) 92, 98  
 – *scoticum* Stroyan 94  
*Stiroma bicarinata* (Herrich-Schäffer) 146  
*Subacyrthosiphon cryptobium* Hille Ris Lambers 90, 91, 98  
*Uroleucon* (*Uromelan*) Hille Ris Lambers 95  
 – (*U.*) *riparium* (Stroyan) 95, 98  
 – *jaceae* 95  
 – *solidaginis* 95

## Hymenoptera

- Aclastus caudator* Hellén 181, 184  
 – *furcifer* Hellén 185  
 – *gracilis* (Thomson) 185  
 – *micator* (Gravenhorst) 184  
 – *opacinotum* Hellén 185  
 – *planicollis* Hellén 185  
 – *setosus* Hellén 181, 184, 185  
*Alegina thunebergi* Hellén 184  
*Apsilops cictorius* var. *tenebrosus* Hellén 183  
 – *cinctorius* (Gravenhorst) 183  
 – *tenebrosus* Hellén 183  
*Arotrepes glabriculus* (Hellén) 184  
 – *nivosus* (Hellén) 184  
*Asyncrita canaliculata* Hellén 181  
 – *scutellata* Hellén 182  
*Atractodes nigripennis* Hellén 182  
*Bathythrix maculata* (Hellén) 183  
*Brachycephalus tenerifae* Hellén 182  
 – *tenerifae* var. *thoracicus* Hellén 182  
*Caenocryptus melanarius* Hellén  
*Catalytus fennicus* Hellén 185  
*Charitopes* Förster 184  
 – *breviceps* Hellén 184  
 – *brevistylus* Hellén 184  
 – *curticauda* Hellén 184  
 – *macrocerus* Hellén 184  
*Clypeoteles distans* (Thomson) 185  
*Dichrogaster tenerifae* (Hellén) 182  
*Diprion pini* (Linnaeus) 175-178  
 “*Ethelurgus*” *curticauda* (Hellén) 184  
*Formica cinerea* Mayr 192  
 – *fusca* Linnaeus 192  
 – *pratensis* Retzius 192  
 – *pressilabris* Nylander 192  
*Formicoxenus nitidulus* (Nylander) 191  
*Gelis balteata* (Thomson) 184  
 – *breviceps* (Hellén) 184  
 – *cephalotes* Hellén 185  
 – *inflatipes* Hellén 185  
 – *lapponica* Hellén 185  
 – *lapponicus* Hellén 185  
 – *speciosa* (Hellén) 182  
*Gilpinia socia* (Klug) 175-178  
*Habrocryptus canariensis* Hellén 182  
*Harpagoxenus sublaevis* (Nylander) 191  
*Hedylus crassicornis* Ashmead 181, 185  
*Hemiteles* Gravenhorst 181  
 – *rufigaster* Horstmann nom. nov. 181, 182  
 – *rufiventris* Hellén 181, 182  
 – *similis* (Gmelin) 182  
 – *speciosus* Hellén 182  
*Hidryta* Förster 182  
 – *atlantica* Horstmann sp. n. 181, 185  
 – *pardosae* Nishida 185  
*Idiolispa analis* f. *nigriventris* Habermehl 182  
 – *analis* Gravenhorst 182  
 – *morio* Hellén 181, 182, 185  
 – *vagabunda* Seyrig 182  
*Isadelphus* Förster 184  
 – *parviceps* Hellén 184  
 – *pusillus* Hellén 184  
*Ischnurgops pellucidator maculatus* Hellén 183  
*Ischnus canariensis* (Hellén) 182  
*Ischnus porrectorius* var. *melanarius* Hellén 183  
*Iselix elfvingi* Hellén 181, 183  
*Lasius mixtus* (Nylander) 191  
*Leptogenys* sp. 22  
*Leptogenys mutabilis* (Smith) 22  
*Leptothorax muscorum* (Nylander) 191  
*Mastrus parviceps* (Hellén) 184  
*Myrmica rugulosa* Nylander 191  
 – *sabuleti* Meinert 191  
 – *scabrinodis* Nylander 191  
 – *schencki* Emery 191  
 – *sulcinodis* Nylander 191  
*Neodiprion sertifer* (Geoffroy) 175-178  
*Orthizema* Förster 185  
 – *macrocerum* (Hellén) 184  
 – *opacinotum* (Hellén) 185  
 – *pullator* (Gravenhorst) 185  
*Peristenus* Förster 189  
 – *digoneutis* Loan 189-190  
 – *pallipes* (Curtis) 189-190  
 – *rubricollis* Thomson 189-190  
 – *stenodemae* Loan 189-190  
 – *stygius* Loan 189-190  
*Pheidologeton diversus* 22  
*Phygadeuon* Gravenhorst 181  
 – *austriacus* Gravenhorst 181, 183  
 – *inaris* (Hellén) 183  
 – *lateareolatus* Hellén 183  
 – *planicollis* (Hellén) 185  
 – *ponojensis* (Hellén) 183  
 – *striiventris* Hellén 183  
*Phyzelus boreophilus* Hellén 183  
 – *glabriculus* Hellén 184  
 – *inaris* Hellén 183  
 – *nivosus* Hellén 184  
 – *ponojensis* Hellén 183  
*Pleurogyrus pumilus* (Hellén) 184  
*Sulcarius thunebergi* (Hellén) 184  
*Theroscopus* Förster 185  
 – *boreophilus* (Hellén) 183  
*Trychosis* Förster 182  
*Uchidella longicauda* Hellén 184  
 – *pumila* Hellén 184  
*Xiphulcus floricolator* (Gravenhorst) 184

## Lepidoptera

- Bucculatrix latviaella* Šulcs, sp. n. 41-43  
 – *maritima* Stainton 41-43  
*Noctua pronuba* (Linnaeus) 155-157, 159-161

## Siphonaptera

- Amphipsylla rossica* Wagner 180  
*Ceratophyllus farreri* Rothschild 180  
 – *hirundis* Curtis 180  
*Ctenophthalmus assimilis* Taschenberg 180  
 – *bisocotodontatus* Kolenati 180