

## Index to genera and species, Volume 2 (1991)

### Acarina

- Adelphacarus sellnicki* Grandjean 47
- Aphelacarus acarinus* (Berlese) 47, 48
- Kennethiella trisetosa* (Cooreman) 180
- Machuella africana* Mahunka 45
  - *capitata* Kulijev 45
  - *draconis* Hammer 45
  - *hellenica* Mahunka 45
  - *hippy* sp. n. Niemi & Gordeeva 45, 46
  - *lineata* Hammer 45
  - *pyriformis* Hammer 45
  - *ventrisetosa* Hammer 45
  - *ventrisetosa plicata* Hammer 45
  - *ventrisetosa robusta* Hammer 45, 46
  - *zehnteri* Mahunka 45

### Coleoptera

See also pp. 11–12.

- Agabus bipustulatus* (Linnaeus) 23
  - *infuscatus* Aubé 6
- Agriotes sputator* (Linnaeus) 1
- Anaspis frontalis* ab. *schilskyana* Csiki 22
  - *lateralis* (Fabricius) sensu Gyllenhal 22
  - *marginicollis* Lindberg 21, 22
  - *schilskyana* Hellén 21, 22
- Anidorus nigrinus* (Germar) 1
- Anthobium florale* Erichson 21
  - *primulae* Stephens 21, 22
  - *sorbi* Grimmer 21
  - *triviale* Heer 21
- Anobium nitidum* Fabricius 22
- Aphodius* 53
  - *aestivalis* Stephens 59
  - *arenarius* (Olivier) 57
  - *ater* (Degeer) 54, 59, 64
  - *borealis* Gyllenhal 54, 59, 64
  - *brevis* Erichson 54, 57, 62
  - *coenosus* (Panzer) 54, 58, 63
  - *conspurcatus* (Linnaeus) 54, 58, 63
  - *contaminatus* (Herbst) 54, 58, 63
  - *depressus* (Kugelann) 54, 57, 63
  - *distinctus* (Müller) 54, 58, 63
  - *erraticus* (Linnaeus) 54, 57, 62
  - *fasciatus* (Olivier) 59
  - *fimetarius* (Linnaeus) 54, 59, 64
  - *foetens* (Fabricius) 54, 59, 64
  - *fossor* (Linnaeus) 54, 57, 62
  - *granarius* (Linnaeus) 54, 60, 65
  - *haemorrhoidalis* (Linnaeus) 54, 57, 62
  - *ictericus* (Laicharting) 54, 60, 65
  - *lapponum* Gyllenhal 54, 59, 64
  - *lividus* (Olivier) 54, 60, 65
  - *luridus* (Fabricius) 54, 57, 63
  - *merdarius* (Fabricius) 53, 54, 58, 60, 64
  - *nemoralis* Erichson 54, 59, 64
  - *niger* (panzer) 54, 60, 65
  - *nitidulus* (Fabricius) 60
  - *paykulli* Bedel 54, 58, 63
  - *piceus* Gyllenhal 54, 59, 65
  - *plagiatus* (Linnaeus) 54, 60, 65
  - *prodromus* (Brahm) 54, 58, 63
  - *pusillus* (Herbst) 54, 57, 63
  - *putridus* (Geoffroy) 54, 57, 62
  - *putridus* (Herbst) 59
  - *rhododactylus* (Marsham) 57
  - *rufipes* (Linnaeus) 54, 57, 63
  - *rufus* (Moll) 59
  - *sabulicola* Thomson 54, 58, 63
  - *scybalarius* (Fabricius) 54, 59, 65
  - *serotinus* (panzer) 54, 58, 64
  - *sordidus* (Fabricius) 54, 59, 65
  - *sphacelatus* (panzer) 53, 54, 58, 60, 63, 66
  - *subterraneus* (Linnaeus) 53, 54, 57, 60, 62
  - *tenellus* Say 54, 59, 64
  - *tessulatus* (paykull) 58
  - *tomentosus* (Müller) 54, 58, 64
  - *tristis* (Zenker) 58
- Apion brundini* Wagner 5
  - *meieri* Desbrochers des Loges 1
  - *seniculus* Kirby 1
- Atheta crassicornis* (Fabricius) 1
  - *fungicola* (Thomson) 1
  - *incognita* (Sharp) 5
  - *paracrassicornis* Brundin 1
  - *pertyi* (Heer) 5
- Atholus* 53
  - *bimaculatus* (Linnaeus) 53, 54, 56, 60, 62
  - *corvinus* (Germar) 54, 56, 62
  - *duodecimstriatus* (Schränk) 54, 56, 62
- Autalia impressa* (Oliver) 5
- Chilomorpha longitarsis* (Thomson) 5
- Chrysanthia hamata* Vazquez 20
  - *maroccana* Lindberg 19, 20
  - *reitteri* Seidlitz 20
  - *superba* Reitter 20
  - *viridis* Schmidt 20
- Chrysomela vigintipunctata* (Scopoli) 5, 18
- Cidnopus pilosus* (Leske) 1
- Cis alter* nom. nov. Silberberg 21
  - *nitidus* auct. nec Fabricius 21, 22
- Clanoptilus Motschulsky* 21, 22
  - *antennatus* Motschulsky 21, 22
- Coelambus impressopunctatus* (Schaller) 23
  - *parallelogrammus* (Ahrens) 23
  - *polonicus* (Aube) 23
- Cossonus cylindricus* Sahlberg 6
- Cryptophagus hexagonalis* Tourmier 5
  - *subvittatus* Reitter 5
- Dorcatoma serra* Panzer 5
- Dromius quadraticollis* Morawitz 6
- Euryalea pulcherrima* Bernhauer 2

- Eusphalerum florale* auct. nec (Panzer) 21  
 – *tenenbaumi* (Bernhauer) 21, 22  
*Gabrius appendiculatus* Sharp 21  
 – *astutoides* (Strand) 5  
 – *subnigrituloides* (Scheerpelzer) 21  
 – *subnigritulus* Joy 21  
 – *subnigritulus* (Reitter) 21  
 – *subnigritulus* Smetana 21  
*Galerucella aquatica* (Fourcroy) 2  
 – *grisescens* (Joannis) 2  
 – *kerstensi* Lohse 2  
 – *pusilla* (Duftschmidt) 5  
 – *nymphaeae* (Linnaeus) 2  
 – *sagittariae* (Gyllenhal) 2  
*Geotrupes* 53  
*Gyrophana congrua* Erichson 3  
 – *pseudonana* Strand 2, 3  
 – *rugipennis* Mulsant & Rey 2, 3  
*Haliplus immaculatus* Gerhardt 23  
*Hapalaraea floralis* (Paykull) 21  
*Hister* 53  
 – *bissexstriatus* Fabricius 53, 54, 56, 60, 61  
 – *funestus* Erichson 53, 54, 56, 60, 61  
 – *helluo* Truqui 54, 56, 61  
 – *unicolor* Linnaeus 54, 56, 61  
*Hydrobius arcticus* Kuwert 5  
*Hydroporus nigellus* Mannerheim 23  
*Laccobius decorus* (Gyllenhal) 23  
*Lidopria serricornis* Gyllenhal 5  
*Malachius* Fabricius 22  
 – *rufus* Olivier 22  
 – *spinipennis* Germar 22  
*Margarinotus* 53  
 – *brunneus* (Illiger) 54, 55, 61  
 – *cadaverinus* (Hoffman) 55  
 – *impressus* (Fabricius) 55  
 – *merdarius* (Hoffman) 54, 55, 61  
 – *neglectus* (Germar) 53, 54, 56, 60, 61  
 – *obscurus* (Kugelann) 54, 55, 61  
 – *purpurascens* (Herbst) 53–55, 60, 61  
 – *stercorarius* (Hoffman) 55  
 – *striola* (Sahlberg) 54, 55, 61  
 – *ventralis* (Marseul) 54, 56, 61  
*Microdota platonoffi* Brundin 5  
*Monochamus galloprovincialis* (Oliver) 49–51  
 – *galloprovincialis pistor* Germar 49  
 – *sutor* (Linnaeus) 49–51  
 – *urussovi* (Fischer von Waldheim) 49–51  
*Mordellistena praesagita* Kangas 5  
 – *thurepalmi* Ermisch 5  
*Omalius sorbi* Gyllenhal 21  
*Onthophagus* 53, 60  
 – *fracticornis* (Preyssler) 53, 54, 57, 62  
 – *gibbulus* (Pallas) 53, 54, 56, 57, 62  
 – *nuchicornis* (Linnaeus) 53, 54, 56–58, 62  
 – *similis* (Scriba) 53, 54, 57, 62  
*Orthocerus clavicornis* (Linnaeus) 6  
*Otiorthynchus porcatus* Herbst 6  
*Pissodes* 195  
*Potamonectes depressus* (Fabricius) 23  
 – *griseostriatus multilineatus* (Falkenström) 23  
*Psammoecus bipunctatus* (Fabricius) 3  
*Quedius puncticollis* Thomson 6  
*Sphaeridium bipustulatum* Fabricius 3  
 – *marginatum* Fabricius 3  
*Stenus audax* J. Sahlberg 25, 26  
 – *bifoveolatus* Gyllenhal 25  
 – *hyperboreus* J. Sahlberg 26  
 – *niveus* Fauvel 25, 26  
 – *umbratilis* Casey 25  
*Trachypachus zetterstedti* (Gyllenhal) 6  
*Yolina libera* Biström 52  
 – *tiwaiensis* Franciscolo & Sanfilippo 52
- Collembola**
- See p. 9
- Diptera**
- See also pp. 13–15.
- Bicellaria austriaca* Tuomikoski 3  
 – *intermedia* Lundbeck 3  
 – *nigra* (Meigen) 3  
*Bradysia* 115–117  
 – *angustipennis* Winnertz 115  
 – *prosciaroides* Tuomikoski 116, 117  
*Chaoborus crystallinus* (De Geer) 95  
*Chelifera* Bezzi 79  
*Chironomus aberratus* Keyl 97, 100–104, 107, 108  
 – *anthracinus* (Zetterstedt) 101  
 – *balatonicus* Dévai, Wülker & Scholl 102  
 – *beljaninae* sp.n. Wülker 97–108  
 – *borokiensis* Kerkis, Filippova, Shobanov, Gunderina & Kiknadze 102  
 – *cucini* Webb 101, 102  
 – *dorsalis* (Meigen) 103  
 – *fraternus* sp.n. Wülker 97–108  
 – *inermifrons* Goetghebuer 108  
 – *islandicus* Kieffer 101  
 – *jonmartini* Lindeberg 97, 100, 101, 104, 107, 108  
 – *lacunarius* Wülker & Klötz 104, 108  
 – *longistylus* Goetghebuer 101, 106  
 – *major* Wülker & Butler 102  
 – *melanotus* Keyl 104  
 – *muratensis* Ryser, Sholl & Wülker 102, 108  
 – *neglectus* Lindeberg 97, 107  
 – *neocorax* Wülker & Butler 101  
 – *nigricans* Goetghebuer 104, 106  
 – *nigrifrons* Linevich & Erbaeva 104, 106  
 – *nudiventris* Ryser, Scholl & Wülker 102  
 – *piger* Strenzke 101, 102  
 – *pilicornis* Fabricius 101  
 – *plumosus* Linnaeus 102, 103  
 – *pseudothummi* Strenzke 95, 103  
 – *riihimakiensis* Wülker 95, 101, 104, 108  
 – *riparius* Meigen 95, 102  
 – *sororius* Wülker 97, 100–104, 107, 108  
 – *staegeri* Lundbeck 101, 104  
 – *striatus* Strenzke 108  
 – *tardus* Butler 101  
 – *tenuistylus* Brundin 101, 102  
 – *thummi*-complex 97, 99, 101, 102, 108  
 – *striatus* Strenzke 104  
 – *whitseli* Sublette & Sublette 101  
*Chironomus? piger* Strenzke 95  
*Coptophlebia* Bezzi → *Empis*  
*Corynoptera* 115  
*Ctenosciara* 115  
*Culex pipiens* Linnaeus 95  
*Dolichosciara* 113, 115–117  
*Einfeldia pectoralis* Kieffer 95  
*Empis (Coptophlebia)* 79, 80, 83  
 – *albinervis* Meigen 83  
 – *hyalipennis* 80, 83, 86  
 – *vitripennis* Meigen 83

- Empis* (*Empis*) 79, 80  
 – *acinerea* Chvála 80, 81, 84, 85  
 – *aestiva* Loew 81, 83  
 – *bicuspidata* Collin 79–81, 83–85  
 – *caudatula* Loew 81  
 – *chioptera* “Fallen” 80  
 – *chioptera* Meigen 81, 83, 85  
 – *cinerea* Zetterstedt 80  
 – *laminata* Collin 79, 81, 82, 84, 85  
 – *nigrripes* Fabricius 79, 81, 82, 84, 85  
 – *nuntia* Meigen 81  
 – *pennaria* Fallén 80  
 – *pennaria* s.lat. 80  
 – *pennipes* Linnaeus 79–85  
 – *planetica* Collin 80, 81  
 – *plumipes* Zetterstedt 80  
 – *prodromus* Loew 80–83, 85  
 – *rufiventris* Meigen 81  
 – *serotina* Loew 81  
 – *staegeri* Collin 79, 81, 82, 84, 86  
 – *syrovatkai* Chvála 80–82, 84, 86  
 – *vernalis* Meigen 80  
*Endochironomus lepidus* (Meigen) 95  
*Glyptotendipes* 88, 90, 93, 94  
 – *aequalis* Kieffer 87–89, 91–95  
 – *barbipes* sensu Pankratova 94  
 – *barbipes* Staeger 94  
 – *caulicola* Kieffer 92–94  
 – *foliicola* Kieffer 87  
 – *glaucus* Kieffer 92–94  
 – *glaucus* (Meigen) 91  
 – *gripekoveni* Kieffer 92–94  
 – *mancunianus* Edwards 92  
 – *paripes* Edwards 92, 94  
 – *salinus* Michailova 94  
*Hilara* 80  
*Hormopeza* 79  
*Hybos grossipes* (Linnaeus) 3  
*Iteaphila* 80  
*Lobosciara* 115  
*Lycoria porrecta* sensu Lengersdorf 136  
 – *ungulata* sensu Lengersdorf 123  
*Neosciara (Prosciara)* 114, 115  
 – *porrecta* sensu Frey 136  
 – *porrecta* sensu Lackschewitz 136  
 – *porrecta* sensu Lengersdorf 114, 115  
*Oscinella frit* (Linnaeus) 195  
*Pachyneura fasciata* Zetterstedt 4  
*Paratanytarsus austriacus* Kieffer 95  
*Pentapedilum tritum* (Walker) 95  
 – *uncinatum* Goetghebuer 95  
*Phorodonta* 115, 116  
*Phytocironomus* sensu Lenz 94  
*Phytochironomus* Kieffer 87, 94  
 – *cauliola*-group 87  
*Phytosciara* 113, 115–117  
 – *lobata* Antonova 130  
 – *porrecta* sensu Tuomikoski 136  
 – *producta* Tuomikoski 123  
 – *quadriangulata* Mohrig & Krivosheina 117  
 – *ungulata* sensu Tuomikoski 123  
 – *ussuriensis* Antonova 130  
*Platypalpus nigrirarsis* (Fallén) 3  
*Prosciara* 113, 114, 117  
 – *angustiloba* sp.n. Hippa & Vilkamaa 113, 117, 119, 134, 135–137, 144  
 – *biceps* sp.n. Hippa & Vilkamaa 113, 117, 119, 150, 152, 153  
 – *bifida* sp.n. Hippa & Vilkamaa 113, 117, 118, 128–130  
 – *biloba* sp.n. Hippa & Vilkamaa 113, 117, 119, 150–152  
 – *collina* sp.n. Hippa & Vilkamaa 113, 117, 119, 125, 128, 131–133, 136  
 – *crassidens* sp.n. Hippa & Vilkamaa 113, 117–119, 127, 128  
 – *decamera* sp.n. Hippa & Vilkamaa 113, 117, 119, 144, 146, 148  
 – *dolichochoeta* sp.n. Hippa & Vilkamaa 113, 117, 119, 144–146  
 – *duplex* sp.n. Hippa & Vilkamaa 113, 117, 119, 136, 150–153  
 – *ensifera* sp.n. Hippa & Vilkamaa 113, 117, 118, 130, 132, 133  
 – *filichaeta* sp.n. Hippa & Vilkamaa 113, 117, 118, 144–147  
 – *flavipleura* Brunetti 118  
 – *furcifera* sp.n. Hippa & Vilkamaa 113, 117, 120, 139–144  
 – *gemellata* sp.n. Hippa & Vilkamaa 113, 117, 119, 152, 154, 155  
 – *gibbosa* sp.n. Hippa & Vilkamaa 113, 118, 120, 138, 139  
 – *glomerata* sp.n. Hippa & Vilkamaa 113, 118, 119, 130–132  
 – *latifurca* sp.n. Hippa & Vilkamaa 113, 118, 120, 140–144  
 – *latilingula* sp.n. Hippa & Vilkamaa 113, 118, 125, 126, 130  
 – *lobata* (Antonova) 118, 119, 130, 132  
 – *megacera* sp.n. Hippa & Vilkamaa 113, 118, 119, 146, 149  
 – *megachaeta* sp.n. Hippa & Vilkamaa 113, 118, 119, 135–137, 144  
 – *mima* sp.n. Hippa & Vilkamaa 113, 118, 128–130  
 – *neofusca* Mohrig 117  
 – *pectinifera* sp.n. Hippa & Vilkamaa 113, 118, 120, 139, 140  
 – *pentacanta* sp.n. Hippa & Vilkamaa 113, 118, 119, 132, 134, 135  
 – *pentadactyla* sp.n. Hippa & Vilkamaa 113, 118, 132, 134, 136  
 – *plusiochaeta* sp.n. Hippa & Vilkamaa 113, 118–120, 122, 123, 130  
 – *pollex* sp.n. Hippa & Vilkamaa 113, 118, 119, 143–145  
 – *porrecta* (Lengersdorf) 118, 120, 138, 139  
 – *processifera* sp.n. Hippa & Vilkamaa 113, 118, 120, 140, 142, 144  
 – *producta* (Tuomikoski) 116, 118, 123, 125, 126, 130, 146  
 – *prosciaroides* (Tuomikoski) 118–123, 130  
 – *quadriangulata* (Mohrig & Krivosheina) 118–120, 123, 130  
 – *quantula* sp.n. Hippa & Vilkamaa 113, 118, 125, 127, 128, 132  
 – *tetrix* sp.n. Hippa & Vilkamaa 113, 118, 119, 146, 149, 150, 152  
 – *triloba* sp.n. Hippa & Vilkamaa 113, 118, 119, 152, 154, 155  
 – *ungulata* (Winnertz) 118, 123–126, 130  
 – *ussuriensis* (Antonova) 118, 119, 130, 132  
 – *vulcanata* Steffan 117  
*Psectrocladius octomaculatus* Wülker 95  
*Psectrotanypus varius* (Fabricius) 95  
*Pterempis Bezzi* 80  
*Ragas* 80  
*Scatopsiara* 115, 117  
*Sciara coprophila* Lintner 115  
 – *flavipes* Meigen 115  
 – *halterata* Lengersdorf 115  
 – *nigra* Wiedemann 115  
 – *porrecta* Lengersdorf 136  
 – *ungulata* Winnertz 115

*Urophora cardui* (Linnaeus) 211–215  
*Xenopygina* 113, 115, 117  
 – *hastata* (Johannsen) 113, 116, 117  
 – *paradoxa* (Frey) 113, 116, 117  
*Zavrelimyta hirtimana* (Kieffer) 95

### Ephemeroptera

*Baetis liebenauae* Keffermüller 10  
*Cloeon dipterum* (Linnaeus) 95

### Heteroptera

See p. 10

### Homoptera

See also p. 10.

*Acanthococcus baldonensis* Rasina 4  
*Diaspidiotus bavaricus* Lindinger 4

### Hymenoptera

See also pp. 15–17.

*Adelognathus stelfoxi* Fitton, Gauld & Gupta 37  
*Agathis clausthaliana*: Shenefeldt 196  
 – *glabricollis* Telenga 195, 196  
 – *glabricula* Thomson 193, 195  
 – *malvacearum* Latreille 193, 195, 196  
 – *simulator* [incorrect spelling?] 196  
 – *simulatrix* Kokujev 195, 196  
 – *tibialis* Nees 193, 196  
*Agrothereutes adustus* Gravenhorst 75  
 – *mandator* (Linnaeus) 74–76  
 – *mandator americanus* Townes 74  
*Allantus* 175  
*Amicroplus* → *Macrocentrus*  
 – *collaris*: Förster 196  
*Ancistrocerus* 179  
 – *antilope* (Panzer) 179, 180, 183, 186–188  
 – *claripennis* Thomson 180, 183, 186–188  
 – *gazella* (Panzer) 179–181, 183, 186–188  
 – *ichneumonideus* (Ratzeburg) 179–181, 183, 186–188  
 – *nigricornis* (Curtis) 179–181, 184, 186–188  
 – *oviventris* (Wesmael) 180, 181, 183, 186–188  
 – *oviventris hibernicus* Blüthgen 181  
 – *parietinus* (Linnaeus) 179–181, 183, 186–188  
 – *parietum* (Linnaeus) 179–181, 184, 186–188  
 – *scoticus* (Curtis) 180, 181, 184, 187, 188  
 – *scoticus albotricinctus* Zetterstedt 181  
 – *trifasciatus* (Müller) 179–181, 184, 186–188  
*Apanteles acuminatus* Reinhard 203  
 – *aliphera* Nixon 202  
 – *breviventris*: Marshall 205  
 – *brunnistigma* Abdinbekova 205  
 – *callunae* Nixon 204  
 – *coleophorae* Wilkinson 205  
 – *congestus*: Reinhard etc. 204  
 – *elpis* Nixon 205  
 – *glomeratus* (Linnaeus) 75  
 – *hoplites*: Reinhard etc. 206  
 – *jucundus* Marshall 203  
 – *lacticolor* Viereck 205  
 – *laevigatus*: Wilkinson 206  
 – *lineipes*: Marshall etc. 206

– *longicalcar* Thomson 206  
 – *mesoxanthus* Ruschka 205  
 – *metacarpalis* (Thomson) 205  
 – *lateralis*: Marshall 203  
 – *lineola*: Marshall 203  
 – *mandanis* Nixon 202  
 – *ofella* Nixon 204  
 – *opaculus*: Dalla Torre etc. 204  
 – *pallipes* Reinhard 203  
 – *portheriae* Muesebeck 203  
 – *praepotens*: Marshall 204  
 – *ruficrus*: Marshall 204  
 – *salebrosus* Marshall 204  
 – *simulans* Lyle 204  
 – *sotades* Nixon 205  
 – *spurius*: Reinhard 204  
 – *tetricus* Reinhard 204  
 – *tibialis*: Fahringer etc. 204  
 – *villanus* Reinhard 205  
 – *vitripennis*: Marshall 203  
 – *zygaenarum* Marshall 205  
*Apechthis compunctor* (Linnaeus) 75  
*Apethymus* 175  
 – *parallelus* (Eversmann) 175, 177, 178  
*Bassus* 196  
 – *clausthalianus* (Ratzeburg) 193, 196  
 – *rufipes* Nees 193, 196  
*Bathyplectes stenostigma* (Thomson) 37, 40  
*Blacus (Blacus) interstitialis* Ruthe 195  
 – *exilis* (Nees) 195  
 – *oscinellae* Fischer 195  
*Bracon cinctellus* Spinola 195  
 – *collaris* Spinola 196  
 – *linearis* Nees von Esenbeck 197  
 – *pallipes* Nees von Esenbeck 198  
 – *protuberans* Nees von Esenbeck 194  
 – *thoracicus* Nees von Esenbeck 198  
*Braunsia rufipes*: Shenefeldt 196  
*Callidora albovineta* (Holmgren) 37, 40  
 – *analis* (Gravenhorst) 37, 40  
*Campodorus hamulus* (Gravenhorst) 37  
 – *hyperboreus* (Holmgren) 37, 38, 43  
 – *rubidus* (Thomson) 37, 38  
 – *suspica* (Holmgren) 37, 38  
*Campoplex ferinus* 37, 39  
*Cimbex* 73  
 – *femoratus* (Linnaeus) 74  
 – *luteus* (Linnaeus) 72  
*Clinocentrus* 194  
 – *arcticus* Hellén 193, 194  
*Coeloides (Coeloidina) filiformis* Ratzeburg 193, 194  
 – (*Syntomomelus forsteri* Haeselbarth 193, 194  
*Coeloidina* 194  
*Cotesia acuminata* (Reinhard 203  
 – *elpis*: Papp 205  
 – *jucunda* (Marshall) 203  
 – *lineola* (Curtis) 193, 203  
 – *ofella* (Nixon) 204  
 – *praepotens* (Haliday) 204  
 – *ruficrus* (Haliday) 204  
 – *salebrosa* (Marshall) 193, 204  
 – *spurius* (Wesmael) 204  
 – *tetrica* (Reinhard) 204  
 – *tibialis* (Curtis) 204  
 – *villana* (Reinhard) 205  
 – *zygaenarum* (Marshall) 205  
*Delopia baueri* (Hinz) 37, 40  
 – *carpathica* (Szépligeti) 37, 40  
*Dendrosoter protuberans* (Nees) 193, 194  
*Diaparsis carinifer* (Thomson) 37, 41

- Diolcogaster circumvectus* Lyle 202  
 – *flavipes* (Haliday) 193, 202  
 – *hinzi* (Nixon) 202  
 – *minuta* (Reinhard) 193, 202  
 – *scotica* (Marshall) 193, 202  
*Diprion pini* (Linnaeus) 74, 75  
*Discoelius zonalis* (Panzer) 186  
*Dolichogenidea breviventris* (Ratzeburg) 205  
 – *coleophorae* (Wilkinson) 205  
 – *lacteicolor* (Viereck) 193, 205  
 – *laevigata* (Ratzeburg) 206  
 – *lineipes* (Wesmael) 206  
 – *longicalcar* (Thomson) 206  
*Echthronomas ochrostoma* (Holmgren) 37  
 – *tricincta* (Gravenhorst) 37, 39  
*Emphytus parallelus* Eversmann 175, 177  
*Eurytoma robusta* Mayr 215  
 – *serratulae* Fabricius 215  
*Formica ciliata* Mayr 226  
 – *cunicularia* Latreille 225  
 – *lugubris* Zetterstedt 225  
 – *minor pratensoides* Gösswald 217, 225, 226  
 – *nigricans* Emery 217–226  
 – *pratensis* Retzius 217–226  
 – *pratensis* var. *ciliata* Ruzsky 226  
 – *pratensis* var. *cordieri* Bondroit 226  
 – *pratensis* var. *nigricans* Bondroit 226  
 – *pratensoides* Gösswald 225  
 – *rufa polyctena* Förster 225  
 – *rufa pratensis* var. *nigricans* Emery 217  
 – *rufibarbis* Fabricius 225  
*Gelis* 74  
 – *areator* (Panzer) 74  
 – *cursitans* (Fabricius) 74  
*Glyptapanteles aliphera* (Nixon) 193, 202  
 – *lateralis* (Haliday) 202  
 – *pallipes* (Reinhard) 203  
 – *porthetriae* (Muesebeck) 193, 203  
 – *vitripennis* (Curtis) 203  
*Gnamptodon* 195  
 – *decoris* (Förster) 193, 195  
*Gnaptodon* 195  
 – *decoris*: Van Achterberg 195  
*Habrocytus elevatus* Walker 215  
*Hypomicrogaster wesmaeli*: Nixon 201  
*Hyposoter tricolor* (Ratzenburg) 37, 40, 41  
*Ichneumon abdominalis* Fabricius 197  
 – *clausalthianus* Ratzeburg 196  
 – *resinellae* Linnaeus 198  
*Itopectis* 74  
 – *alternans* Gravenhorst 74  
 – *clavicornis* (Thomson) 74  
 – *conquisitor* (Say) 74  
 – *fastiger* (Townes) 74  
 – *viduata* (Gravenhorst) 73–75  
*Konowia megapolitana* Brauns 6  
*Lasius* “alienus” 225  
 – *flavus* (Fabricius) 225  
 – *jensi* Seifert 225  
 – *meridionalis* (Bondroit) 225  
 – *myops* Forel 225  
 – *niger* (Linnaeus) 225  
 – *platythorax* Seifert 225  
*Lissogaster acilius*: Tobias & al. 200  
 – *alebion*: Tobias & al. 200  
 – *crassicornis*: Tobias & al. 200  
 – *curvicrus*: Tobias & al. 200  
 – *erro*: Tobias & al. 200  
 – *grandis*: Tobias & al. 201  
 – *hospes*: Koponen & Vikberg etc. 201  
 – *novicia*: Tobias & al. 201  
 – *polita*: Tobias & al. 201  
 – *procera*: Tobias & al. 201  
*Macrocentrus* 196  
 – *abdominalis* (Fabricius) 197  
 – *blandus* Eady & Clark 193, 196, 197  
 – *collaris* (Spinola) 196  
 – *equalis* Lyle 193, 197  
 – *gibber* Eady & Clark 193, 197  
 – *infirmus* (Nees) 196, 197  
 – *linearis* (Nees) 197  
 – *marginator* Nees 197  
 – *nidulator* (Nees) 193, 197  
 – *nitidus* (Wesmael) 193, 197  
 – *pallipes* (Nees) 193, 197, 198  
 – *punctifrons* Thomson 198  
 – *resinellae* (Linnaeus) 198  
 – *thoracicus* (Nees) 193, 198  
*Mesochorus* 73, 75  
*Mesoleius immarginatus* Thomson 37, 38  
 – *sinuatus* Thomson 37, 38  
*Mesotages decoris* Förster 195  
*Meteorus cinctellus* (Spinola) 195  
*Microdus* 196  
 – *clausalthianus*: Krogerus etc. 196  
 – *rufipes* Nees von Esenbeck 196  
*Microgaster acilius* Nixon 193, 200  
 – *alebion* Nixon 193, 200  
 – *bengtssoni* Fahringer 201  
 – *breviventris* Ratzeburg 205  
 – *carinatus* Bengtsson 201  
 – *circumvecta*: Fahringer 202  
 – *congestus* Nees von Esenbeck 204  
 – *coracina* Thomson 199  
 – *crassicornis* Ruthe 200  
 – *curvicrus* Thomson 200  
 – *erro* Nixon 200  
 – *flavipalpis* Brullé 198  
 – *flavipes* Haliday 202  
 – *grandis* Thomson 201  
 – *hoplites* Ratzeburg 206  
 – *hospes* Marshall 201  
 – *laevigatus* Ratzeburg 206  
 – *lateralis* Haliday 202  
 – *lineipes* Wesmael 206  
 – *lineola* Curtis 203  
 – *lugubris* Ruthe 199  
 – *mandibularis* Thomson 199  
 – *metacarpalis* Thomson 205  
 – *minutus* Reinhard 202  
 – *nigrinervis* Thomson 203  
 – *novicia* Marshall 201  
 – *opaculus* Thomson 204  
 – *picipes* Wesmael 201  
 – *praepotens* Haliday 204  
 – *polita* Marshall 201  
 – *procera* Ruthe 201  
 – *ratzeburgi* Ruthe 199  
 – *rufficus* Haliday 204  
 – *scoticus* Marshall 202  
 – *spectabilis* Haliday 199  
 – *spinolae* Ratzeburg 199  
 – *spurius* Wesmael 204  
 – *stigmatica* Ratzeburg 199, 200  
 – *tibialis* Curtis 204  
 – *varipes* Ruthe 193, 200  
 – *vidua*: Papp etc. 200  
 – *viduus* Ruthe 200  
 – *vitripennis* Curtis 203  
 – *wesmaeli* Ruthe 201

- Microplitis coracina*: Dalla Torre etc. 199  
 – *decens* Tobias 198  
 – *eremita* Reinhard 198  
 – *flavipalpis* (Brullé) 193, 198  
 – *fumipennis* (Ratzeburg) 199  
 – *lugubris* (Ruthe) 199  
 – *mandibularis* (Thomson) 199  
 – *marshallii* Kokujev 193, 199  
 – *ratzeburgi* (Ruthe) 199  
 – *uricola* Lyle 198  
 – *sofron* Nixon 199, 200  
 – *spectabilis* (Haliday) 199  
 – *stigmatica* (Ratzeburg) 199  
 – *variipes*: Marshall 200  
 – *varipes* (Ruthe) 193, 200  
 – *vidua*: Schenefelt 200  
 – *viduus* (Ruthe) 193, 200  
*Monodontomerus* 74  
 – *dilinae* E. Palmén 75  
 – *minor* (Ratzeburg) 75  
 – *obsoletus* Mayr 75  
 – *vicicellae* (Walker) 75  
 – *viciellae* Steffan 75  
*Myrmica rubra* (Linnaeus) 225  
 – *ruginodis* Nylander 225  
*Nematus tataricus* Zinovjev 4  
 – *tulunensis* Vikberg 4  
*Odynerus melanocephalus* (Gmelin) 186  
 – *reniformis* (Gmelin) 186  
 – *sinuatus mutinensis* Baldini 182  
*Olesicampe* Förster 73, 75  
 – *curtigena* (Thomson) 37, 41  
*Paroplitis wesmaeli* (Ruthe) 201  
*Perilitus cinctellus*: Nees von Esenbeck 195  
*Paroplitis wesmaeli* (Ruthe) 193  
*Pholetesor elpis* (Nixon) 205  
*Probles tenuicornis* Horstmann 37, 41  
*Protapanteles mandanis* (Nixon) 193, 202  
*Protarchus* 76  
 – *sorbi* (Ratzeburg) 76  
 – *testatorius* (Thunberg) 73, 74  
*Protomicropititis circumvectus*: Nixon 202  
 – *flavipes* (Haliday) 202  
 – *hinzi* Nixon 202  
 – *minuta*: Nixon 202  
 – *scotica*: Nixon 202  
*Rasivalva circumvecta* (Lyle) 202  
*Rhorus mesoxanthus* (Gravenhorst) 73  
*Rogas* 75  
 – *infirmus* Nees von Esenbeck 197  
 – *nidulator* Nees von Esenbeck 197  
 – *nitidus* Wesmael 197  
*Saotis dorsatus* (Thomson) 37, 39  
 – *nigriventris* (Thomson) 37, 39  
*Sathon lateralis*: Mason 203  
*Spilocryptus migrator* Gravenhorst 75  
*Symmorphus* 179  
 – *allobrogus* (Saussure) 179, 180, 182, 185, 186–188  
 – *angustatus* (Zetterstedt) 180, 182, 185, 186–188  
 – *bifasciatus* auct. 182, 185  
 – *bifasciatus* (Linnaeus) 180, 182, 185, 187, 188  
 – *connexus* 179, 180, 182, 184, 186–188  
 – *crassicornis* (Panzer) 179, 180, 182, 184, 186–188  
 – *debiliatus* (Saussure) 182, 186  
 – *fuscipes* (Herrich-Schaeffer) 179, 180, 182, 185, 186–188  
 – *gracilis* (Brullé) 179, 180, 182, 185, 187, 188  
 – *mutinensis* (Baldini) 182, 185  
 – *murarius* (Linnaeus) 180, 182, 184, 186–188  
*Syndipnus atricornis* (Thomson) 37, 39  
*Syntomomelus* 194  
*Tapinoma ambiguum* Emery 225  
 – *erraticum* (Latreille) 225  
*Taxonus* 175, 176, 178  
 – *acrorum creperus* Konow 175  
 – *carbonarius* Takeuchi 175  
 – *delumbis* Konow 175  
 – *fulvicornis* Matsumura 175, 177  
 – *zhelochovtsevi* sp.n. Viitasaari & Zinovjev 175–177  
*Tetramorium caespitum* (Linnaeus) 225  
 – *impurum* (Förster) 225  
*Torymus chloromerus* Walker 215  
*Trichiosoma* Leach 67–69, 73–76  
 – *asachalinense* Verzhutkii 72  
 – *betuleti* Vollenhoven 75  
 – *lucorum* (Linnaeus) 71, 72, 74–76  
 – *nanae* sp. n. Vikberg & Viitasaari 67–71, 73, 76  
 – *nigricoma* Konow 69, 70  
 – *nigripes* Gussakovskii 70  
 – *pusillum* Stephens 70  
 – *tibiale* Stephens 69–72, 75
- ### Lepidoptera
- See also pp. 12–13.
- Acanthopsyche atra* (Linnaeus) 75  
*Acronicta auricoma* (Denis & Schiffermüller) 163  
 – *leporina* auct. 165  
 – *leporina* (Linnaeus) 163  
 – *leporella* Staudinger 162  
 – *leporina* (Linnaeus) 162, 165  
 – *vulpina* (Grote) 162–165  
*Actebia femica* (Tauscher) 161  
*Agrochola lota* (Clerck) 163, 169  
*Agrotis ipsilon* (Hufnagel) 163, 169  
 – *patula* Walker 162  
 – *ruta* (Eversmann) 162  
*Alcis repandatus* (Linnaeus) 203  
*Amphipyra tragopoginis* (Clerck) 163, 169  
*Amyna octo* (Guenée) 163, 169  
*Anaplectoides prasina* (Dennis & Schiffermüller) 157, 161, 164  
*Anarta carbonaria* (Christoph) 167  
 – *cordigera* (Thunberg) 163, 167  
 – *luteola* (Grote & Robinson) 163, 167  
 – *melanopa* (Thunberg) 161  
 – *myrtilli* (Linnaeus) 163  
*Anartomima bohemani* Staudinger 162  
 – *secedens* (Walker) 162  
*Anomis commoda* (Butler) 163, 169  
 – *erosa* (Hübner) 163, 169  
 – *flava* (Fabricius) 163, 169  
*Anomogyna* 168  
*Apamea exulis* (Duponchel) 161  
 – *finitima* Walker 162  
 – *indocilis* Walker 162  
 – *lateritia* (Hufnagel) 163  
 – *ophiogramma* (Esper) 163, 169, 172  
 – *remissa* (Hübner) 162  
 – *rubrirena* (Treitschke) 162, 164  
 – *sordens* (Hufnagel) 162  
 – *zeta* (Treitschke) 161, 165, 166  
*Archips oporanus* (Linnaeus) 74  
 – *piceanus* (Linnaeus) 74  
 – *rosanus* (Linnaeus) 74  
*Arcyroploce flavipalpana* (Herrich-Schäffer) 8  
*Autographa buraetica* (Staudinger) 162  
 – *californica* (Speyer) 160  
 – *gamma* (Linnaeus) 74, 160

- Balsa leodura* (Staudinger) 161, 163  
 – *malana* (Fitch) 161, 163  
*Biston betularius* (Linnaeus) 204  
*Bucculatrix latviaella* sp.n. Sulcs 7  
 – *maritima* Stainton 7  
*Calophasia lunula* (Hufnagel) 163, 169  
*Caradrina morpheus* (Hufnagel) 163, 169  
*Caryocolum petryi* (Hoffman) 32  
*Cerapteryx graminis* (Linnaeus) 163, 169  
*Chamyla* sp. 162  
*Characoma nilotica* (Rogenhofer) 163, 169, 172  
*Chersotis andereggii* auct. 162  
 – *juncta* (Grote) 162  
*Chortodes stigmaticus* (Eversmann) 162, 164  
*Coleophora fuscadinella* Zeller 205  
 – *graminicolella* Wocke 196  
 – *serratella* (Linnaeus) 205  
 – *silanella* auct. 196  
 – *trochilella* (Duponchel) 195  
 – *trogodytella* auct. 195  
 – *vimitella* Zeller 205  
*Cosmia subtilis* Staudinger 74  
*Cucullia gnaphalii* (Hübner) 200  
*Depressaria heracliana* auct. 201  
 – *pastinacella* (Duponchel) 201  
*Diachrysa chrysitis* (Linnaeus) 203  
*Diacrisia sannio* (Linnaeus) 204  
*Diloba caeruleocephala* (Linnaeus) 205  
*Discestra trifolii* (Hufnagel) 161  
*Dendrolimus pini* (Linnaeus) 74  
*Epiblema scutulana* (Denis & Schiffermüller) 196  
*Eriogaster lanestris* (Linnaeus) 204  
*Eublemma jucundum* (Hübner) 169  
*Eugraphe opacifrons* (Grote) 163, 167  
 – *subrosea* (Stephens) 163, 167  
*Eupithecia gelidata* Möschler 33–36  
 – *gelidata hyperborea* Staudinger 33  
 – *valerianata* (Hübner) 204  
*Euproctis chrysorrhoea* (Linnaeus) 75  
*Eurois occultus* (Linnaeus) 161  
*Euthrix potatoria* (Linnaeus) 204  
*Euxoa cursoria* (Hufnagel) 162, 171  
 – *drewseni* Staudinger 162  
 – *hyperborea* Lafontaine 162, 171  
 – *incognita* Smith 162  
 – *islandica* Staudinger 162  
 – *lidia* (Stoll) 162, 171  
 – *nomas* (Erschoff) 162  
 – *ochrogaster* (Guenée) 162, 171  
 – *thanatologia* Dyar 162  
 – *wirima* Hardwick 162  
*Furcula bifida* (Brahm) 199  
*Galgula partita* Guenée 163, 169  
*Graphiphora augur* (Fabricius) 162, 205  
 – *haruspica* Grote 162  
*Heliotis ononis* (Fabricius) 161, 171  
*Hillia iris* (Zetterstedt) 161, 165  
*Hydraecia micacea* (Esper) 163, 169, 196  
*Hyphantria cunea* Drury 75  
*Hyphoraia aulica* (Linnaeus) 205  
*Lasionycta dolosa* Barnes & Benjamin 162  
 – *dovrensis* Wocke 162  
 – *leucocycla* (Staudinger) 162  
 – *preblei* Benjamin 162  
 – *proxima* (Hübner) 199  
 – *skraelingia* (Herrich-Schäffer) 162  
 – *staudingeri* (Aurivillius) 162, 163  
*Leioptilus osteodactylus* (Zelle) 204  
*Leucania comma* (Linnaeus) 163, 169  
*Lithomoia germana* Morrison 163  
 – *solidaginis* (Hübner) 163  
*Lithophane consocia* (Borkhausen) 198  
*Lymantria dispar* (Linnaeus) 74  
*Macrothylactia rubi* (Linnaeus) 204  
*Malacosoma neustria* (Linnaeus) 74  
*Megalographa biloba* (Stephens) 169  
*Melipotis jucunda* (Hübner) 163  
*Mimas tiliacae* (Linnaeus) 75  
*Mniotype adusta* (Esper) 162  
 – *sommeri* (Spuler) 162  
*Noctua* 169  
 – *comes* Hübner 163, 169  
 – *pronuba* (Linnaeus) 163, 169  
*Nola cucullatella* (Linnaeus) 206  
*Ochropleura plecta* (Linnaeus) 161  
*Olethreutes lacunanus* (Denis & Schiffermüller) 198  
*Orgyia antiqua* Linnaeus 75  
 – *antiquoides* (Hübner) 75  
 – *aurolimbata* Guenée 74  
 – *ericacae* (Germar) 75  
 – *gonostigma* (Linnaeus) 74  
 – *recens* Hübner 74  
*Orthosia munda* (Denis & Schiffermüller) 5  
*Pachnobia* 168, 171, 172  
*Pachytelia villosella* (Ochsenheimer) 75  
*Papestra biren* (Goeze) 161  
*Parabarrovia* 172  
 – *keelei* Gibson 162, 171  
*Parascotia fuliginaria* (Linnaeus) 163, 169  
*Parastichtis discivaria* Walker 162  
 – *suspecta* (Hübner) 162  
*Peridroma saucia* (Hübner) 163, 169  
*Pieris brassicae* (Linnaeus) 75  
*Platyperigea extima* Walker 162  
 – *montana* (Bremer) 162  
*Plusia putnami* Grote 161  
*Polia richardsoni* (Curtis) 161  
*Polychrysa esmeralda* (Oberthür) 162  
 – *moneta* (Fabricius) 162, 163  
 – *trabea* Smith 162, 163  
*Priestrogatha fuligana* (Denis & Schiffermüller) 8  
 – *penthinana* (Guenée) 7, 8  
*Protexarnis squalida* (Guenée) 161, 171  
*Protoschinia nuchalis* Grote 163  
 – *scutosa* (Denis & Schiffermüller) 163  
*Pseudaletia unipuncta* (Haworth) 163, 169  
*Pseudophilotes baton* (Bergstresser) 27, 32  
*Psyche* 75  
*Pyrrhia experimens* Walker 157, 161, 164, 167  
 – *umbra* (Hufnagel) 163  
*Retinia resinella* (Linnaeus) 181  
*Rhizedra lutosa* 163, 169, 172  
*Rhyacia clemens* Smith 162  
 – *ledereri* Erschoff 162  
 – *quadrangula* (Zetterstedt) 162, 171  
 – *quadrangula clemens* Smith 162  
*Rhyacionia buoliana* (Denis & Schiffermüller) 75  
*Schoyenia* 168, 171, 172  
*Scoliopteryx libatrix* (Linnaeus) 161, 169  
*Spaelotis clandestina* (Harris) 162, 165  
 – *dandestina* (Harris) 171  
 – *suecica* Aurivillius 162  
*Spodoptera exigua* (Hübner) 163, 169  
*Stenoptilia veronicae* Karvonen 203, 204  
*Strophedra nitidana* (Fabricius) 7, 8  
*Sympistis* 172  
 – *funebri* (Hübner) 161, 165  
 – *heliophila* (Paykull) 161, 165  
 – *lapponica* (Thunberg) 161, 165  
 – *zetterstedtii* (Staudinger) 162, 164–166  
 – *zetterstedtii kolthoffi* (Aurivillius) 161, 164

- Syngrapha alticola* Walker 163  
 – *devergens* (Hübner) 163  
 – *diasema* (Boisduval) 161, 165  
 – *interrogationis* (Linnaeus) 161  
 – *microgamma* (Hübner) 161  
 – *nyiwonis* (Matsumura) 162, 164  
 – *ottolenguii* Dyar 162  
 – *parilis* (Hübner) 161, 165  
*Tathorhynchus exsiccatus* (Lederer) 163, 169  
*Thaumatopeoa processionea* (Linnaeus) 75  
*Trichoplusia ni* (Hübner) 163, 169  
*Trichosilia acarnea* Kozhantshikov 162  
 – *beringiana* Lafontaine & Kononenko 162  
 – *boreana* Lafontaine 162, 171  
 – *nigrita* (Graeser) 162  
*Trifurcula headleyella* (Stainton) 7  
 – *subnitidella* (Duponchel) 7  
*Xanthia citrigo* (Linnaeus) 200  
 – *togata* (Esper) 163  
*Xestia* 159, 167, 171, 172  
 – *aklavicensis* Benjamin 162  
 – *alaskae* (Grote) 162  
 – *albuncula* (Eversmann) 162, 168  
 – *atrata* (Morrison) 162  
 – *brunneopicta* (Matsumura) 168  
 – *c-nigrum* (Linnaeus) 160, 162  
 – *dolosa* Ferguson 162  
 – *fasciata* Skinner 162  
 – *fergusoni* Lafontaine 162  
 – *filipjevi* Sheljuzhko 162  
 – *homogena* McDunnough 162  
 – *imperita* (Hübner) 163  
 – *intermedia* (Kononenko) 162  
 – *kolymae* (Herz) 162  
 – *laetabilis* (Zetterstedt) 163, 165, 166  
 – *liquidaria* (Eversmann) 162  
 – *lorezi* (Staudinger) 162  
 – *lyngei* (Rebel) 162  
 – *mallochi* Benjamin 162  
 – *mixta* (Walker) 162, 163, 166, 171  
 – *okakensis* (Packard) 162, 170  
 – *quieta* (Hübner) 161  
 – *rhaetica* (Staudinger) 162, 168  
 – *sincera* (Herrich-Schäffer) 168  
 – *singularis* Kononenko 162  
 – *speciosa* (Hübner) 162, 163, 166, 168, 171  
 – *speciosa aklavicensis* (Benjamin) 162, 166  
 – *tecta* (Hübner) 161, 162, 170  
 – *thula* Lafontaine & Kononenko 162  
 – *trumani* (Smith) 163, 169  
 – *ursae* (McDunnough) 162  
 – *wockei* (Möschler) 161  
 – *xanthographa* (Denis & Schiffermüller) 163, 169  
 – *xena* Boursin 162  
*Zygaena* 75  
 – *loniceræ* (Scheven) 205  
 – *trifolii* Esper 74
- Psocoptera**
- Liposcelis kidderi* (Hagen) 10  
 – *pearmani* Lienhard 10  
*Trichadenotecnum incognitum* Roesler 10
- Saltatoria**
- Bryodema tuberculata* (Fabricius) 27–32  
*Psophus stridulus* (Linnaeus) 27–32
- Thysanoptera**
- Frankliniella occidentalis* (Pergande) 10