

Index to genera and species, Volume 4 (1993)

Acari

- Amblydromella suecica* (Sellnick) 96, 102
– *viktorovi* (Wainstein) 96, 102
Amblydromella (Seiulus) bakeri (Garman) 96, 103
– *rhenana* (Oudemans) 102
Amblydromella (Typhlodromus) richteri (Karg) 96, 103
Amblyseius 100, 105
– *barkeri* (Hughes) 105, 107
– *coprophilus* Karg 106
– *cucumeris* (Oudemans) 105, 106
– *mckenziei* Schuster & Pritchard 107
– *reductus* Wainstein 96, 97, 105, 106
– *subsolidus* (Beglyarov) 97, 105
– *tardi* Lombardini, Kennett & Caltagirone 104
– *tenuis* (Hirschmann) 105, 106
– *zwoelferi* (Dosse) 105, 106
Anthoseius 100, 102
– *bakeri* (Garman) 97, 103
– *rhenanus* (Oudemans) 96, 97, 102
– *richteri* (Karg) 97, 103
– *suecicus* (Sellnick) 97, 102
– *viktorovi* Wainstein 97, 102
Bawus talbii (Athias-Henriot) 96, 101
Dubininellus juvenis (Wainstein & Arutunjan) 100
– *macropilis* (Banks) 100
Euseius 100, 105
– *finlandicus* (Oudemans) 96, 97, 105
Euseius (Seiulus) finlandicus (Oudemans) 95
Lauroppia ordunensis Iturrondobeitia & Saloña 199
Medioppia 195
– *beskidjensis* Niemi & Skubała sp. n. 195, 197–200
– *centrodentata* Gordeeva & Niemi 195
– *loksai* (Schalk) 198
– *minimedia* Arillo & Subías 195
– *ordunensis* (Iturrondobeitia & Saloña) 195
– *templadoi* Pérez-Iñigo 195
– *truncata* Iturrondobeitia & Saloña 195
– *vera* (Michelčič) 198
Moriziella escotata Subías & Rodríguez 199
Morizoppia 195
– *escotata* (Subías & Rodríguez) 195, 196
– *longilamellata* Subías & Rodríguez 195, 196
– *minuta* Gordeeva & Grishina 195, 196
– *oreia* Colloff & Seyd 195
– *sharipovi* Niemi & Skubała sp. n. 195–197
Neoseiulus barkeri Hughes 107
– *subsolidus* (Beglyarov) 105
– *suecicus* Sellnick 102
Neoseiulus (Amblyseius) canadensis (Chant & Hansell) 105
– *reductus* (Wainstein) 105, 106
Neoseiulus (Typhlodromus) cucumeris (Oudemans) 106
– *thripsi* (MacGill) 106
– *zeitunicus* Wainstein & Arutunjan 106
– *zwoelferi* (Dosse) 106
Oppia vera Mihelčič 199
Oppiella acutirostris Pérez-Iñigo 199
Panonychus ulmi (Koch) 95
Paraseiulus 100, 101
– *incognitus* Wainstein & Arutunjan 101
– *ostiolatus* Athias-Henriot 101
– *soleiger* (Ribaga) 95–97, 101
– *subsoleiger* Wainstein 101
– *talbii* (Athias-Henriot) 97, 101
– *triporus* (Chant & Yoshida-Shaul) 96, 97, 101
Phytoseiulus 100, 104
Phytoseius 100
– *juvenis* Weinstein & Arutunjan 100
– *macropilis* (Banks) 95–97, 100
– *persimilis* Athias-Henriot 104
– *riegeli* Dosse 104
Phytoseius (Seiulus) spoofi (Oudemans) 100
Proprioiseiopsis 100, 104
– *okanagensis* (Chant) 104
Seiulus Berlese 100
– *aceri* (Collyer) 96, 100
– *amaliae* Ragusa & Swirski 101
– *bakeri* Garman 103
– *finlandicus* Oudemans 105
– *rhenanus* Oudemans 102
– *soleiger* Ribaga 101
– *spoofi* (Banks) 95
Sejus macropilis Banks 100
Typhloctonus aceri (Collyer) 100
Typhlodromips (Typhlodromus) tenuis (Hirschmann) 106
Typhlodromus Scheuten 100
– *aceri* Collyer 100
– *andrei* Karg 103, 104
– *bakeri* (Garman) 103
– *cucumeris* Oudemans 106
– *foenilis* Oudemans 102
– *gilvus* Wainstein 102
– *kazachstanicus* Wainstein 102
– *laurae* Arutunjan 103
– *macropilis* (Banks) 100
– *okanagensis levis* Wainstein 104
– *pritchardi* Arutunjan 104
– *pyri* Scheuten 103
– *richteri* Karg 103
– *soleiger* (Ribaga) 101
– *subsolidus* Beglyarov 105
– *suecicus* (Sellnick) 102
– *talbii* Athias-Henriot 101
– *tenuis* Hirschmann 106
– *tetramedius* Zaher & Shehata 101
– *trimediosetus* Xin, Liang & Ke 101
– *triporus* Chant & Yoshida-Shaul 101
– *zwoelferi* Dosse 106
Typhlodromus (Amblyseius) finlandicus (Oudemans) 105
– *okanagensis* Chant 104
– *okanagensis levis* Wainstein 104
Typhlodromus (Neoseiulus) rhenanus (Oudemans) 102

Coleoptera

Further 167 species of Ethiopian Dytiscidae and their synonymic names are to be found on pp. 57–94, 22. Zambian Cleridae on page 223, and 52 Carabidae as well as 186 Staphylinidae from Finnish Lapland on pp. 225–231.

- Agabus paludosus* (Fabricius) 14
Altica 115–119, 124, 125, 129
 – *aenescens* Weise 118–120, 122, 124–127, 129
 – *carduorum* (Guérin-Ménéville) 115, 117, 119, 121–125, 127, 129
 – *carduorum cirsii* Israelson 122
 – *carinthiaca* Weise 116, 120, 123–125, 127, 129
 – *chamaenerii* Håkan Lindberg 118, 120–127, 129
 – *cirsii* Israelson 115, 122, 124
 – *engstromi* J. Sahlberg 117, 119, 120, 122, 124, 125, 127, 129
 – *longicollis* (Allard) 117, 120–127, 129
 – *lythri* Aubé 117–121, 124–127, 129
 – *oleracea* (Linnaeus) 116–118, 121–125, 127, 129
 – *opacifrons* Harald Lindberg 118, 121–125, 127, 129
 – *palustris* Weise 117, 121, 123–127, 129
 – *quercetorum quercetorum* Foudras 116, 124, 125
 – *quercetorum saliceti* Weise 115, 117, 118, 120, 121, 124–127, 129
 – *tamaricis* Schrank 116, 117, 121–125, 127, 129
Anacaena limbata (Fabricius) 13
Anchomenus dorsalis (Pontoppidan) 9
Anisotoma humeralis (Fabricius) 23
Apion meliloti Kirby 13
Astenus longelytratus Palm 14
Atheta 17
Atheta (Dimetrota) marcida Erichson 17
Attagenus 9
 – *fasciatus* (Thunberg) 9
 – *woodroffei* Halstead & Green 9
Carabus glabratus Paykull 27–30
 – *violaceus* Linnaeus 30
Carpathis striatus (Olivier) 23
Cercyon sternalis (Sharp) 14
Corticaria crenulata (Gyllenhal) 17
Cynaenus opacus Champion 10
Demetrias imperialis (Germar) 17
Dendrophagus crenatus Paykull 22
Dircaea quadriguttata (Paykull) 23
Dorcatoma robusta Strand 23
 – *substriata* Hummel 23
Dromius longiceps Dejean 17
Eपुरaea 23, 25, 26, 133–135
 – *angustula* (Sturm) 134
 – *bickhardti* St.-Claire Deville 133–135
 – *biguttata* (Thunberg) 134
 – *boreella* (Zetterstedt) 133–135
 – *concurrrens* Sjöberg 25, 26
 – *convergens* Reitter 25
 – *neglecta* (Heer) 25, 26
 – *pygmaea* (Gyllenhal) 134
 – *unicolor* (Olivier) 134
Graphoderus cinereus (Linnaeus) 14
Gyrinus suffriani Scriba 14
Helophorus grandis Illiger 14
 – *griseus* Herbst 14

- Hydrochus megaphallus* van Berge 14
Hylobius abietis (Linnaeus) 141
Liophloeus lentus Germar 15
Lordithon lunulatus (Linnaeus) 23
Microdota wireni Brundin 225, 226
Monochamus 137
 – *alternatus* Hope 140
 – *carolinensis* (Olivier) 140
 – *galloprovincialis* Olivier 137–140
 – *sartor* (Fabricius) 141
 – *scutellatus* (Say) 140
 – *tiillator* (Fabricius) 140
Mycetophagus quadripustulatus (Linnaeus) 23
Nanosella 17
Nargus velox (Spence) 15
Ochthebius czwalinai Kuwert 14
 – *stockmanni* Balfour-Browne 14
Oedemera croceicollis (Gyllenhal) 15
Peltis grossa (Linnaeus) 23
Philonthus pseudovarians Strand 14
Phloeopora 16
 – *opaca* Bernhauer 16
 – *teres* (Gravenhorst) 16
Phytobaenus amabilis F. Sahlberg 23
Tachinus basalis Erichson 16
Tetropium 141
Tomoxia bucephala Costa 23
Trachyploeus laticollis auct. nec Boheman 18
 – *rectus* Thomson 18
Triplax ruficeps (Fabricius) 23
 – *russica* (Linnaeus) 23
Trogoderma angustum (Solier) 14
Typhaea 10
 – *decipiens* Lohse 10
 – *stercorea* (Linnaeus) 10

Crustacea

- Asellus aquaticus* Linnaeus 215
Polyartemia forcipata Fischer 217

Diptera

Further 81 taxa are listed on pp. 154–155, and many of them discussed on pp. 151–160.

- Atherix ibis* (Fabricius) 161–163
Blaesoxipha 146
Brachicoma 147, 148
 – *borealis* Ringdahl 143, 147, 148
 – *devia* (Fallén) 147, 148
Cheilosia 207–212
 – *albohirta* Hellén 207–209
 – *brunnipennis* Becker 207, 210, 211
 – *fraterna* Meigen 207
 – *melanura* Becker 212
 – *parafasciata* Barkalov 207, 211, 212
 – *reniformis* Hellén 207, 209, 210
 – *rotundicornis* Hellén 207, 210
 – *sapporense* Shiraki 208
 – *sareptana* Becker 210
 – *sichotana* Stackelberg 210
 – *subarctica* Hellén 207, 208
 – *velutina* Loew 207, 208

- *vernalis* Fallén 207, 209, 210
- Echinomyia marklini* Zetterstedt 147
- Parasarcophaga* 148
 - *pleskei* Rohdendorf 148
- Ravinia pernix* (Harris) 146
- Musca carnaria* Linnaeus 144
 - *major larvarum* De Geer 144
 - *minor larvarum* De Geer 144, 146
 - *vivipara major* De Geer 143–146
 - *vivipara minor* De Geer 143–146
- Pollenia vagabunda* (Meigen) 146
- Ravinia pernix* (Harris) 146
 - *striata* (Fabricius) 146
- Sarcophaga* 144–146
 - *carnaria* (Linnaeus) 144, 146
 - *cruentata* Meigen 147
 - *lasiostyla* Macquart 146
 - ‘*nova*’ Siebke 146, 147
 - *pleskei* Rohdendorf 143, 149
 - *schulzi* Müller 144
 - *similis* Meade 145
 - *striata* Siebke 146, 147
 - *subvicina* Rohdendorf 146
 - *tuberosa* Pandellé 148, 149
 - *tuberosa verticina* Ringdahl 148, 149
 - *variegata* (Scopoli) 146
 - *verticina* Ringdahl 143, 149
- Sarcophaga (Liosarcophaga) pleskei* (Rohdendorf) 148
- *portschinskyi* (Rohdendorf) 149
- Sarcophaga (Helicophagella) melanura* Meigen 146

Ephemeroptera

- Baetis fuscatus* (Linnaeus) 217
 - *macani* Kimmins 217
 - *subalpinus* Bengtsson 215, 217
 - Ephemerella ignita* (Poda) 215
 - Heptagenia borealis* Eaton 215
 - *joernensis* Bengtsson 215, 217
 - *orbicicola* Kluge 217
 - Leptophlebia marginata* (Linnaeus) 215
 - *vespertina* (Linnaeus) 215
 - Metretopus* 213–222
 - *alter* Bengtsson 213–221
 - *borealis* (Eaton) 213–221
 - *norvegicus* Eaton 215, 219
 - Paraleptophlebia cincta* (Retzius) 217
 - *strandii* (Eaton) 215, 217
 - Parametopus* 220
 - Procloeon bifidum* (Bengtsson) 215
 - Siphloplecton* 213
 - Siphonurus* 214
 - *alternatus* (Say) 215
 - *lacustris* Eaton 215, 217
- ### Heteroptera
- In addition, 76 taxa of Miridae (subfamily Phylinae) from Iraq are listed on pp. 253–271 (however, new synonymies and new combinations on these are referred to page 253 in the index below).
- Acrorrhinium* 169
 - *conspersus* Noualhier 169, 170
 - *elegans* Linnavuori & Al-Safadi sp. n. 171, 173
 - *minutissimus* Linnavuori & Al-Safadi sp. n. 172, 173, 175
 - Acrosternum* 235–239
 - *apicale* Linnavuori 235, 237, 238
 - *arabicum* Wagner 235, 236, 238
 - *breviceps* (Jakovlev) 50, 235, 236
 - *curticeps* Linnavuori & Al-Safadi sp. n. 235–239
 - *hegeri* Fieber 238
 - *milliaris* (Klug) 235–238
 - *millierei* (Mulsant & Rey) 50, 51, 235, 237, 238
 - Aelia* 43
 - *acuminata* (Linnaeus) 43
 - *albovittatus* Fieber 43
 - *glebana* Ferrari 43
 - *klugi* Hahn 19
 - *satunini* Kiritshenko 43, 44
 - *syriaca* Horváth 43
 - *turanica* Horváth 43, 44
 - Aeliomorpha sheanensis* Linnavuori 44
 - Aeolocoris* 188
 - *alboconspersus* Reuter 188, 190
 - *decarinatus* Linnavuori 190
 - *pumilus* Linnavuori 190
 - *rufipennis* Linnavuori & Al-Safadi sp. n. 179, 187–189
 - Aethus hispidulus* (Klug) 37, 38
 - *hispidulus* Signoret 38
 - *pilosulus* (Klug) 38
 - *rugosus* (Jakovlev) 38
 - *sahlbergi* (Reuter) 37
 - *setosus* Walker 38
 - Agalliates punctatus* Fieber 233
 - Agatharchus tritaenia* Horváth 45–47
 - Agramma tropidopterum* Flor 19
 - Agraphopus femoralis* Horváth 55
 - Agraphopus (Agraphopus) lethierryi* Stål 55
 - *suturalis* Reuter 55
 - Agraphopus (Leptocaraea) viridis* (Jakovlev) 55
 - Alphocoris halophilus* Linnavuori 39
 - Amaurocoris curtus* (Brullé) 38
 - *orbicularis* Jakovlev 38
 - Anchesmus rubriplaga* (Walker) 51
 - Ancyrosoma leucogrammes* (Gmelin) 41
 - Andrallus spinidens* (Fabricius) 51
 - Anthemimia lunulata* (Goeze) 47
 - *pusio* (Kolenati) 47
 - Anthocoris limbatus* Fieber 19
 - Apodiphus amygdali* (Germar) 41
 - Aradus* 23
 - *crenaticollis* R.F.Sahlberg 19
 - *laeviusculus* Reuter 20
 - *pictus* Bärensprung 20
 - Arenocoris intermedius* (Jakovlev) 53
 - *waltli* (Herrich-Schäffer) 53
 - Atomophora* 190
 - *basipunctata* Wagner 190
 - *sabaea* Linnavuori & Al-Safadi sp. n. 179, 189, 190
 - *subpallida* Wagner 190
 - Atomoscelis signaticornis* Reuter 253
 - Atractotomus morio* J.Sahlberg 20
 - Badezorus* 253
 - *signaticornis* (Reuter) 253
 - *tomentosus* (Reuter) 253
 - *tyrianus* 253

- Bagrada abeillei* Puton 48
 – *amoenula* (Walker) 48
 – *cicur* Horváth 48
 – *deserticola* Horváth 48
 – *hilaris* (Burmeister) 48
 – *lepida* Horváth 48
 – *monticola* Horváth 48, 49
 – *pallens* Kiritshenko 48
 – *persica* Horváth 48
 – *royeri* Horváth 48
 – *singularis* Horváth 48
Bibundiella 188
Brachycarenum tigrinus (Schilling) 54
Brachynema cinctum (Fabricius) 47
 – *germari* (Kolenati) 47
Byrsinocoris nigroscutellatus Montandon 38
Camptopus illustris Horváth 54
 – *lateralis* (Germar) 53
Camptotylidea 189
Campylomma 241–245
 – *acaciae* Linnavuori 241, 243
 – *angustior* Poppius 243
 – *fallaciosa* Linnavuori & Al-Safadi sp. n. 241–243
 – *incerta* Villiers 253
 – *longicornis* Odhiambo 243
 – *minima* Wagner 253
 – *oreophila* Linnavuori & Al-Safadi sp. n. 241–243
 – *rivulorum* Linnavuori & Al-Safadi sp. n. 241, 243, 244
 – *verticata* Wagner 253
 – *viridissima* Linnavuori & Al-Safadi sp. n. 241, 244, 245
Canthophorus melanopterus (Herrich-Schäffer) 37
Capsus cuneatus Stål 233
 – *wagneri* Remane 20
Carpocoris coreanus Distant 45
 – *mediterraneus mediterraneus* Tamanini 46
 – *pudicus* (Poda) 46
Centrocoris spiniger (Fabricius) 52
 – *volxemi* (Puton) 53
Ceraleptus obtusus (Brullé) 53
Cercinthus lehmanni (Kolenati) 53
Chamaepsallus 253
 – *signaticornis* (Reuter) 253
 – *tomentosus* (Reuter) 253
Chlamydatus opacus (Zetterstedt) 19
 – *wilkinsoni* (Douglas & Scott) 19
Chorosoma schillingi (Schilling) 55
Chroantha ornata (Herrich-Schäffer) 47
Cinnamus 169
 – *rhinoceros* Distant 169
Codophila varia (Fabricius) 46
Compsidolon 174
Componannus 169, 174, 176
 – *atricornis* Linnavuori & Al-Safadi sp. n. 174–176
 – *puncticornis* Reuter 174
 – *umbrinus* sick! → *umbrosus* 175
 – *umbrosus* Linnavuori & Al-Safadi sp. n. 174, 175
Coreus marginatus marginatus (Linnaeus) 52
 – *marginatus syriacus* Blöte 52
Coriomeris affinis (Herrich-Schäffer) 53
 – *vitticollis* Reuter 53
Corixa dentipes (Thomson) 19
Corizus fenestella fenestella Horváth 54
 – *hyoscyanii* (Linnaeus) 54
Crocistethus waltianus (Fieber) 37
Cydnus aterrimus (Forster) 38
 – *hispidulus* Klug 38
 – *sahlbergi* Reuter 38
Cyrtopeltis 241
 – *alkannae* Linnavuori 245, 247–250
 – *asper* Linnavuori & Al-Safadi sp. n. 241, 251
 – *brunneicollis* Linnavuori 247, 249
 – *callani* Odhiambo 249
 – *echinopis* Linnavuori & Al-Safadi sp. n. 241, 245–247, 249
 – *flavoviridis* Linnavuori 248
 – *kristenseni* Poppius 248, 249
 – *leontion* Linnavuori 249
 – *montivaga* Linnavuori 249
 – *pavoniae* Linnavuori 249–251
 – *volucer* (Kirkaldy) 246, 248
 – *volucer persimilis* Poppius 248, 249
 – *volucer volucer* (Kirkaldy) 249
Cyrtopeltis (Campyloneuropsis) asper Linnavuori & Al-Safadi sp. n. 249
Cyrtopeltis (Nesidiocoris) echinopis Linnavuori & Al-Safadi sp. n. 246
Dicranocephalus albipes (Fabricius) 52
 – *bianchii* (Jakovlev) 52
 – *marginatus* (Frey-Gessner) 52
 – *pallidus* (Signoret) 52
 – *setulosus* (Frey-Gessner) 52
Dicyphus constrictus (Boheman) 19
 – *globulifer* (Fallén) 20
Dolycoris baccarum (Linnaeus) 47
Dyrodereus umbraculatus (Fabricius) 43
Ellenia 233
Enoplops disciger (Kolenati) 52
Eremocoris plebeius (Fallén) 20
Eurydema fieberi (Schummel) 50
 – *ornatum* (Linnaeus) 49
Eurygaster integriceps Puton 40
Eurystylis 185
 – *bilqis* Linnavuori & Al-Safadi sp. n. 179, 183–185
 – *kivuensis* Schouteden 185
 – *marginatus* Odhiambo 185
 – *pallidiventris* Poppius 185
Eysarcoris ventralis (Westwood) 44
Exosehirus sargon Linnavuori 37
 – *validus* (Jakovlev) 37
Geotomus elongatus (Herrich-Schäffer) 38
 – *intrusus* Wagner 39
 – *pygmaeus* (Dallas) 38
Gomphocranum adad Linnavuori 45
 – *anu* Linnavuori 45
 – *christophi* Jakovlev 45
Gonocerus acuteangulatus (Goeze) 52
 – *juniperi* Herrich-Schäffer 52
Graphosoma lineatum italicum (Müller) 41
 – *sempunctatum* (Fabricius) 41
 – *stali* Horváth 41
Holcogaster exilis Horváth 48
Holcostethus congenitus Puchkov 44–46
 – *vernalis* (Wolff) 19, 44, 45
 – *strictus* (Fabricius) 44, 45
Ichnocoris angustulus (Boheman) 20
Leprosoma inconspicuum Bärensprung 40
Liorhyssus hyalinus (Fabricius) 54

- Lutheriella* 169
 – *oecophylloides* Poppius 169
Lygocoris rhamnocola (Reuter) 19
Maccavethus corsicus persicus Jakovlev 55
 – *errans caucasicus* (Kolenati) 55
Macrotylus cruciatus (R.F.Sahlberg) 19, 20
Macroscythus brunneus (Fabricius) 38
Marshalliella 233
 – *obscuricornis* Poppius 233
Maurodactylus pictus Wagner 253
Mecidea lindbergi Wagner 41
 – *pallidissima* Jensen-Haarup 41
Megaloceraea recticornis (Geoffroy) 19
Megalocoleus pilosus (Schrank) 19
Melanotrichiella 233
 – *annulicornis* Poppius 233
Micracanthia marginalis (Fallén) 19
Moissonia 233
 – *kilimana* Poppius 234
 – *punctata* (Fieber) 233, 234
 – *punctata* Reuter 233
Mustha spinulosa (Lefebvre) 41
Nabis ericetorum Scholtz 19
 – *inscriptus* (Kirby) 20
 – *pseudoferus* Remane 15
 – *rugosus* (Linnaeus) 20
Nariscus longirostris Linnavuori 54
Neottiglossa bifida (Costa) 44
Nesidiocoris 246
Nezara viridula (Linnaeus) 51
Ochetostethus opacus (Scholtz) 38
Odontotarsus angustatus Jakovlev 39
 – *armiger* Kiritschenko 39
 – *impictus* Jakovlev 39
 – *purpureolineatus* (Rossi) 39
 – *robustus* Jakovlev 39
 – *rufescens* Fieber 39
Odontoscelis 39
 – *dorsalis* (Fabricius) 39
 – *fuliginosa* (Linnaeus) 39
 – *litura* (Fabricius) 39
Omanocoris versicolor (Herrich-Schäffer) 52
Oreocapsus 192
 – *immundus* Linnavuori 192
 – *vanharteni* Linnavuori & Al-Safadi sp. n. 179, 183, 190, 191
Orthops campestris (Linnaeus) 19
Orthotylus acacicola acacicola Lindberg 186, 187
 – *acacicola chariensis* Linnavuori 186
 – *acacicola robustus* Linnavuori & Al-Safadi ssp. n. 179, 185, 186
 – *mafraq* Linnavuori & Al-Safadi sp. n. 179, 186, 187
 – *nassatus* (Fabricius) 20
 – *priesneri*-group 186
 – *virens* (Fallén) 20
Palomena mursili Linnavuori 45
Pausias martini (Puton) 51
Peritropis africanus Poppius 181
 – *armillarius* Schmitz 180
 – *crassicornis* Poppius 181
 – *maculicornis* Linnavuori & Al-Safadi sp. n. 179, 180
Philomyrmex insignis R.F.Sahlberg 20
Phimodera lapponica (Zetterstedt) 20
Phricodus bessaci Villiers 42
Phyllomorpha lacerata Herrich-Schäffer 53
Phytocoris intricatus Flor 20
 – *kansirob* Linnavuori 182
 – *lineaticollis*-group 184
 – *pini* Kirschbaum 20
 – *populi* (Linnaeus) 20
 – *semicrux* Wagner 184
Phytocoris (Eckerleinus) 184
 – *arwa* Linnavuori & Al-Safadi sp. n. 179, 181–184
Phytocoris (Exophytocoris) tithonos Linnavuori & Al-Safadi sp. n. 179–181
Phytocoris (Soosocapsus) 184
Piezodorus lituratus (Fabricius) 51
Pilophorus cinnamopterus (Kirschbaum) 20
Placochilus seladonicus (Fallén) 20
Plagiognathus albigennis (Fallén) 20
 – *vitellinus* (Scholtz) 19
Prionotylus brevicornis (Mulsant & Rey) 53
Psacasta cypria Puton 40
Psallomimus bicoloripes Wagner 193
 – *deserticola* Wagner 253
 – *lateralis* (Poppius) 193
 – *tihama* Linnavuori & Al-Safadi sp. n. 179, 191, 192
Psallus ambiguus (Fallén) 20
 – *graminicola* (Zetterstedt) 20
 – *labeculus* Odhiambo 233
Pseumatocoris insignis Kiritschenko 49
Pyrrhocoris apterus (Linnaeus) 55
Rhaphigaster brevispina Horváth 51
 – *nebulosa* (Poda) 50, 51
Rhopalus (Aeschyntelus) maculatus (Fieber) 54
Rhopalus (Rhopalus) subrufus (Gmelin) 54
Riptortus linearis (Fabricius) 54
Salicarus roseri (Herrich-Schäffer) 20
Scantius aegyptius (Linnaeus) 55
 – *forsteri* (Fabricius) 56
Sciocoris capitatus Jakovlev 42
 – *helferi* Fieber 42
 – *ochraceus* Fieber 42
 – *safavii* Hoberlandt 42
 – *sahlbergi* Wagner 43
Sehirus robustus Horváth 37
Seversyia 169
 – *lupa* DeLatre 169
Sigara falleni (Fieber) 20
Spathocera lobata (Herrich-Schäffer) 53
Stagonomus amoenus (Brullé) 45
 – *bipunctatus* (Linnaeus) 45
 – *devius* Seidenstücker 45
Staria lunata (Hahn) 45
Stenotus binotatus (Fabricius) 20
Stictopleurus abutilon pictus (Fieber) 54
 – *punctatonervosus* (Goeze) 20
 – *ribauti* Vidal 55
 – *riveti* Royer 55
Strobilotoma typhaecornis (Fabricius) 53
Strongylocoris niger (Herrich-Schäffer) 20
Syromastus rhombeus (Linnaeus) 52
Tarisa camelus Reuter 40
 – *subspinosa* (Germar) 40
Temnostethus gracilis (Horváth) 20
 – *pusillus* (Herrich-Schäffer) 20
Thaumastella aradoides Horváth 39
Tholagmus Stål 41

- *enkidu* Linnavuori 41
- Trapezonotus desertus* Seidenstücker 19
- Trigonotylus fuscitarsis* Lammes 19
- Tshingisella bella* Kiritschenko 40
- Tuponia diversa* Linnavuori 241, 245, 246
- Tuponia (Chlorotuponia) diversa* Linnavuori 246
- Ventocoris achivus* (Horváth) 40
- *horvathi* Puton 40
- *modestus* (Jakovlev) 41
- *obesus* (Stål) 40
- Xylocoris formicetorum* (Boheman) 20
- Zicrona caerulea* (Linnaeus) 51

Homoptera

- Acyrtosiphon ignotum* Mordvilko 12
- Agallia estonica* Vilbaste 10
- *ribauti* Ossiannilsson 10
- Amphorophora gei* Börner 12
- Anoecia zirnitsi* Mordvilko 10
- Anuraphis subterranea* (Walker) 11
- Aphis* 11
- *chloris* Koch 11
- *idaei* van der Groot 33
- *lotiradicis* Stroyan 11
- *pilosellae* Börner 11
- *tormentillae* Passerini 11
- Aulacorthum flavum* Börner 33
- Brachycaudus* 33
- Cinara juniperi* De Geer 13
- Coloradoa absinthii* (Lichtenstein) 11
- Dysaphis* 33
- *sorbi* Kaltenbach 33
- Hyperomyzus lactuae* (Linnaeus) 32
- *rhinanthi* (Schouteden) 33
- Impatientinum asiaticum* Nevsky 11
- Mamontova vera* Shaposnikov 12
- Monaphis antennata* (Kaltenbach) 12
- Pterocomma* 33
- Rhopalosiphum padi* (Linnaeus) 33
- Semiaphis* 12
- *nolitangere* (Aizenberg) 12, 13
- Sitobion avenae* (Fabricius) 33
- Therioaphis (Rhizoberlesia) brachytricha* Hille Ris Lambers 12
- Therioaphis (Therioaphis) riehmii* (Börner) 12
- Tinocallis nevskyi* Quednau & Heie 12

Hymenoptera

- Attractodes fennoscandicus remotus* Jussila 15
- *ruficollis* Jussila 13
- Chorebus* 13
- *abnormiceps* Nixon 13
- *bathyzonus* Marshall 13
- *gracilis* (Nees von Esenbeck) 13
- *leptogaster* (Haliday) 13
- *petiolatus* (Nees von Esenbeck) 13
- Ephedrus* 31–33, 35
- *blatnyi* Starý 33
- *campestris* Starý 33
- *holmani* Starý 33

- *minor* Stelfox 32
- *nitidus* Gahan 33
- *picticornis* Stelfox 32
- *plagiator* var. *minor* Stelfox 32
- *prociphili* Starý 33
- *pulchellus* Stelfox 33
- Ephedrus* 31
- Ephedrus (Breviephedrus) brevis* Stelfox 32, 36
- Ephedrus (Ephedrus) cerasicola* Starý 32, 35
- *chaitophori* Gärdenfors 31–33, 35
- *helleni* Mackauer 32, 36
- *koponeni* Halme 32, 35
- *lacertosus* (Haliday) 32, 36
- *laevicollis* (Thomson) 32, 36
- *longistigmus* Gärdenfors 31, 32, 36
- *nacheri* Quilis 32, 36
- *niger* Gautier, Bonnamour & Gaumont 33, 36
- *persicae* Froggatt 33, 36
- *plagiator* (Nees) 33, 36
- *vaccinii* Gärdenfors 31, 33, 35
- Ephedrus (Lysephedrus) validus* (Haliday) 32, 34, 36
- Formica cunicularia* Latreille 13
- *rufibarbis* Fabricius 13
- Lasius flavus* (Fabricius) 10
- *niger* (Linnaeus) 11, 12
- Myrmica* 12
- Pseudopauesia prunicola* Halme 33
- Toxares* 31, 32, 34, 35
- *deltiger* (Haliday) 34, 36
- *flaveolus* (Gyrfi) 34
- *shigai* Takada 34

Lepidoptera

- Eupithecia plumbeolata* (Haworth) 14

Neuroptera

- Hemerobius micans* Olivier 15

Odonata

- 24 taxa listed on page 167 and discussed on pp. 165–168.

Plecoptera

- Amphinemura sulcicollis* (Stephens) 217
- Diura nanseni* (Kempny) 217
- Leuctra digitata* Kempny 217

Psocoptera

- 19 taxa are listed on page 204 and discussed on pp. 201–206.

Trichoptera

- Ceratopsyche nevae* (Kolenati) 215
- Oligostomis reticulata* (Linnaeus) 215, 217
- Plectrocnemia* 217
- Rhyacophila nubila* (Zetterstedt) 217