

Index to genera and species, Volume 8 (1997)

Acari

- Camisia horrida* (Herrmann) 181
Carabodes labyrinthicus (Michael) 181
Cymbaeremaeus cymba (Nicolet) 181
Eueremaeus oblongus C. L. Koch 181
Phauloppia coineau Trave 181
— *lucorum* (C. L. Koch) 181
Phthiracarus sp. 181
Scheloribates latipes (C. L. Koch) 181
Zygoribatula exilis (Nicolet) 181

Araneae

- Agyneta innotabilis* (O. P. Cambridge) 180
Anyphaena accentuata (Walckenaer) 180
Cheiracanthium oncognatum Thorell 180
Clubiona comta C. L. Koch 180
Coleosoma floridatum Banks 7
Drapetisca socialis (Sundevall) 180
Hahnia pusilla C. L. Koch 180
Hypomma cornutum (Blackwall) 180, 183
Lepthyphantes minutus (Blackwall) 180
Micaria subopaca Westring 180
Moebelia penicillata (Westring) 180
Nuctenea umbratica (Clerck) 180
Salticus cingulatus (Panzer) 180
Savignya frontata (Blackwall) 180
Steatoda bipunctata (Linnaeus) 180
— *grossa* (C. L. Koch) 7
Theridion pallens Blackwall 180
— *tinctum* (Walckenaer) 180
Triaeris stenaspis Simon 7
Xysticus lanio C. L. Koch 180
Zygiella atrica (C. L. Koch) 180
— *stroemi* (Thorell) 180

Blattodea

- Ectobius sylvestris* (Poda) 181

Chilopoda

- Lithobius erythrocephalus* C. L. Koch 180
— *tenebrosus* Meinert 180

Coleoptera

- Absidia schoenherri* (Dejean) 156, 158
Actobaena Gistel 68, 77
Agnoshydrus n. gen. 57, 59–60, 65–66, 68, 72–73
— *densus* n. sp. 57, 59, 64–65, 73–74
— *laccophiloides* (Régimbart) 57, 59, 61, 64–65, 73–74
Agonum (*Agonum*) *dolens* (C. Sahlberg) 15
— (*A.*) *impressum* (Panzer) 15
— (*A.*) *jankowskii* Lafer 15
— (*A.*) *sculptipes* Bates 15
— (*Eucolpodes*) *japonicum* (Motschulsky) 15
— (*Europhilus*) *gracile* Sturm 15
— (*E.*) *piceum* (Linnaeus) 15
— (*E.*) *subtruncatum* Motschulsky 15
— (*E.*) *thoreyi* Dejean 15
— *jankowskii* Lafer 13
— *piceum* (Linnaeus) 13
— (*Platynus*) *assimilis* (Paykull) 15
Allopathria Zimmermann 57–61, 65–66, 68, 72, 74–76
— *barong* Hendrich & Balke 76
— *bimaculata* (Satô) 59, 62, 76
— *flavomaculata* (Kamiya) 59, 61, 76
 (*f. kumozuensis* Satô) 76
 (*f. narusei* Satô) 76
— *quadrimaculata* (Satô) 76
— *quadripustulata* Zimmermann 59, 75–76
— *sausai* 61
— *umbrosa* Zimmermann 76
— *wangi* Nilsson & Wewalka 59, 62–65, 76
Allophyrus Zimmermann 77
Amara spp. 24
— (*Amara*) *communis* (Panzer) 15
— (*A.*) *similata chalcites* Dejean 15
— (*A.*) *ussuriensis* Lutshnik 15
— (*Zezea*) *plebeja* (Gyllenhal) 15
Amischa decipiens (Sharp) 182
— *nigrofusca* (Stephens) 182
Ampedus balteatus (L.) 156
— *erythrogonus* (Müller) 156
— *nigrinus* (Hbst) 156
— *nigroflavus* (Goeze) 182
— *pomorum* (Hbst) 156
— *tristis* (L.) 156
Andex Sharp 57, 66, 68–69
— *insignis* Sharp 59–63, 68–69
Anisodactylus signatus (Panzer) 15
Anthaxia quadripunctata (L.) 156
Anthophagus omalinus Zett. 156

- Aplocnemus tarsalis* (Sahlb.) 156
Apriophorus Guignot 77
Athous subfuscus (Müller) 156, 158
Aulacodytes Guignot 77
Bagous angustus (Silfverberg) 160
— *cylindrus* (Paykull) 160
— *scanicus* Silfverberg 160
Bembidion 13
— (*Bembidion*) *paediscum* Bates 14
— sp. pr. *captivorum* Netolitsky 14
— *chloropus* Bates 13
— (*Chrysobracteon*) *conicollae* Motschulsky 14
— (*Cylindrobracteon*) *chloropus* Bates 14
— (*Diplocampa*) *prostratum* Motschulsky 14
— (*Eupetodromus*) *sibiricum* Dejean 14
— *grapeii* 21
— *inouyei* Habu 14
— (*Notaphus*) *obliquum fasciatum* Motschulsky 14
— (*Peryphus*) *dolorosum* Motschulsky 14–15
— (*P.*) *morawitzi* Csiki 15
— (*P.*) *?pohlai* Kirschenhofer 14
— (*Plataphodes*) *tetraporum* Bates 15
Bolitophagus 163
— *reticulatus* (L.) 161–165
Calathus micropterus 21–22, 24
Carabus (Adelocarabus) arboreus Lewis 14
— (*Carabus*) *granulatus* Linnaeus 14
— (*Homoeocarabus*) *maeander* Fischer von Waldheim 14
— *violaceus* 21
Cardiophorus ruficollis (L.) 156
Chlaenius (Chlaenius) insularis Kryzhanovskij 16
Chrysomelidae spp. 156
Cicindela (Cicindela) sachalinensis A. Morawitz 14
— (*C.*) *sylvatica* Linnaeus 14
— (*C.*) *transbaicalica* Motschulsky 14
Cis glabratus Mellie 161–165
— *jacquemarti* Mellie 161–165
— *quadridens* Mellie 161
Coelhydrus Sharp 57, 65–66, 68–69
— *brevicollis* Sharp 59–60, 69
Coeliodes dryados (Gmelin) 182
Corticarina obfuscata Strand 156
Cryptophagus abietis (Payk.) 156
Curculio cylindrus Fabricius 160
Crypturgus cinereus (Hbst) 157
Cychrus caraboides 22, 24
Dalopius marginatus (L.) 156
Darwinhydrus Sharp 57, 66, 68–70
— *solidus* Sharp 59–60, 62, 69–70
Demetrius amurensis Motschulsky 16
Deronectes 58
Desmopachria Babington 57–61, 65–66, 68, 80–81
— (*Desmopachria*) Babington 66, 80–81
— (*D.*) *aspera* Young 81
— (*D.*) *attenuata* Régimbart 60, 80–81
— (*D.*) *balfourbrownei* Young 81
— (*D.*) *bifasciata* Zimmermann 81
— (*D.*) *cenchraxis* Young 81
— (*D.*) *circularis* Sharp 81
— (*D.*) *convexa* (Aubé) 60, 80–81
— (*D.*) *darlingtoni* Young 81
— (*D.*) *defloccata* Young 81
— (*D.*) *flavida* Young 81
— (*D.*) *geijskesi* Young 81
— (*D.*) *glabella* Young 81
— (*D.*) *glabricula* Sharp 81
— (*D.*) *grana* (LeConte) 80–81
— (*D.*) *granoides* Young 81
— (*D.*) *hylobates* Young 81
— (*D.*) *isthmia* Young 81
— (*D.*) *laesslei* Young 81
— (*D.*) *leechi* Young 81
— (*D.*) *lewisi* Young 81
— (*D.*) *liosomata* Young 81
— (*D.*) *majuscula* Young 81
— (*D.*) (?) *margarita* Young 81
— (*D.*) *nitida* Babington 60, 80–81
— (*D.*) *nitoides* Young 81
— (*D.*) *ovalis* Sharp 81
— (*D.*) *phacoides* Guignot 81
— (*D.*) *pulvis* Guignot 81
— (*D.*) *signata* Zimmermann 81
— (*D.*) *striga* Young 81
— (*D.*) *strigata* Young 81
— (*D.*) *subfasciata* Young 81
— (*D.*) *subnotata* Zimmermann 81
— (*D.*) *subtilis* Sharp 81
— (*D.*) *tarda* Spangler 81
— (*D.*) *voltata* Young 81
— (*D.*) *zelota* Young 81
— (*D.*) *zimmermani* Young 81
— *dispersa* (Crotch) 61–62
— *grouvellei* Régimbart 80
— (*Hintonella*) Young 66, 80–81
— (*H.*) *minuta* (Young) 81
— (*H.*) *siolii* (Young) 81
— (*H.*) *ubangoides* (Young) 81
— (*Hintonia*) Young 80–81
— *iridis* Young 80
— (*Nectoserrula*) Guignot 66, 80–81
— (*N.*) *concolor* Sharp 60, 80–81
— (*N.*) *mendozaana* (Steinheil) 60–62, 64–65, 80–81
— (*N.*) *punctatissima* Zimmermann 60–61, 80–81
— (*N.*) *vicina* Sharp 60, 80–81
— *nitida* Babington 80
— (*Pachiridis*) Young 66, 80–81
— (*P.*) *aldessa* Young 81
— (*P.*) *aureus* Young 81
— (*P.*) *iridis* Young 60, 80–81
— (*P.*) *novacula* Young 81
— (*Pachriodesma*) Guignot 66, 80–81
— (*P.*) *brevicollis* Régimbart 60, 80–81
— (*P.*) *dispersa* (Crotch) 80–81
— (*P.*) *latissima* (LeConte) 81
— (*P.*) *mexicana* Sharp 60–61, 80–81
— (*P.*) *mutchleri* Blatchley 81

- (*P.*) *sanfilippoi* Guignot 60–61, 64–65, 80–81
 — (*P.*) *seminola* Young 81
 — (*P.*) *suturalis* Sharp 81
 — (*P.*) *varians* Wehncke 81
 — (*Pachriostrix*) Guignot 66, 80–81
 — (*P.*) *ferrugata* Régimbart 81
 — (*P.*) *fossulata* Zimmermann 81
 — (*P.*) *grouvellei* Régimbart 60, 80–81
 — (*P.*) *paradoxa* Zimmermann 81
 — (*P.*) *ruginosa* Young 81
 — (*P.*) *striola* Sharp 81
 — (*Portmannia*) Young 66, 80–81
 — (*P.*) *basicollis* Guignot 60, 80–81
 — (*P.*) *bryantstoni* Clark 80–81
 — (*polita* Sharp) 81
 — (*P.*) *decorosa* Young 81
 — (*P.*) *dispar* Sharp 60, 81
 — (*P.*) *goias* Young 81
 — (*P.*) *laevis* Sharp 60, 80–81
 — (*P.*) *mutata* Sharp 81
 — (*P.*) *niger* Zimmermann 81
 — (*P.*) *nitidissima* Zimmermann 81
 — (*P.*) *pittieri* Young 81
 — (*P.*) *portmanni* Clark 60–61, 63, 80–81
 — (*P.*) *sobrina* Young 81
 — (*P.*) *speculum* Sharp 81
 — (*P.*) *variegata* Sharp 80–81
 — (*P.*) *zethus* Young 81
 — *ubangoides* Young 80
Diplous depressus Gebler 14
Dorcatoma 163–164
 — *chrysomelina* Sturm 182
 — *punctulata* Mulsant & Rey 161–165
 — *robusta* Strand 161–165
Dromius agilis (Fabricius) 156, 182
 — *fenestratus* (F.) 156
 — *quadrimaculatus* (Linnaeus) 182
 — *schneideri* Crotch 156
Dytiscus ovatus Linnaeus 76
Elaphrus (Elaphrus) riparius (Linnaeus) 14
 — (*Neolaphrus*) *sibiricus* Motschulsky 14
Enicmus rugosus (Herbst) 182
Eपुरaea spp. 156
Euplectus kirbyi Denny 182
Gnathotrichus materiarius (Fitch) 153, 155, 157–158, 193–195
 — *retusus* 194
 — *sulcatus* 194
Hadrobregmus pertinax (L.) 156
Hapalarea ioptera (Stephens) 182
Harpalus spp. 24
Heterhydrus Fairmaire 57–61, 63, 65–68
 — *adiaptus* Guignot 67
 — *agaboides* Fairmaire 67
 — *ghanensis* Wewalka 58, 67
 — *senegalensis* (Aubé) 59, 61–65, 67
 — *sudanensis* Zimmermann 59, 62–63, 67
Hintonia Reichart 80
Hovahydrus Biström 57, 59–60, 65–66, 68, 79
 — *minutissimus* (Régimbart) 59, 79
 — *perrieri* (Fairmaire) 60, 79
 — *praetextus* (Guignot) 60, 64–65, 79
 — *sinapi* (Guignot) 60, 79
Hydrachna Fabricius 76–77
Hydrachna Müller 76–77
 — *gibba* Fabricius 76
Hydroglyphus angularis 63
Hydropeplus Sharp 57, 66, 68, 70–71
 — *montanus* Omer-Cooper 71
 — *trimaculatus* (Laporte de Castelnaud) 59–62, 64–65, 71
Hydroporus latissimus LeConte 80
 — *portmanni* Clark 80
 — *trimaculatus* Laporte de Castelnaud 70
Hydrovatus Motschulsky 57
 — *laccophiloides* Régimbart 72, 74
 — *maculatus* Motschulsky 58
Hygrobia hermanni 76
Hygrotus Stephens 58, 80
Hylastes cunicularius Er. 157
Hylobius abietis (L.) 157
Hylurgops palliatus (Gyll.) 157
Hyphovatus Wewalka & Biström 57, 66, 68, 71–72
 — *dismorphus* (Biström) 59–60
 — *manfredi* Wewalka & Biström 72
 — *prapatensis* Wewalka & Biström 72
Hyphydrus Illiger 57, 59–60, 65–66, 68, 76–77
 — *abyssinicus* Peschet 78
 — *aequatorialis* Biström 79
 — *agnitus* Guignot 77
 — *alfredi* Bilardo & Rocchi 77
 — *alluaudi* Régimbart 77
 — *amplimaculatus* Bilardo & Rocchi 77
 — *anatolicus* Guignot 78
 — (*carrarai* Sanfilippo) 78
 — *assinicus* Régimbart 77
 — *ater* Bilardo 77
 — *aubei* Ganglbauer 60, 64–65, 78
 — (*variegatus* Aubé) 78
 — *barysomus* Guignot 78
 — *bigamus* Guignot 78
 — *birmanicus* Régimbart 79
 — *bistroemi* Bilardo & Rocchi 77
 — (*hiekei* Biström) 77
 — *boettcheri* Biström 78
 — *brancuccii* Biström 79
 — *burgeoni* Gschwendtner 78
 — *caffer* Boheman 77
 — *camerunensis* Biström 78
 — *caryeris* Guignot 78
 — (*guignoti* Guéorguiev) 78
 — (*legrosi* Guéorguiev) 78
 — *celebensis* Biström 79
 — *celox* Biström 79
 — *ceramensis* Wewalka & Biström 79
 — *circumflexus* Klug 79
 — (*hardenbergi* Zimmermann) 79

- *coccinelloides* Zimmermann 78
- *concii* Bilardo & Rocchi 79
- *congoanus* Biström 78
- *conradi* Gschwendtner 79
- (*opiparus* Guignot) 79
- *contiguus* Wehncke 77
- *cuppeni* Biström 78
- *cycloides* Régimbart 78
- (*circularis* Régimbart) 78
- (*lamottei* Legros) 78
- (*malawiensis* Omer-Cooper) 78
- (*nigeriensis* Omer-Cooper) 78
- (*pelates* Guignot) 78
- *dani* Biström, Balke & Hendrich 77
- *decemmaculatus* Wehncke 77
- (*curvipes* Régimbart) 77
- *delibatus* Guignot 78
- ? (*brownei* Bertrand) 78
- *detectus* Falkenström 78
- (*chinensis* Hlisnikovsky) 78
- (*orientalis* v. *reductus* Hlisnikovsky) 78
- (*pieli* Guignot) 78
- *dismorphus* Biström 71
- *dissimilis* Biström 78
- *distinctus* Aubé 78
- *ditylus* Guignot 78
- *effeminatus* Watts 77
- *eldenbecki* Biström 79
- *elegans* (Montrouzier) 60–61, 63–65, 77
- (*australis* Clark) 77
- (*bifasciatus* Macleay) 77
- (*blanchardii* Clark) 77
- (*caledoniae* Clark) 77
- (*gibbicollis* Régimbart) 77
- (*illigeri* Perroud) 77
- (*nitidicornis* Broun) 77
- *eremita* Guignot 79
- *esau* Biström 79
- *essoni* Bilardo & Rocchi 78
- *excoffieri* Régimbart 79
- *facilis* Biström 78
- *falkenstromi* Gschwendtner 78
- (*brincki* Guignot) 78
- *fangensis* Biström & Satô 79
- *flaviceps* Zimmermann 77
- *fluviatilis* Pederzani 78
- *funebri* Guignot 77
- *fuscus* Omer-Cooper 77
- *gabonicus* Régimbart 78
- (*vicinus* Bertrand & Legros) 78
- *gibba* Illiger 76
- *gibbosus* Biström 79
- *grandis* Laporte de Castelnau 60, 64–65, 77
- (*major* Sharp) 77
- *gschwendtneri* Guignot 78
- (*lindemanna* Guignot) 78
- (*pictus* v. *indicus* Gschwendtner) 78
- (*p.* v. *nalini* Vazirani) 78
- *hermanni* 76
- *holmeni* Biström 79
- *holomelas* Biström 79
- *imitator* Biström 79
- *impressus* Klug 79
- (*cocquerelii* Fairmaire) 79
- (*flavicollis* Régimbart) 79
- *inopinatus* Omer-Cooper 78
- *intermixtus* (Walker) 79
- (*indicus* Sharp) 79
- *j. japonicus* Sharp 78
- (*frontalis* Sharp) 78
- (*paromo* Guignot) 78
- *j. vagus* Brinck 78
- *jacobsoni* Biström 79
- *jaechi* Wewalka & Biström 79
- *keiseri* Mouchamps 78
- *komghaensis* Omer-Cooper 78
- *l. flavicans* Régimbart 77
- *l. foveolatus* Régimbart 77
- *l. laeviventris* Sharp 78
- *l. lyratus* Swartz 77
- (*bisulcatus* Clark) 77
- (*fossulipennis* Macleay) 77
- (*nigronotatus* Clark) 77
- *l. tsugaru* Nakane 78
- *l. xanthomelas* Régimbart 77
- *lanzai* Bilardo & Rocchi 78
- *lasiosternus* Guignot 78
- (*bertrandi* Guéorguiev) 78
- *lentiginosus* Guignot 78
- *linnavuorii* Biström 77
- *loriae* Régimbart 79
- *lyratus* 65, 76
- *maculatus* Babington 78
- (*africanus* Sharp) 78
- (*a.* v. *borkuanus* Bruneau de Miré & Legros) 78
- (*crassus* Wollaston) 78
- *maculiceps* Régimbart 78
- (*basilewskyi* Guignot) 78
- *maculifer* Guignot 78
- *madagascariensis* Wehncke 77
- *malkini* Guignot 78
- *mbandouensis* Bilardo & Rocchi 77
- *mendozanus* Steinheil 80
- *microreticulus* Bilardo & Rocchi 77
- *nasutus* Bilardo & Pederzani 79
- *nigrovittatus* Régimbart 78
- *occultus* Bilardo & Rocchi 78
- *odiosus* Guignot 78
- *omercooperae* Guéorguiev 78
- *opaculus* Régimbart 78
- (*caviceps* Régimbart) 78
- *orientalis* Clark 77
- (*eximius* Clark) 78
- *ovalis* Illiger 76
- *ovatus* (Linnaeus) 60, 65, 77
- (*ferrugineus* Linnaeus) 77

- (*gibbus* Fabricius) 77
- (*grossus* Müller) 77
- (*ovalis* Illiger) 78
- (*sphaerius* De Geer) 77
- (*variegatus* Stephens) 78
- *parvicollis* Sharp 60, 62–63, 77
- *pavani* Bilardo & Rocchi 78
- *pederzani* Biström 78
- *perforatus* Régimbart 78
 - (*p. v. alogus* Guignot) 78
 - (*p. v. degener* Guignot) 78
 - (*scitulus* Omer-Cooper) 78
- *pictus* Klug 78
 - (*lugubris* de Borre) 78
- *praetextus* Guignot 79
- *prinzi* Wewalka & Biström 79
- *prozeskyi* Biström 79
- *pulchellus* Clark 78
 - (*jeanneli* Guignot) 79
 - (*orbicularis* Régimbart) 78
 - (*wui* Gschwendtner) 78
- *puncticollis* Sharp 78
- *quadriguttatus* Guignot 78
- *quadrisulcatus* Bilardo & Rocchi 78
- *renardi* Severin 79
- *residuus* Omer-Cooper 77
- *sanctus* Sharp 78
- *satyrus* Bilardo & Pederzani 78
- *schoedli* Wewalka & Biström 78
- *schoutedeni* Gschwendtner 77
- *scripta* Illiger 76
- *scriptus* (Fabricius) 78
- *separandus* Régimbart 60, 78
 - (*oncodes* Guignot) 78
- *signatus* Sharp 78
 - (*aethiopicus* Balfour-Browne) 78
 - (*grossus* Sharp) 78
- *silfverbergi* Biström 78
- *silvanus* Bilardo 78
- *sjoestedti* Biström 78
- *soni* Biström 78
- *spangleri* Biström 79
- *sphaeroidalis* Biström 77
- *stipator* Guignot 78
- *stipes* Sharp 78
 - (*scriptus v. soarezcicus* Alluaud) 78
- *subsignatus* Bilardo & Rocchi) 78
- *sumatrae* Régimbart 78
 - (*assamensis* Vazirani) 78
- *sylvester* Guignot 78
 - (*spissus* Guignot) 78
- *tristiculus* Guignot 77
- *trophis* Guignot 78
- *tuberosus* Guignot 78
- *umilis* Bilardo & Rocchi 77
- *variolosus* Régimbart 78
 - (*v. v. patens* Guignot) 78
- *vasalloi* Bilardo & Rocchi 78
- *villiersi* Guignot 78
- *wittei* Gschwendtner 78
- *zambiensis* Pederzani 78
- Ips* 154–155, 157, 194
 - *acuminatus* (Gyll.) 157
 - *duplicatus* (Sahlb.) 153–159
 - *sexdentatus* (Börner) 157
 - *typographus* (L.) 153–159, 193
- Laccornis* 61
 - *oblongus* (Stephens) 59–62
- Leistus ferrugineus* 21–22, 24
- Leptusa ruficollis* (Erichson) 182–183
- Linnaeidea aenea* (L.) 156
- Liotrichus affinis* (Payk.) 156
- Loricera pilicornis* (Fabricius) 14, 21
- Magdalis violacea* (L.) 157
- Megatoma undata* (L.) 156
- Methles* 62
 - *cribratellus* Fairmaire 59–61
- Microdytes* J. Balfour-Browne 57–61, 65–66, 68, 72, 74–75
 - *belli* J. Balfour-Browne 59, 74–75
 - *championi* J. Balfour-Browne 59, 75
 - *elgae* Hendrich & Balke 75
 - *laccophiloides* (Régimbart) 74
 - *maculatus* (Motschulsky) 75
 - *pasiricus* (Csiki) 57, 59, 75
 - (*simplicior* (Csiki)) 75
 - (*unicolor* (Csiki)) 75
 - *sabitae* Vazirani 75
 - *taiwanus* Satô 75
 - *tomokunii* Satô 75
 - *uenoi* Satô 59, 75
- Microlestes minutulus* (Goeze) 13, 16
- Mycetochara humeralis* (Fabricius) 182
 - *obscura* (Zett.) 156
- Mycetophagus decempunctatus* Fabricius 182
- Nebria (Boreonebria) subdilata* Motschulsky 14
 - (*Reductonebria*) *ochotica* R. F. Sahlberg 14
- Nipponhydrus* Guignot 76
 - *flavomaculatus* Kamiya 74
- Notiophilus reiterii* 22
- Orthotomicus suturalis* (Gyll.) 157
- Otiorhynchus scaber* (L.) 156
 - *singularis* (Linnaeus) 182
- Pachyatheta mortuorum* (Thomson) 182
- Pachydrus* Sharp 57–61, 63, 65–68
 - *brevis* Sharp 68
 - *cayenensis* (Laporte de Castelnau) 59, 68
 - *cribratus* Sharp 68
 - *globosus* (Aubé) 59, 64–65, 68
 - (*punctatus* Sharp) 68
 - *obesus* Sharp 67–68
 - *obniger* (Chevrolat) 68
 - *politus* Sharp 68
 - *princeps* (Blatchley) 59, 68
 - *ritsemae* Régimbart 67–68
- Pachytes Montrouzier* 77

Paromalus flavicornis (Herbst) 182
Patrobus assimilis 19, 21–22, 24
 — *atrufus* 22
Phloeotribus spinulosus (Rey) 157
Pissodes gyllenhali (Sahlb.) 157
 — *harcyniae* (Hbst) 157
 — *pini* (L.) 157
Pityogenes bidentatus (Hbst.) 157
 — *chalcographus* (L.) 153–155, 157–158
Plectophloeus nitidus (Fairmaire) 182–183
Plegaderus caesus (Herbst) 182
Poecilus (Macropoecilus) fortipes Chaudoir 15
Polydrusus pilosus Gredler 156
 — *undatus* (F.) 157
Primospes Sharp 57, 66, 68, 71
 — *suturalis* Sharp 59–60, 62, 71
Prionychus ater (Fabricius) 182
Pterostichus ssp. 13, 24
 — *aethiops* Panzer 16
 — (*Argutor*) *diligens* (Sturm) 15
 — (*Badistrinus*) *neglectus* A. Morawitz 15
 — (*Bothriopterus*) *adstrictus* Eschscholz 15
 — *crassiceps* A. Morawitz 13, 16
 — (*Cryobius*) *kurasawai* Tanaka 15
 — (*Euryperis*) Motschulsky 16
 — (*Euryperis*) *eximius* A. Morawitz 13, 15–16
 — (*Eurythoracana*) *haptoderoides* Tschitscherine 15
 — *eximius* A. Morawitz 16
 — (*Melanius*) *nigrita* (Paykull) 15
 — *neglectus* A. Morawitz 13
 — *obliquebasalis* Jedlicka 13, 16
 — *prochazkorum* Jedlicka 13, 16
 — *rudnicus* Jedlicka 13, 16
 — *sakhalinensis* Kirschenhofer 13, 16
 — (*Steropus*) Stephens sensu auct. 16
 — (*Steropus*) *alacer* A. Morawitz 15
 — (*S.*) *crassiceps* 16
 — (*S.*) *sakhalinensis* 16
Ptinus subpilosus Sturm 182
Queda Sharp 57
Quedius brevicornis Thomson 182
Rhagium inquisitor (L.) 156
Salpingus planirostis (F.) 156
Scolytus intricatus (Ratzeburg) 182
Scraptia fuscula Müller 182
Sericus brunneus (L.) 156
Stenolophus (Stenolophus) propinquus A. Morawitz 15
Steropus 16
Strophosoma capitatum (Degeer) 157
Syneta betulae (F.) 156
Tetropium castaneum (L.) 156
Thamaraea hospita (Märkel) 182
Thanasimus 153, 157
 — *femoralis* (Zett.) 154–158
 — *formicarius* (L.) 154–158
Trypodendron lineatum (Oliv.) 157, 194
Xyletinus pectinatus (Fabricius) 182

Diplopoda

Cylindroiulus britannicus (Verhoeff) 180
Nemasoma varicorne C. L. Koch 180
Polyxenus lagurus (Linnaeus) 180
Proteroiulus fuscus (Am Stein) 180

Diptera

Camptochironomus Kieffer 215–218
 ?*Camptolabis* 218
Chaetolabis Townes 215
Chironomus Meigen 171, 173, 215, 217–218
 sp. “Seitajärvi” 39, 45–48, 51–53
 — *aberratus* 50–53
 — *aberratus* Keyl 39–40, 50–51, 172
 — *anthracinus* Zetterstedt 51, 171–172, 174
 — *balatonicus* 174
 — *beljaninae* Wülker 50–52, 172–174
 — (*Camptochironomus*) sp. 217
 — (*C.*) *pallidivittatus* auct. 215–218
 — (*C.*) *tentans* (Fabricius) 215–218
 — *esai* Wülker 171–176
 — *fraternus* Wülker 39, 50–53, 172–174
 — *holomelas* 172
 — *jonmartini* Lindeberg 39–55, 172
 — *major* 172, 174
 — *melanotus* Keyl 51
 — *muratensis* 174
 — *neglectus* 39
 — *neocorax* 172
 — *obtusidens* 51
 — *piger* 173
 — *pilicornis* 172
 — *plumosus* Linnaeus sensu auct. 40, 173, 218
 — *riihimakiensis* Wülker 51, 172, 216, 218
 — *salinarius* 51
 — *semireductus* 171, 173–174
 — *sororius* Wülker 40, 50–51
 — *staegeri* 51–52, 172
 — *staegeri* Lundbeck 52
 — *tardus* 172
 — *tentans* 216
 — var. *pallidivittatus* Malloch 216
 — *tenuistylus* Brundin 51, 172, 174
 — *whitseli* 172
Epistrophe cryptica Dozckal & Schmid 2
Epistrophella euchroma (Kowartz) 2
Eupeodes abiscoensis (Dusek & Laska) 2–3
 — *borealis* (Dusek & Laska) 2
 — *latilunulatus* (Collin) 2
Helicophagella melanura (Meigen) 3
Lobochironomus 215, 218
Lydella ripae Brischke 2
Microtendipes lugubris Kieffer 54
 — *nigellus* Hirvenoja 54

Platycheirus amplus Curran 1
 — *nielseni* Vockeroth 1–2
 — *occultus* Goeldlin, Maibach & Speight 2
Procladius sp. 54
Procladius breviatus Remmert 54
Protophormia terraenovae (Robineau-Desvoidy) 3
Sciopus contristans (Wiedemann) 1
 — *maritimus* Becker 1
Sphaerophoria bankowskiae Goeldlin 3
Tipula 215

Heteroptera

Aquarius adelaidis (Dohrn) 167
Callicorixa producta 53
Calocoris ochromelas (Gmelin) 181
Cyllocoris histrionicus (Linnaeus) 182
Dryophilocoris flavoquadrimaculatus (De Geer) 182
Empicoris vagabundus (Linnaeus) 181
Gerris argentatus Schumm. 186–188
 — *lateralis* Schumm. 186–188, 190
 — *odontogaster* (Zett.) 186–189
 — *spinolae* Lethierry & Severin 167
 — *thoracicus* Schumm. 186–190
Halobates spp. 186
Limnogonus franciscanus (Stål) 167–170
Loricula pselaphiformis Curtis 181
Myrmedobia distinguenda Reuter 181, 183
Phylus melanocephalus (Linnaeus) 182
Pilophorus perplexus (Douglas & Scott) 181–182
Psallus mollis (Mulsant & Rey) 182
 — *perrisi* (Mulsant & Rey) 182
 — *variabilis* (Fallén) 182
 — *wagneri* Ossiannilsson 182
Temnostethus gracilis (Horvath) 181

Homoptera

Alnetoidia alneti (Dahlbom) 180–181
Edwardsiana frustrator (Edwards) 181
Eurhadina concinna (Germar) 181
 — *pulchella* (Fallén) 181
Iassus lanio (Linnaeus) 181
Lachnus roboris (Linnaeus) 181
Phylloxera coccinea von Heyden 181
Thelaxeres dryophila (Schrank) 181
Trioza remota Förster 181
Tuberculatus annulatus (Hartig) 181

Hymenoptera

Andrena 109–110, 208
 — *clarkella* (Kirby) 207–208, 211–212
 — *denticulata* (Kirby) 209, 212

— *fulvago* (Christ) 209
 — *fuscipes* (Kirby) 208, 210
 — *gelrae* van der Vecht 210
 — *hattorfiana* 205, 207, 209, 211–212
 — *humilis* Imhoff 209
 — *intermedia* Thomson 210, 212
 — *labialis* (Kirby) 210
 — *lapponica* 207, 210
 — *lathyri* Alfken 207, 210
 — *marginata* 207, 209
 — *nanula* Nylander 209
 — *praecox* (Scopoli) 211–212
 — *ruficrus* Nylander 207–208, 211–212
 — *tarsata* Nylander 207, 210
 — *vaga* Panzer 109–110, 211
 — *wilkella* Kirby 210, 212
Aneugmenus spp. 35
 — *fuerstenbergensis* (Konow) 37
Anthidium 208
Anthocopa 208
Anthophora 208
 — *furcata* (Panzer) 210, 212
Birka Malaise 38
 — *cinereipes* (Klug) 27–38
Bombus 208, 212
 — *consobrinus* Dahlbom 205, 208, 210
Ceratina 208
Chalicodoma 208
 — *ericetorum* Lepeletier 210
Chelostoma 207–208
 — *campanularum* (Kirby) 209
 — *florisomme* (L.) 208, 210
 — *maxillosum* (L.) 210
 — *rapunculi* (Lepeletier) 209
Colletes 208
 — *cunicularius* (L.) 211–212
 — *daviesanus* F. Smith 208–209, 211
 — *similis* Schenck 209
 — *succinctus* (L.) 208, 210
Dasygaster 208
 — *altercator* (Harris) 209
 — *hirtipes* (Latreille) 209
Dolerus gonager (Fabricius) 37–38
Dufourea 208
 — *dentiventris* (Nylander) 209, 212
 — *inermis* (Nylander) 209
 — *minuta* Lepeletier 208
 — *vulgaris* (Schenck) 209
Eriocampidea 37
Eucera 208
 — *longicornis* (L.) 205, 207, 210–212
Euura Newman 114
 — *amerinae* L. 114, 117–118
 — *atra* (Jurine) 113–119
 — *exiguae* Smith 114
 — *lasiolepis* Smith 114
 — *mucronata* (Hartig) 114–115
 — “*mucronata*” 114
 — *s-nodus?* Walsh 114

- Formica fusca* Linnaeus 182
 — *polycetena* Förster 180, 182
 — *rufa* Linnaeus 182
Halictus 207–208
Heriades 208
 — *truncorum* (L.) 209
Hoplitis 208
 — *mitis* Nylander 208
Hylaeus 208
 — *nigritus* (Fabricius) 209
 — *signatus* (Panzer) 208, 210
Ichneumon coeruleator Fabricius 5
Lasioglossum 207–208
Lasius mixtus (Nylander) 182
 — *niger* (Linnaeus) 182
Macropis 207–208, 211–212
 — *europaea* Warncke 210
 — *fulvipes* (Fabricius) 210
 — *labiata* auct. 210
Megachile 208
 — *bombycina* Radoszkowski 209
 — *lapponica* Thomson 207–208, 210
 — *nigriventris* Schenck 210
Melecta 208
Melisandra Benson 38
 — *cinereipes* 32, 37
Melitta 208
 — *haemorrhoidalis* (Fabricius) 209
 — *leporina* (Panzer) 210
 — *tricincta* Kirby 208
Myrmica ruginodis Nylander 182
Nesoselandria Rohwer 27, 37–38
 — *morio* (Fabricius) 27–38
Osmia 208
 — *leaiana* (Kirby) 209
Panurginus 208
Panurgus 208
 — *banksianus* (Kirby) 208
 — *calcaratus* (Scopoli) 208–209
Periclista lineolata (Klug) 38
Pimpla spp. 5
Platygaster 203
 — *americana* (Ashmead) 203
 — *attenuata* 203
 — *betularia* Kieffer 202
 — *entwistlei* Buhl 202
 — *litoralis* sp. n. 197, 200–202
 — *nitida* 203
 — *phragmitis* 203
 — *rohweri* Fouts 202
Prosactogaster 203
 — *attenuata* (Haliday) 202
 — *damokles* sp. n. 197, 202–203
 — *enneatomus* (Kieffer) 202
 — *lineata* (Kieffer) 202
 — *marshalli* Kieffer 202
 — *nitida* (Thomson) 202
 — *phragmitis* (Schrank) 202
 — *subuliformis* Kieffer 202
Rocalia 37
 — *longipennis* Takeuchi 37
Rophites 208
Selandria aperta 32
Strongylogaster macula (Klug) 37
 — *mixta* (Klug) 37
Synopeas 198–199
 — *affinis* (Nees) 199
 — *bohemani* sp. n. 197, 199–200
 — *brevis* sp. n. 197–199
 — *trebius* (Walker) 199
 — *velutinus* (Walker) 199–200
Telenomus albatorius Kozlov & Kononova 198
 — *ciliatus* sp. n. 197–198
 — *cubiceps* Ashmead 198
 — *heteropterus* Haliday 198
 — *microceps* Szabó 198
 — *minus* Kozlov 198
 — *zethos* Walker 198
Trachysa 208
 — *byssina* (Panzer) 210, 212
Trigona 205
Trogus Panzer 5
 — *lapidator* 5
 — *lapidator coeruleator* (Fabricius) 5
 — *l. lapidator* (Fabricius) 5
 — *l. panzeri* Carlson 5–6

Lepidoptera

- Abraxas sylvatus* (Sco.) 128
Acasis viretata (Hb.) 131
Acherontia atropos (L.) 123, 131
Acleris ferrugana (Denis & Schiffermüller) 182
Acontia lucida (Hfn.) 132
Acronicta euphorbiae (D. & S.) 131
 — *leporina* (L.) 131
 — *rumicis* (L.) 131
 — *strigosa* (D. & S.) 128, 139
Aethes tesserana (D. & S.) 134, 137
Aglais urticae 134
Agonopterix laterella (D. & S.) 137
Agriopsis 126
 — *aurantiaria* (Hb.) 131, 134–135, 139
 — *marginaria* (F.) 132
Agrius convolvuli (Linnaeus) 123–124
Agrochola macilentus (Hb.) 133, 135–136
Agrotis cinerea (D. & S.) 132
 — *ipsilon* (Hufnagel) 124–125
 — *segetum* (D. & S.) 122
Alcis jubatus (Thb.) 123, 129, 136
Allophytes oxyacanthae (L.) 128
Ammoconia caecimacula (D. & S.) 125, 128
Amphipyra 182
 — *berbera* Rungs 123, 130, 182
 — *livida* (D. & S.) 132

- *perflua* (Fabricius) 123, 130, 133–134, 136, 139, 182
 — *pyramidea* (L.) 130
 — *tragopoginis* (Clerck) 134–135
Anticlea derivata (D. & S.) 131, 134
Apamea Ochseneheimer 83, 85
 — *ferrago* (Eversmann) 83, 85
 — *lithoxyloa* (D. & S.) 133
 — *nekrasovi* Mikkola, Varga & Guylai 83, 85
 — *ophiogramma* (Esper) 125, 129, 135
 — *scolopacina* (Esp.) 130, 132–133, 135–136, 139
 — *sordens* (Hfn.) 131
 — *yunnana* Kononenko & Mikkola 83–85
 — *zollikoferi* (Freyer) 125
Apatura iris 140
Aplocera praeformata (Hb.) 128–129, 135
Apocheima 126
 — *pilosaria* (D. & S.) 131
Aporia crataegi (Linnaeus) 123
Aporophyla lutulenta (D. & S.) 132
Araschnia levana (L.) 132, 134, 136, 140
Archanara dissoluta (Tr.) 125, 129
 — *geminipuncta* (Hw.) 132–133
 — *sparganii* (Esp.) 125, 128
Arenostola semicana (Esp.) 128
Argynnis paphia (L.) 129
Atolmis rubricollis (L.) 129
Atypha pulmonaris (Esp.) 132
Autographa buraetica (Staudinger) 123
 — *excelsa* (Kretschmar) 129
 — *gamma* (Linnaeus) 123–124
 — *macrogamma* (Eversmann) 134, 136
 — *mandarina* (Fr.) 131–132, 135–136, 139
Axylia putris (L.) 128
Baptria tibiale (Esp.) 131, 141
Blepharita amica (Treitschke) 134–135
 — *satura* (D. & S.) 128
Calamia tridens (Hfn.) 125, 128–129, 139
Callimorpha dominula (Linnaeus) 123
Calliteara pudibunda (L.) 129
Caloptilia hemidactylella (D. & S.) 137
Campaea margaritata (Linnaeus) 133, 135, 139
Catarhoe rubidata (D. & S.) 125, 128, 134
Catascythis kebirella Amsel 89
Catocala 130
 — *adultera* (Ménétriés) 125
 — *nupta* (Linnaeus) 126
 — *pacta* (L.) 131
Celaena leucostigma (Hb.) 128
Cepphis advenaria (Hb.) 128, 136
Cerastis leucographa (D. & S.) 131, 134
Chersotis andereggii (Boisduval) 125
 — *a. arcana* Mikkola 133
Chesias legatella (D. & S.) 132
Chloroclysta infuscata (Tengström) 134
 — *siterata* (Hfn.) 131, 135
Chloroclystis v-ata 133, 135–136
 — *v. relicta* (Haworth) 133
 — *v. v-ata* 138
Chortodes brevilinea (Fenn) 132
 — *elymi* (Treitschke) 2
Cidaria fulvata (Forst.) 131, 136, 139
Cilix glaucatus (Sco.) 132
Cleorodes lichenarius (Hufnagel) 123
Clossiana freija (Thb.) 131
Cochylis hybridella (Hübner) 134, 137
Coenonympha glycerion (Br.) 128
 — *hero* (L.) 132
Coleophora 9, 11
 — *badiipennella* (Duponchel) 137
 — *baltica* (Toll.) 9
 — *betulaenanae* Klimesh 145, 149
 — *canadensisella* McDunnough 146
 — *carelica* Hackman 9–12
 — *expressella* Klemensiewicz 11
 — *graminicolella* (Heinemann & Wocke) 9
 — *limosipennella* (Duponchel) 137
 — *silenella* var. *graminicolella* 9
 — *vacciniella* H.-S. 145–150
 — *f. pallescentella* Kanerva 148
Colias hyale (Linnaeus) 123
Colobochoyla salicalis (D. & S.) 128
Colotois 126
 — *pennaria* (L.) 129, 139
Comibaena bajularia (D. & S.) 132
Conistra erythrocephala (D. & S.) 133
Cornutiplusia circumflexa (L.) 132
Cosmia affinis (L.) 132
 — *pyralina* (Denis & Schiffermüller) 3
 — *trapezina* (L.) 131
Costaconvexa polygrammata (Br.) 132
Cryphia algae (F.) 132
 — *ereptricula* (Tr.) 132
Cryptocala chardinyi (Bdv.) 130, 139
Cucullia absinthii (Linnaeus) 123
 — *boryphora* Fsch. de W. 130, 132
 — *fraterna* Butl. 130, 132
 — *verbasci* (Linnaeus) 123
Cyclophora pendularia (Cl.) 128–129, 140
Cydia discretana (Wocke) 137
 — *lunulana* (D. & S.) 137
Daphnis nerii (Linnaeus) 123
Deileptenia ribeata (Clerck) 128–129, 139
Deltote bankiana (F.) 132
Depressaria emeritella Stainton 137
Diarsia brunnea (D. & S.) 125, 128
Diasemia reticularis (Linnaeus) 137
Discoloxia blomeri (Curt.) 131–133, 136
Drepana binaria (Hfn.) 132
Ectoedemia intimella (Zeller) 103
Eilema complanum (L.) 128
 — *depressum* (Esp.) 129
 — *sororculum* (Hfn.) 132
Elachista 219–223
 — *argentella* 219
 — *aurocristata* Braun 223
 — *bifasciella* 219–220

- *eskoi* 152
 — *jaskai* sp. n. 219–221
 — *orestella* (Busck) 223
 — *ripula* sp. n. 219, 221–223
 — *triatomea* Haworth 219, 222–223
Elaphria venustula (Hb.) 132
Endrosis sarcitrella (Linnaeus) 137
Ennomos alniarius (Linnaeus) 134
 — *autumnarius* (Wern.) 131, 134, 136
Entephria polata (Duponchel) 87–88
Epirrhoe rivata (Hb.) 132
 — *tartuensis* Möls 132
Erannis 126
 — *defoliaria* (Cl.) 131
Erebia embla (Thb.) 131
Eremobina pabulatricula (Bra.) 131
Erigethes strobilacei Walsingham 89
Eriocrania subpurpurella (Haworth) 182
Eublemma purpurinum (D. & S.) 130, 132
Euchalcia modestoides (Poole) 132–133
 — *variabilis* (Pil. & Mit.) 132
Euchloe chloridice (Hb.) 130, 132
Eucosma campoliliana (D. & S.) 137
Eugnorisma glareosum (Esp.) 130, 132
Eugraphe sigma (D. & S.) 125
Eulithis pyropata (Hübner) 129, 135
Euphydryas editha 141
Eupithecia cauchiata (Dup.) 132
 — *irrigata* (Hb.) 132
 — *linariata* (D. & S.) 128
 — *pernotata* Guenée 126
 — *p. enictata* Pellmyr & Mikkola 133
 — *sinuosaria* Ev. 128, 135
Euxoa ochrogaster (Guenée) 125
 — *recussa* (Hb.) 131
Everes alcetas (Hoff.) 132
Fixsenia pruni (L.) 129
Glaucopsyche alexis (Poda) 131, 139
Gortyna flavago (D. & S.) 125, 128
Gymnoscelis rufifasciata (Hw.) 128–129, 135
Gynaephora selenitica (Esp.) 129, 141
Gypsonoma oppressana (Treitschke) 137
Habrosyne pyritoides (Hfn.) 132–133, 135–136
Hadena irregularis (Hfn.) 132
 — *luteago* (D. & S.) 132
Hellinsia distincta (Herrich-Schäffer) 3
Helicoverpa armigera (Hb.) 130, 132
Heliothis nubigera Hr.-Sch. 130, 132
Hemithea aestivaria (Hb.) 128, 134
Heptialus humuli (Linnaeus) 136–137
 — *lupulinus* (Linnaeus) 137
Hermia grisealis (D. & S.) 125, 128
 — *tarsicrinalis* (Knoch) 132
 — *tarsipennalis* Tr. 128, 134
 — *tristalis* 134
Hillia iris (Zetterstedt) 135
Hoplodrina ambigua 132
Horisme aemulata (Hb.) 132
 — *vitalbata* (D. & S.) 130, 132
Hyles euphorbiae (Linnaeus) 123
 — *lineata* (Esp.) 123, 130, 132
 — *lineata* (Fabricius) 123, 130
Hypodryas maturna (L.) 131
Hypomecis punctinalis (Sco.) 128
 — *roboraria* (D. & S.) 128–129
Idaea biselata (Hfn.) 128
 — *dimidiata* (Hfn.) 128
Inachis io (Linnaeus) 123, 126
Iphiclides podalirius (Sco.) 130, 132, 134
Ipimorpha contusa (Fr.) 132
Issoria lathonia (L.) 123, 131, 139
Klimeschiopsis kiningerella (Duponchel) 182
Lacanobia splendens (Hb.) 132, 135
Lamprotes c-aureum (Knoch) 125
Laothoe amurensis (Stgr.) 128–129
Larentia clavaria (Hw.) 128
Lasionycta skraelingia (Hr.-Sch.) 132–133
Laspeyria flexula (D. & S.) 129
Leucania comma (L.) 131
Limenitis populi (L.) 122, 131
Lithophane ornitopus (Hufnagel) 133, 135
 — *semibrunnea* (Hw.) 130, 132
Lobesia abscisana Doubleday 137
Lomographa bimaculata (F.) 128–129, 136
 — *temerata* (D. & S.) 128
Lopinga achine 123, 129
Lycaena dispar (Hw.) 130, 132, 134
 — *helle* (D. & S.) 131
 — *hippotoe* (L.) 131
Macdunnoughia confusa (St.) 125, 128, 136
Macrochilo cribrumalis (Hb.) 131
Macroglossum stellatarum (Linnaeus) 123
Malacosoma neustria (Linnaeus) 3
Mamestra brassicae (L.) 131
Maniola jurtina (L.) 123, 128, 139
Meganephria oxyacanthae 139
Melanchra persicariae (L.) 128
Mesoligia furuncula (D. & S.) 128
 — *literosa* (Hw.) 130, 135
Miltochrista miniata (Forst.) 129
Moma alpium (Osb.) 131
Mompha divisella Herrich-Schäffer 137
Mormo maura (Linnaeus) 132
Mythimna albipuncta (D. & S.) 132
Narraga fasciolaria (Hfn.) 132
Nemophora cupriacella (Hübner) 137
Noctua interjecta Hübner 132
 — *interposita* (Hb.) 132
 — *janthe* (Br.) 132
 — *janthina* (D. & S.) 132
 — *pronuba* (L.) 123, 125, 129
Nola karelica Teng. 131, 134
Nomophila noctuella (D. & S.) 124
Nymphalis polychloros (Linnaeus) 123
Odontotia sieversi (Mén.) 128–129, 136, 139
Opigena polygona (D. & S.) 131, 134, 139

- Orthosia cerasi* (F.) 131, 133
 — *cruda* 133
 — *gracilis* (D. & S.) 128, 141
 — *miniosa* (D. & S.) 132, 135
 — *munda* (D. & S.) 130, 132, 135
 — *populeti* (F.) 131
Ourapteryx sambucaria (L.) 123, 131–133, 139
Pachetra sagittigera (Hufnagel) 125
Pammene argyrana (Hübner) 182
 — *splendidulana* (Guenée) 182
Papilio Linnaeus 5
 — *machaon* Linnaeus 5–6
Paradarisa consonaria (Hb.) 133, 136
Pararge achine (Sco.) 128
Parnassius apollo (L.) 131
 — *mnemosyne* Linnaeus 224
Peribatodes rhomboidaria (D. & S.) 132
 — *secundarius* (D. & S.) 132–133, 135–136, 139
Peridroma saucia (Hb.) 132
Perizoma affinitatum (St.) 131
 — *sagittatum* (F.) 131, 135
Phalaeana celsia 124
Phragmatiphila nexa (Hb.) 132
Pieris brassicae (Linnaeus) 123
 — *rapae* (Linnaeus) 123
Plagodis dolabraria (L.) 128
Polia conspicua (A. B.-H.) 132–133
 — *nebulosa* (Hfn.) 128
Polypogon lunalis (Sco.) 128, 134, 141
Prodotis stolidia (F.) 125, 130, 132
Protexarnis squalida (Gn.) 130, 132
Protodeltote pygarga (Hfn.) 128
Pseudohadena immunda (Eversmann) 125
Psoricoptera gibbosella (Zeller) 182
Ptilophora plumigera (D. & S.) 130, 132
Pyralis lienigialis (Zeller) 137
Pyrrhia umbra (Hfn.) 129
Quercusia quercus (Linnaeus) 133
Rhizedra lutosa (Hb.) 131
Rhyparia purpurata (L.) 123, 129, 134
Rivula sericealis (Sco.) 131
Schinia scutosa (Denis & Schiffermüller) 3, 123
Schrankia costaestrigalis (St.) 128
Scopula decorata (D. & S.) 134
Scythris ammobia Falkovitch 90–91
 — *amphyncella* (Geyer) 90–91, 93
 — *andersi* Bengtsson 95
 — *baikalensis* Bengtsson & Liška 90, 93
 — *bifissella* (Hofmann) 90–91, 100–101
 — *braschiella* (Hofmann) 95
 — *canescens* (Staudinger) 92
 — *capitalis* (Erschoff) 92–93
 — *cassiterella* (Snellen) 92, 99
 — *chrysopygella* Caradja 99
 — *cuspidella* (Denis & Schiffermüller) 90, 94
 — *fallacella* (Schläger) 92
 — *felesella* Bengtsson 89, 92–93, 96
 — *flavilaterella* (Fuchs) 90, 92, 94, 99
 — *fuscopterella* Bengtsson 94
 — *inspersella* (Hübner) 94
 — *jalavai* Sinev 94
 — *kailai* Bengtsson 89, 94–96
 — *kullbergi* Bengtsson 89, 95–96
 — *kyzylensis* Bengtsson 89, 94–95, 97
 — *laminella* (Denis & Schiffermüller) 94, 97
 — *langohri* Passerin d'E & Vives 95
 — *monochreella* (Ragonot) 98
 — *mus* Walsingham 98
 — *nitidella* Bengtsson & Liška 98, 100
 — *nivicolor* Meyrick 98
 — *obscura* (Scopoli) 90
 — *pascuella* (Zeller) 91
 — *paullella* (Herrich-Schäffer) 91
 — *picaepennis* (Haworth) 98
 — *pudorinella* (Möschler) 91
 — *sinensis* (Felder & Roggenhofer) 98
 — *subcassiterella* Bengtsson 89, 98–100
 — *terekholensis* Bengtsson 89, 99–102
 — *tessulatella* Rebel 102
 — *tityrella* Falkovitch 99
Scythropia crataegella (Linnaeus) 137
Sedina buettneri (Her.) 132
Selidosema plumarium (D. & S.) 132
Senta flammea (Curtis) 125
Shargacucullia sp. nr. *lychnitis* 132
Sideridis albicolon (Hb.) 130, 132
Spaelotis clandestina (Har.) 123, 131
 — *ravida* (D. & S.) 131
Spilosoma luteum (Hfn.) 128–129
Staurophora celsia (L.) 124, 128–129
Stauropus fagi (L.) 123, 128
Stenolechia gemmella (Linnaeus) 182
Stigmella 104
 — *benanderella* (Wolff) 103
 — *lappovimella* (Svensson) 103–107
 — *obliquella* (Heinemann) 103
 — *salicis* (Stainton) 103–104
 — *vimineticola* (Frey) 107
 — *zelleriella* Snellen 103–104, 106–107
Syndemis histrionana (Frölich) 137
Syngrapha ain (Hoch.) 130, 132
Tholera cespitis (D. & S.) 125, 128
 — *decimalis* (Poda) 125, 128
Tischeria ekebladella (Bjerkander) 182
Tortrix viridana (Linnaeus) 182
Trachea atriplicis (L.) 129, 134
Trichophaga tapetzella (Linnaeus) 137
Trichoplusia ni (Hb.) 132
Trichosea ludifica (Linnaeus) 124
Trisateles emortualis (D. & S.) 128
Tyria jacobaeae (L.) 123, 130, 132
Vanessa atalanta (Linnaeus) 123
 — *cardui* (Linnaeus) 123
Venusia cambrica Curt. 131, 134
Xanthia aurago (D. & S.) 123, 132–133, 135
 — *gilvago* (Denis & Schiffermüller) 3, 132, 135

Xestia 126

- *brunneopicta* (Mats.) 132–133
- *collina* (Bdv.) 131–132
- *sexstrigata* (Hw.) 125, 128–129, 134
- *sincera* (Herrich-Schäffer) 123
- *xanthographa* (D. & S.) 131
- Xylomoia strix* Mikk. 130, 132
- Ypsolopha chazariella* (Mann) 137
- *sylvella* (Linnaeus) 182
- *ustella* (Clerck) 182
- Zeiraphera isertana* (Fabricius) 182

Neuroptera

- Coniopteryx borealis* Tjeder 181

Opiliones

- Leiobunum rupestre* (Herbst) 180
- Mitopus morio* (Fabricius) 180
- Nelima gothica* Lohmander 180
- Rilaena triangularis* (Herbst) 180

Pseudoscorpionida

- Chernes cimicoides* (Fabricius) 180

Psocoptera

- Amphigerontia intermedia* (Tetens) 1
- Graphopsocus cruciatus* (Linnaeus) 181
- Lachesilla quercus* (Kolbe) 181
- Loensia fasciata* (Fabricius) 181
- *pearmani* Kimmins 181
- *variegata* (Latreille) 181
- Pseudopsocus fusciceps* (Reuter) 181, 183
- Reuterella helvimacula* (Enderlein) 181
- Trichadenotecnum incognitum* Roesler 181
- *majus* (Kolbe) 181

Strepsiptera

- Stylops* 109–111
- *melittae* Kirby 109
- *pacifica* Bohart 109