

## Index to genera and species, Volume 15 (2004)

<i>Abacoproeces saltuum</i> (Koch).....	156, 189	<i>Alopecosa borea</i> (Kulczynski).....	115–116
<i>Abdera affinis</i> (Paykull).....	6–22	<i>Alopecosa inquilina</i> (Clerck).....	173, 191
<i>Abdera flexuosa</i> (Paykull).....	6–22	<i>Alopecosa kulczynski</i> Sternbergs.....	116
<i>Absidia schoenherri</i> Dejean.....	72–90	<i>Alopecosa pinetorum</i> (Thorell).....	173, 191
<i>Acanthaclisis occitanica</i> (Villers).....	221, 223	<i>Alopecosa pulverulenta</i> (Clerck).....	173, 191
<i>Acantholycosa lignaria</i> (Clerck).....	173, 191	<i>Alopecosa sibirica</i> (Kulczynski).....	116
<i>Acanthothrips nodicornis</i> (Reuter).....	72–90	<i>Alopecosa taeniata</i> (Koch).....	173–174, 191
<i>Acartophthalmus nigrinus</i> (Zetterstedt).....	72–90	<i>Altica deserticola</i> (Weise).....	1–5
<i>Acer mono</i> .....	130	<i>Altica lencorana</i> Konstantinov.....	138–141
<i>Acomporcoris alpinus</i> Reuter.....	72–90	<i>Altica longicollis</i> (Allard).....	138–141
<i>Acomporcoris pygmaeus</i> (Fallén).....	72–90	<i>Altica oleraea</i> (Linnaeus).....	1–5
<i>Acrostiba borealis</i> Thomson.....	72–90	<i>Ampedus balteatus</i> (Linnaeus).....	72–90
<i>Acrulia inflata</i> (Gyllenhal).....	6–22, 110	<i>Ampedus nigrinus</i> (Herbst).....	72–90
<i>Actia resinellae</i> (Schrank).....	72–90	<i>Amphicyllis globus</i> (Fabricius).....	6–22
<i>Aculepeira packardii</i> (Thorell).....	115–116	<i>Amylocystis lapponica</i> .....	110
<i>Adoristes ovatus</i> (Koch).....	72–90	<i>Anachyra</i> van Achterberg.....	225
<i>Adoristes poppei</i> (Oudemans).....	72–90	<i>Anaspis arctica</i> Zetterstedt.....	6–22
<i>Adscita statices</i> Linnaeus.....	91–101	<i>Anaspis marginicollis</i> Lindberg.....	6–22, 72–90
<i>Aeolothrips vittatus</i> Haliday.....	72–90	<i>Anaspis rufilabris</i> Gyllenhal.....	72–90
<i>Agaricochara latissima</i> (Stephens).....	6–22	<i>Anchioleucopsis geniculata</i> (Zetterstedt).....	72–90
<i>Agathidium confusum</i> Brisout de Barneville.....	6–22	<i>Anguliphantes engulipalpis</i> (Westring).....	157, 189
<i>Agathidium laevigatum</i> Erichson.....	6–22	<i>Anisotoma axillaris</i> Gyllenhal.....	6–22
<i>Agathidium nigripenne</i> (Fabricius).....	6–22	<i>Anisotoma castanea</i> (Herbst).....	6–22
<i>Agathidium rotundatum</i> (Gyllenhal).....	6–22	<i>Anisotoma glabra</i> (Kugelann).....	6–22
<i>Agathidium seminulum</i> (Linnaeus).....	6–22	<i>Anisotoma humeralis</i> (Fabricius).....	6–22, 72–90
<i>Aglais urticae</i> (Linnaeus).....	34–40	<i>Anopleta corvina</i> (Thomson).....	6–22
<i>Agnyphantès expunctus</i> (P-Cambridge).....	72–90, 156, 189	<i>Anoplus plantaris</i> (Naezen).....	72–90
<i>Agrilus angustulus</i> (Illiger).....	57–59	<i>Anotylus nitidulus</i> (Gravenhorst).....	6–22
<i>Agroeca brunnea</i> (Blackwall).....	172, 184, 191	<i>Anthocoris nemorum</i> (Linnaeus).....	72–90
<i>Agroeca proxima</i> (P-Cambridge).....	172–173, 184, 191	<i>Anthomyia mimetica</i> (Malloch).....	72–90
<i>Aguriahana germari</i> (Zetterstedt).....	72–90	<i>Anthonomus phyllocola</i> (Herbst).....	72–90
<i>Agyneta affinisoides</i> (Tanasevitch).....	116	<i>Antophagus omalinus</i> Zetterstedt.....	72–90
<i>Agyneta birulai</i> (Kulczynski).....	115	<i>Antrodia serialis</i> .....	7
<i>Agyneta cauta</i> (P-Cambridge).....	156, 189	<i>Anurophorus laricis</i> Nicolet.....	72–90
<i>Agyneta conigera</i> (P-Cambridge).....	156–157, 189	<i>Anurophorus septentrionalis</i> Palissa.....	72–90
<i>Agyneta olivacea</i> (Emerton).....	157, 189	<i>Aphidecta oblitterata</i> (Linnaeus).....	72–90
<i>Agyneta ramosa</i> Jackson.....	157, 189	<i>Aphthona atrocaeruleae</i> (Stephens).....	138–141
<i>Agyneta rurestris</i> .....	163	<i>Aphthona flava</i> Guillebeau.....	140
<i>Agyneta subtilis</i> (P-Cambridge).....	157, 189	<i>Aphthona kocheri</i> Kral.....	139
<i>Aleochara moerens</i> Gyllenhal.....	6–22	<i>Aphthona nigricollis</i> Foudras.....	140
<i>Aleochara sanguinea</i> (Linnaeus).....	6–22	<i>Aphthona violaceae</i> (Koch).....	138–141
<i>Allacma fusca</i> (Linnaeus).....	72–90	<i>Aplocnemus nigricornis</i> (Fabricius).....	72–90
<i>Alliopsis brunneigena</i> (Schnabl).....	72–90	<i>Apotomopterus</i> .....	130
<i>Alliopsis denticauda</i> (Zetterstedt).....	72–90	<i>Apteromyia claviventris</i> (Strobl).....	72–90
<i>Alliopsis silvestris</i> (Fallén).....	72–90	<i>Aptinothrips stylifer</i> Trybom.....	72–90
<i>Allium schoenoprasum</i> .....	161	<i>Araneus diadematus</i> Clerck.....	151, 188
<i>Allomengea scopigera</i> (Grube).....	157, 184, 189	<i>Araneus nordmanni</i> (Thorell).....	151, 188
<i>Alluaudomyia quadripunctata</i> (Goetghebuer).....	72–90	<i>Araneus omoedus</i> .....	151
<i>Alnus</i> .....	166, 170, 172, 174–176	<i>Araneus quadratus</i> Clerck.....	151, 188
<i>Alnus glutinosa</i> .....	7	<i>Araneus sturmi</i> (Hahn).....	151, 188
<i>Alopecosa aculeata</i> (Clerck).....	173, 191	<i>Araniella displicata</i> (Hentz).....	115–116
<i>Alopecosa albostrigata</i> (Grube).....	115–116	<i>Archinemapogon yildizae</i> Kocak.....	107

<i>Arctella lapponica</i> (Holm).....	116	<i>Bezzia nigritula</i> (Zetterstedt).....	72–90
<i>Arianella</i> cf. <i>cucurbitina</i> (Clerck).....	72–90	<i>Bezzia rhynchostylata</i> Remm.....	72–90
<i>Aricia artaxerxes</i> (Fabricius).....	101	<i>Bezzia solstitialis</i> (Winnertz).....	72–90
<i>Asagena phalerata</i> .....	181	<i>Bianor aurocinctus</i> .....	178–179
<i>Aspergillus saitoi</i> .....	38	<i>Biblio nigriventris</i> Haliday.....	72–90
<i>Aspidiphorus orbiculatus</i> (Gyllenhal).....	6–22	<i>Bibloporus bicolor</i> (Denny).....	72–90
<i>Asthenargus paganus</i> (Simon).....	157, 189	<i>Bicellaria austriaca</i> Tuomikoski.....	72–90
<i>Atea sturmi</i> (Hahn).....	72–90, 151	<i>Bicellaria nigra</i> (Meigen).....	72–90
<i>Atheta (Alaobia) gagatina</i> (Baudi).....	6–22	<i>Bicellaria pilosa</i> Lundbeck.....	72–90
<i>Atheta (Alaobia) pallidicornis</i> (Thomson).....	6–22	<i>Bicyclus anynana</i> (Butler).....	37
<i>Atheta (Alaobia) sodalis</i> (Erichson).....	6–22	<i>Bitoma crenata</i> (Fabricius).....	6–22
<i>Atheta (Datomicra) celata</i> (Erichson).....	6–22	<i>Bjerkandera adusta</i> .....	7
<i>Atheta (Datomicra) dadopora</i> Thomson.....	6–22	<i>Blepharomyia pagana</i> (Meigen).....	72–90
<i>Atheta (Datomicra) nigra</i> (Kraatz).....	6–22	<i>Bolethyphantes index</i> (Thorell).....	158, 189
<i>Atheta (Dimetrotia) aeneipennis</i> (Thomson).....	6–22	<i>Boletina atridentata</i> sp. n.....	23–33
<i>Atheta (Microdota) pittionii</i> Scheerpeltz.....	6–22	<i>Boletina bidenticulata</i> Sasakawa & Kimura.....	26
<i>Atheta (Microdota) subtilis</i> (Scriba).....	6–22	<i>Boletina cordata</i> sp. n.....	23–33
<i>Atheta (Mocyta) fungi</i> (Gravenhorst).....	6–22	<i>Boletina dispecta</i> Dziedzicki.....	25
<i>Atheta (Mycetota) laticollis</i> (Stephens).....	6–22	<i>Boletina falcata</i> sp. n.....	23–33
<i>Atheta (Plataraea) nigritula</i> (Gravenhorst).....	6–22	<i>Boletina fennoscandiacae</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>boletophila</i> (Thomson).....	6–22	<i>Boletina gripha</i> Dziedzicki.....	29
<i>Atheta</i> (s. str.) <i>britanniae</i> Bernhauer & Scheerpeltz.....	6–22	<i>Boletina hedstroemi</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>castanoptera</i> (Mannerheim).....	6–22	<i>Boletina kivachiana</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>crassicornis</i> (Fabricius).....	6–22	<i>Boletina lapponica</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>diversa</i> (Sharp).....	6–22	<i>Boletina lundbecki</i> Lundström.....	32
<i>Atheta</i> (s. str.) <i>euryptera</i> (Stephens).....	6–22	<i>Boletina nigricans</i> Dziedzicki.....	31
<i>Atheta</i> (s. str.) <i>fungicola</i> (Thomson).....	6–22	<i>Boletina nigrofusca</i> Dziedzicki.....	28
<i>Atheta</i> (s. str.) <i>harwoodi</i> Williams.....	6–22	<i>Boletina nitida</i> Grzegorzek.....	25
<i>Atheta</i> (s. str.) <i>liturata</i> (Stephens).....	6–22	<i>Boletina sciarina</i> .....	27–28
<i>Atheta</i> (s. str.) <i>nigricornis</i> (Thomson).....	6–22	<i>Boletina silvatica</i> Dziedzicki.....	30
<i>Atheta</i> (s. str.) <i>oblita</i> (Erichson).....	6–22	<i>Boletina struthioides</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>paracrassicornis</i> Brundin.....	6–22	<i>Boletina subtriangularis</i> sp. n.....	23–33
<i>Atheta</i> (s. str.) <i>pilicornis</i> (Thomson).....	6–22	<i>Boletina triangularis</i> Polevoi.....	30
<i>Atheta</i> (s. str.) <i>ravilla</i> (Erichson).....	6–22	<i>Bolitochara lucida</i> (Gravenhorst).....	6–22
<i>Atheta (Traumoecia) picipes</i> (Thomson).....	6–22	<i>Bolitochara mulsanti</i> Sharp.....	6–22
<i>Atheta picipennis</i> Mannerheim.....	72–90	<i>Bolitochara obliqua</i> Erichson.....	6–22
<i>Athous vittatus</i> (Fabricius).....	72–90	<i>Bolitochara pulchra</i> (Gravenhorst).....	6–22
<i>Atomaria affinis</i> (Sahlberg).....	6–22	<i>Bolitophagus reticulatus</i> (Linnaeus).....	6–22
<i>Atomaria alpina</i> Heer.....	6–22	<i>Bolyphantes alticeps</i> (Sundevall).....	158, 184, 189
<i>Atomaria apicalis</i> Erichson.....	6–22	<i>Bolyphantes crucifer</i> (Menge).....	72–90
<i>Atomaria fuscata</i> (Schönherr).....	6–22	<i>Bolyphantes index</i> .....	158
<i>Atomaria pusilla</i> (Paykull).....	6–22	<i>Bolyphantes luteolus</i> (Blackwall).....	158, 189
<i>Atomaria turgida</i> Erichson.....	72–90	<i>Bombus</i> Linnaeus.....	119
<i>Atrichopogon lucorum</i> (Meigen).....	72–90	<i>Borboropsis puberula</i> (Zetterstedt).....	72–90
<i>Atrichopogon minutus</i> (Meigen).....	72–90	<i>Bourletiella pistillum</i> Gisin.....	72–90
<i>Austrolimnophila (Archilimnophila) unica</i> (Osten-Sacken).....	47	<i>Brachonyx pineti</i> (Paykull).....	72–90
<i>Austrosciophila</i> Tonnoir.....	193	<i>Brachypogon bialoviesicus</i> Krzywinski.....	72–90
<i>Autalia longicornis</i> Scheerpeltz.....	6–22	<i>Brachypogon incompletus</i> (Kieffer).....	72–90
<i>Bathyphantes gracilis</i> (Blackwall).....	157, 189	<i>Brachypogon nitidulus</i> (Edwards).....	72–90
<i>Bathyphantes nigrinus</i> (Westring).....	157–158, 189	<i>Brachypogon norvegicus</i> Szadziewski & Hagan.....	72–90
<i>Bathyphantes parvulus</i> (Westring).....	158, 189	<i>Brachypogon perpusillus</i> (Edwards).....	72–90
<i>Bathystomus</i> Foerster.....	225	<i>Brachypogon sociabilis</i> (Goetghebuer).....	72–90
<i>Belba compta</i> (Kulczynski).....	72–90	<i>Brachypogon vitiosus</i> (Winnertz).....	72–90
<i>Betula</i> .....	55, 59, 105, 150	<i>Bradysia brevispina</i> Tuomikoski.....	72–90
<i>Betula dahurica</i> .....	130	<i>Bryaxis puncticollis</i> (Denny).....	72–90
<i>Betula pendula</i> .....	7, 199	<i>Bryimya gibbosa</i> (Felt).....	72–90
<i>Betula pubescens</i> .....	7, 67, 199	<i>Bubopsis hamata</i> Klug.....	222
<i>Bezzia affinis</i> (Staeger).....	72–90	<i>Bubopsis zarudnyi</i> Alexandrova-Martynova.....	222
<i>Bezzia bicolor</i> (Meigen).....	72–90	<i>Caenopachyella</i> Szépligeti.....	225
		<i>Caenoscelis ferruginea</i> (Sahlberg).....	6–22

<i>Caledonia evansi</i> .....	167	<i>Chaetocnema hortensis</i> (Fourcroy) .....	140
<i>Calluna</i> .....	151, 165, 171–174, 176, 178, 180	<i>Chaetocnema tibialis</i> (Illiger).....	140
<i>Calystegia sepium</i> .....	50	<i>Chamobates borealis</i> (Trägårdh) .....	72–90
<i>Camisia biurus</i> (Koch).....	72–90	<i>Chamobates pusillus</i> Berlese.....	72–90
<i>Camisia segnis</i> (Hermann) .....	72–90	<i>Chlorochroa pinicola</i> (Mulsant & Rey).....	72–90
<i>Camponotus herculeanus</i> (Linnaeus).....	72–90	<i>Choreutinula inermis</i> (Tullberg).....	72–90
<i>Camptochaeta camptochaeta</i> (Tuomikoski) .....	72–90	<i>Chromatomyia fuscula</i> (Zetterstedt) .....	72–90
<i>Camptochaeta hitula</i> (Lengersdorf).....	72–90	<i>Chrysopa dubitans</i> McLachlan .....	220
<i>Camptomyia Kieffer</i> .....	107	<i>Chrysoperla carnea</i> (Stephens).....	220
<i>Camptozygum aequale</i> (Villers) .....	72–90	<i>Cis alter</i> Silfverberg .....	6–22, 107–108
<i>Carabodes labyrinthicus</i> (Michael) .....	72–90	<i>Cis bidentatus</i> (Olivier).....	6–22, 102–112
<i>Carabodes ornatus</i> Storkan .....	72–90	<i>Cis boleti</i> (Scopoli) .....	6–22
<i>Carabodes willmanni</i> Bernini.....	72–90	<i>Cis castaneus</i> Mellié .....	110
<i>Carabus brandti</i> Faldermann.....	129–137	<i>Cis comptus</i> Gyllenhal .....	6–22
<i>Carabus canaliculatus</i> Adams.....	129–137	<i>Cis fagi</i> Waltl .....	110
<i>Carabus crassesculptus</i> Kraatz.....	129–137	<i>Cis fissicornis</i> Mellié.....	6–22
<i>Carabus granulatus</i> Linnaeus .....	129–137	<i>Cis glabratus</i> Mellié .....	6–22, 102–112
<i>Carabus hummeli</i> Fischer–Waldheim .....	129–137	<i>Cis hispidus</i> (Paykull) .....	6–22
<i>Carabus manifestus</i> Kraatz.....	129–137	<i>Cis jacquemartii</i> Mellié .....	6–22, 107–108
<i>Carabus sculptipennis</i> Chaudoir.....	129–137	<i>Cis lineatocribratus</i> Mellié.....	6–22, 107
<i>Carabus smaragdinus</i> Fischer .....	129–137	<i>Cis micans</i> (Fabricius).....	6–22
<i>Carabus sui</i> Imura & Zhou.....	129–137	<i>Cis nitidus</i> auct. nec (Fabricius) .....	6–22
<i>Carabus vladimirskyi</i> Dejean .....	129–137	<i>Cis punctulatus</i> Gyllenhal .....	6–22
<i>Carduus mutans</i> .....	140	<i>Cis quadridens</i> Mellié .....	102–112
<i>Carex globularis</i> .....	26	<i>Cis rugulosus</i> Mellié .....	6–22
<i>Carphacis striatus</i> (Olivier) .....	6–22	<i>Cixius similis</i> (Kirschbaum) .....	72–90
<i>Carphoborus cholodkovskyi</i> Spessivtseff.....	198–210	<i>Cladina</i> .....	174, 177
<i>Carphoborus minimus</i> (Fabricius) .....	198–210	<i>Cladonia</i> .....	151, 153, 161
<i>Carphoborus rossicus</i> Semenov .....	198–210	<i>Clematis</i> .....	50
<i>Carphoborus teplouchovi</i> Spessivtseff.....	198–210	<i>Climacocystis borealis</i> .....	8
<i>Caryoscapa limbatum</i> (Erichson) .....	6–22	<i>Clossiana euphrosyne</i> (Linnaeus).....	101
<i>Catops nigricans</i> (Spence) .....	6–22	<i>Clossiana selene</i> (Denis & Schiffermüller).....	101
<i>Catops nigrita</i> Erichson .....	6–22	<i>Clubiona caeruleascens</i> Koch .....	152, 188
<i>Cecidomyia pini</i> (DeGeer) .....	72–90	<i>Clubiona comta</i> Koch .....	72–90
<i>Cedestis subfasciella</i> (Stephens).....	72–90	<i>Clubiona kulczynskii</i> Lessert .....	152, 188
<i>Celtis bungeana</i> .....	142–148	<i>Clubiona lutescens</i> Westring .....	152, 188
<i>Centaurea glastifolia</i> .....	139–140	<i>Clubiona neglecta</i> P-Cambridge.....	152, 188
<i>Centromerus arcanus</i> (Cambridge) .....	72–90, 158, 189	<i>Clubiona riparia</i> Koch .....	115–116
<i>Centromerus expertus</i> .....	168	<i>Clubiona stagnatilis</i> Kulczynski.....	113, 115, 117
<i>Centromerus sylvaticus</i> (Blackwall).....	158, 184, 189	<i>Clubiona subsultans</i> Thorell.....	72–90, 152, 185, 188
<i>Cepheus cepheiformis</i> (Nicolet) .....	72–90	<i>Clubiona subtilis</i> Koch .....	152, 188
<i>Cepheus latus</i> Koch .....	72–90	<i>Clubiona trivialis</i> Koch.....	72–90, 152, 188
<i>Ceratinella brevis</i> (Wider).....	158–159, 184, 189	<i>Clytus arietis</i> (Linnaeus) .....	57–59
<i>Ceratinella scabrosa</i> (P-Cambridge) .....	159, 189	<i>Cnephalocotes obscurus</i> (Blackwall).....	159, 189
<i>Ceratinops pectinata</i> (Tullgren) .....	170	<i>Cnephia dacotensis</i> (Dryar & Shannon) .....	127
<i>Ceratopogon lacteipennis</i> Zetterstedt .....	72–90	<i>Cnephia eremites</i> Shewell .....	124–127
<i>Ceratopopia bipilis</i> (Hermann) .....	72–90	<i>Cnephia pallipes</i> (Fries) .....	124–127
<i>Ceratothrips ericae</i> (Haliday) .....	72–90	<i>Coccotorus chaoi</i> Chen .....	142–148
<i>Cercidia prominens</i> (Westring) .....	151, 188	<i>Coenonympha arcania</i> (Linnaeus) .....	101
<i>Cercyon impressus</i> (Sturm) .....	6–22	<i>Coenonympha pamphilus</i> (Linnaeus) .....	101
<i>Cercyon lateralis</i> (Marshall).....	6–22	<i>Coenosia lacteipennis</i> (Zetterstedt) .....	72–90
<i>Cerobasis guestfalica</i> Kolbe.....	72–90	<i>Coenosia means</i> Meigen .....	72–90
<i>Cerodontha (Poemyza) incisa</i> (Meigen) .....	72–90	<i>Coenosia mollicula</i> (Fallén) .....	72–90
<i>Cerrena unicolor</i> .....	8	<i>Coenosia octopunctata</i> (Zetterstedt).....	72–90
<i>Cerylon deplanatum</i> Gyllenhal.....	6–22	<i>Colastes</i> Haliday.....	225
<i>Cerylon fagi</i> Brisout de Barneville .....	6–22	<i>Colobostema</i> .....	72–90
<i>Cerylon ferrugineum</i> Stephens .....	6–22	<i>Conioscinella sordidella</i> (Zetterstedt).....	72–90
<i>Cerylon histeroides</i> (Fabricius) .....	6–22	<i>Convolvulus</i> .....	48
<i>Chaetocnema breviscula</i> (Faldermann) .....	140	<i>Coptoformica</i> Müller .....	217
<i>Chaetocnema concinna</i> (Marshall).....	140	<i>Coptolabrus</i> .....	130

- Cordyla murina* Winnertz..... 72–90  
*Cortichne depressa* (Koch)..... 72–90  
*Cornicularia cuspidata*..... 171  
*Cornicularia karpinskii*..... 171–172  
*Cornicularia unicornis*..... 172  
*Cornicularia vigilax*..... 172  
*Corticaria alleni* Johnson..... 6–22  
*Corticaria elongata* (Gyllenhal)..... 6–22  
*Corticaria impressa* (Olivier)..... 6–22  
*Corticaria lapponica* (Zetterstedt)..... 6–22  
*Corticaria longicollis* (Zetterstedt)..... 6–22  
*Corticaria rubripes* Mannerheim..... 6–22  
*Corticaria serrata* (Paykull)..... 6–22  
*Corticarina lambiana* Sharp..... 72–90  
*Corticarina latipennis* (Sahlberg)..... 72–90  
*Corticeus linearis* (Fabricius)..... 72–90  
*Corticinica gibbosa* (Herbst)..... 6–22  
*Corynoptera boletiphaga* (Lengersdorf)..... 72–90  
*Corynoptera minima* (Meigen)..... 72–90  
*Corynoptera trepida* (Winnertz)..... 72–90  
*Corynoptera* Winnertz..... 107  
*Cosmiotes exatella* (Herrich-Schäffer)..... 72–90  
*Cratyna uliginosa* (Lengersdorf)..... 72–90  
*Creoleon plumbeus* (Olivier)..... 222  
*Crustulina guttata* (Wider)..... 179, 191  
*Cryphalus abietis* (Ratzeburg)..... 57–59, 198–210  
*Cryphalus saltuarius* Weise..... 198–210  
*Cryphoeca silvicola* (Koch)..... 72–90, 155–156, 189  
*Cryptophagus abietis* (Paykull)..... 6–22, 72–90  
*Cryptophagus acutangulus* Gyllenhal..... 6–22  
*Cryptophagus angustus* Ganglbauer..... 72–90  
*Cryptophagus badius* Sturm..... 6–22  
*Cryptophagus dentatus* (Herbst)..... 6–22  
*Cryptophagus dorsalis* Sahlberg..... 72–90  
*Cryptophagus pallidus* Sturm..... 6–22  
*Cryptophagus pseudodentatus* Bruce..... 6–22  
*Cryptophagus pubescens* Sturm..... 6–22  
*Cryptophagus saginatus* Sturm..... 6–22  
*Cryptophagus scanicus* (Linnaeus)..... 6–22  
*Cryptophagus setulosus* Sturm..... 6–22  
*Cryptopleurum minutum* (Fabricius)..... 6–22  
*Crypturgus cinereus* (Herbst)..... 198–210  
*Crypturgus hispidulus* Thomson..... 57–59, 198–210  
*Crypturgus pusillus* (Gyllenhal)..... 57–59, 198–210  
*Crypturgus suberibrosus* Eggers..... 198–210  
*Ctenosciara hyalipennis* (Meigen)..... 72–90  
*Cueta lineosa* (Rambur)..... 221, 223  
*Culicoides alatavicus* Smatov & Isimbekov..... 72–90  
*Culicoides albicans* (Winnertz)..... 72–90  
*Culicoides chiopterus* (Meigen)..... 72–90  
*Culicoides clintoni* Boorman..... 72–90  
*Culicoides comosiculatus*..... 72–90  
*Culicoides dewulfi* Goetghebuer..... 72–90  
*Culicoides grisescens* Edwards..... 72–90  
*Culicoides heliophilus* Edwards..... 72–90  
*Culicoides impunctatus* Goetghebuer..... 72–90  
*Culicoides kibunensis* Tokunaga..... 72–90  
*Culicoides obsoletus* (Meigen)..... 72–90  
*Culicoides scoticus* Downes & Kettle..... 72–90  
*Culicoides sphagnumensis* Williams..... 72–90  
*Culicoides vexans* (Staeger)..... 72–90  
*Cuneopalpus cyanops* (Rostock)..... 72–90  
*Cupido minimus* (Fuessly)..... 101  
*Curtimorda bisignata* (Redtenbacher)..... 6–22  
*Curtimorda maculosa* (Naezen)..... 6–22  
*Cuscuta approximata*..... 48  
*Cuscuta campestris*..... 48–51  
*Cuscuta epithimum*..... 48–51  
*Cuscuta europaea*..... 48–51  
*Cuscuta hyalina*..... 48  
*Cuscuta lupuliformis*..... 48–51  
*Cuscuta planiflora*..... 48  
*Cuscuta reflexa*..... 48  
*Cyaniris semiargus* (Rottemburg)..... 101  
*Cyclosa conica* (Pallas)..... 72–90, 151, 185, 188  
*Cyllodes ater* (Herbst)..... 6–22  
*Cybermaeus cymba* (Nicolet)..... 72–90  
*Cyphea curtula* (Erichson)..... 6–22  
*Cyphon ochraceus* Stephens..... 72–90  
*Cyphon pubescens* (Fabricius)..... 6–22  
*Dacne bipustulata* (Thunberg)..... 6–22  
*Dactylopiastes video* (Chamberlin & Ivie)..... 115  
*Daedalea quercina*..... 8  
*Daedalopsis confragosa*..... 7–8  
*Daedalopsis tricolor*..... 7–8  
*Dalopius marginatus* (Linnaeus)..... 72–90  
*Dasyhelea bensoni* Edwards..... 72–90  
*Dasyhelea biunguis* Kieffer..... 72–90  
*Dasyhelea europaea* Remm..... 72–90  
*Dasyhelea ledi* Remm..... 72–90  
*Dasyhelea luteiventris* Goetghebuer..... 72–90  
*Dasyhelea modesta* (Winnertz)..... 72–90  
*Dasyhelea norvegica* Szadziewski & Hagan..... 72–90  
*Dasyhelea parallela* Remm..... 72–90  
*Dasytes aerosus* Kiesenwetter..... 57–59  
*Dasytes cyaneus* Fabricius..... 57–59  
*Datronia mollis*..... 8  
*Dendroctonus micans* (Kugelanni)..... 198–210  
*Dendryphantès rudis* (Sundevall)..... 72–90  
*Denticollis linearis* (Linnaeus)..... 6–22  
*Deuterosternus bicinctus* (Koch)..... 72–90  
*Deuterosternus flavus* (Gisin)..... 72–90  
*Diaperis boleti* (Linnaeus)..... 6–22  
*Diapterobates humeralis* (Hermann)..... 72–90  
*Dichocrysa flavifrons* (Brauer)..... 220–221  
*Dichocrysa prasina* (Burmeister)..... 221  
*Dichocrysa venosa* (Rambur)..... 220  
*Dicranomyia (Dicranomyia) autumnalis* (Staeger)..... 47  
*Dicranomyia (Dicranomyia) didyma* (Meigen)..... 47  
*Dicranomyia (Dicranomyia) handlirschi* Lackschewitz 47  
*Dicranomyia (Dicranomyia) humidicola* Osten-Sacken 44  
*Dicranomyia (Dicranomyia) modesta* (Meigen)..... 47  
*Dicranomyia (Idiopyga) stigmatica* (Meigen)..... 47  
*Dicranomyia s.str. mitis* (Meigen)..... 72–90  
*Dictyna arundinacea* (Linnaeus)..... 72–90, 115–117,  
..... 153, 188  
*Dictyna major* Menge..... 115  
*Dictyna pusilla* Thorell..... 153, 185, 188  
*Dicymbium tibiale* (Blackwall)..... 159, 189  
*Dicyrtomina minuta* (Fabricius)..... 72–90

- Diolocroce ephemera* (Gerstäcker)..... 223  
*Dienerella filum* (Aubé)..... 6–22  
*Dinaraea aequata* (Erichson)..... 6–22  
*Dinaraea angustula* (Gyllenhal)..... 6–22  
*Dinaraea linearis* (Gravenhorst)..... 6–22  
*Diosphilus dispar* (Nees)..... 106  
*Diplocentria bidentata* (Emerton)..... 159, 189  
*Diplocentria rectangulata* (Emerton)..... 159, 189  
*Diplocephalus latifrons* (P-Cambridge)..... 159, 183, 189  
*Diplocephalus picinus* (Blackwall)..... 159–160, 189  
*Diplostyla concolor* (Wider)..... 160, 189  
*Dipoena torva* (Thorell)..... 72–90, 179–180, 191  
*Discobola annulata* (Linnaeus)..... 47, 107  
*Discobola caesarea* (Osten-Sacken)..... 47, 107  
*Dismodicus bifrons* (Blackwall)..... 160, 189  
*Dismodicus elevatus* (Koch)..... 72–90, 160, 189  
*Distoleon curdicus* Hölzel..... 222–223  
*Distoleon tetragrammicus* (Fabricius)..... 222–223  
*Dolichopus annulipes* Zetterstedt..... 72–90  
*Dolichopus discifer* Stannius..... 72–90  
*Dolomedes fimbriatus* (Clerck)..... 177, 191  
*Dolopsidea* Hincks..... 225  
*Dorcatoma chrysomelina* Sturm..... 6–22  
*Dorcatoma dresdensis* Herbst..... 6–22  
*Dorcatoma flavicornis* (Fabricius)..... 6–22  
*Dorcatoma lomnickii* Reitter..... 6–22  
*Dorcatoma punctulata* Mulsant & Rey..... 6–22, 106–108  
*Dorcatoma robusta* Strand..... 6–22  
*Dorcatoma substriata* Hummel..... 6–22  
*Doryctomorpha* Ashmead..... 225  
*Dorypteryx domestica* (Smithers)..... 72–90  
*Drapetisca socialis* (Sundevall)..... 160, 189  
*Drassodes cupreus* (Blackwall)..... 115  
*Drassodes mirus* Platnick & Shadab..... 116  
*Drassodes pubescens* (Thorell)..... 153, 188  
*Drassyllus praeficus* (Koch)..... 153, 188  
*Drassyllus pusillus* (Koch)..... 153, 184, 188  
*Dromius agilis* Fabricius..... 72–90  
*Dromius angustus* Brullé..... 72–90  
*Dromius fenestratus* (Fabricius)..... 72–90  
*Dromius schneideri* Crotch..... 72–90  
*Dromius spilotus* (Illiger)..... 57–59, 72–90  
*Drosophila*..... 127  
*Dryocoetes alni* (Georg)..... 198–210  
*Dryocoetes autographus* (Ratzeburg)..... 198–210  
*Dryocoetes baicalicus* Reitter..... 198–210  
*Dryocoetes hectographus* Reitter..... 198–210  
*Eboria fausta*..... 167–168  
*Ectobius lapponicus* (Linnaeus)..... 72–90  
*Ectodemia minimella* (Zetterstedt)..... 72–90  
*Ectrepesthoneura pubescens* (Zetterstedt)..... 72–90  
*Elatophilus nigricornis* (Zetterstedt)..... 72–90  
*Eledona agaricola* (Herbst)..... 6–22  
*Elephantomyia krivosheinae* Savchenko..... 45, 47  
*Elipsocus hyalinus* (Stephens)..... 72–90  
*Emblyna annulipes* (Blackwall)..... 115  
*Empetrum*..... 178  
*Empis (Anacrostichus) lucida* Zetterstedt..... 72–90  
*Enderleinella obsoleta* (Stephens)..... 72–90  
*Enicmus fungicola* Thomson..... 6–22, 72–90  
*Enicmus rugosus* (Herbst)..... 6–22  
*Ennearthron cornutum* (Gyllenhal)..... 6–22, 102–112  
*Ennearthron laricinum* (Mellié)..... 6–22, 106, 108  
*Ennearthron palmi* Lohse..... 6–22  
*Enoplognatha serratosignata* (Koch)..... 115  
*Entelecara congenera* (Cambridge)..... 72–90  
*Entelecara congenera* (P-Cambridge)..... 160, 189  
*Entelecara erythropus* (Westring)..... 160, 189  
*Entelecara flavipes* (Blackwall)..... 72–90  
*Entelecara penicillata*..... 164  
*Entomobrya albocincta* (Templeton)..... 72–90  
*Entomobrya lanuginosa* (Nicolet)..... 72–90  
*Entomobrya marginata* (Tullberg)..... 72–90  
*Entomobrya nivalis* (Linnaeus)..... 72–90  
*Epidapus gracilis* (Walker)..... 72–90  
*Epilobium*..... 3  
*Episernus angusticollis* Thomson..... 72–90  
*Episinus angulatus* (Blackwall)..... 72–90, 180, 191  
*Epuraea biguttata* (Thunberg)..... 6–22  
*Epuraea concurrens* Sjöberg..... 6–22  
*Epuraea contractula* Sahlberg..... 6–22  
*Epuraea distincta* (Grimmer)..... 6–22  
*Epuraea limbata* (Fabricius)..... 6–22  
*Epuraea pygmaea* (Gyllenhal)..... 72–90  
*Epuraea silacea* (Herbst)..... 6–22  
*Epuraea unicolor* (Olivier)..... 6–22  
*Epuraea variegata* (Herbst)..... 6–22  
*Eremocoris abietis* (Linnaeus)..... 72–90  
*Erigone atra* Blackwall..... 160–161, 185, 189  
*Erigone dentipalpis* (Wider)..... 161, 185, 189  
*Erigone psychrophila* Thorell..... 116  
*Erigonella hiemalis* (Blackwall)..... 161, 184, 189  
*Erioptera (Erioptera) sordida* Zetterstedt..... 47  
*Eristalis alpina* (Panzer)..... 122  
*Eristalis arbustorum* (Linnaeus)..... 122  
*Eristalis interrupta* (Poda)..... 119–120, 122  
*Eristalis intricaria* (Linnaeus)..... 122  
*Eristalis jugorum* Egger..... 122  
*Eristalis lineata* (Harris)..... 122  
*Eristalis nigratarsis* Macquart..... 122  
*Eristalis pertinax* (Scopoli)..... 122  
*Eristalis picea* (Fallén)..... 122  
*Eristalis rupium* Fabricius..... 119, 122  
*Eristalis similis* (Fallén)..... 122  
*Eristalis tecta* sp. n. .... 119–123  
*Eristalis tenax* (Linnaeus)..... 122  
*Ernobius nigrinus* (Sturm)..... 72–90  
*Ernoporicus caucasicus* (Lindemann)..... 198–210  
*Ernoporus tiliae* (Panzer)..... 198–210  
*Ero furcata* (Villers)..... 177, 184, 191  
*Eubeckerella Narendran*..... 142  
*Eueremaeus oblongus* (Koch)..... 72–90  
*Euophrys erratica*..... 178  
*Euophrys frontalis* (Walckenaer)..... 177–178, 191  
*Euophrys maculata* (Wider)..... 177–178  
*Euophrys proszynskii* Logunov, Cutler & Marusik..... 115, 117  
*Eupelops acromios* (Hermann)..... 72–90  
*Euphorbia cyparissias*..... 139  
*Euphorbia eriophora*..... 139

<i>Euphorbia esula</i> .....	139	<i>Glischrochilus grandis</i> (Tournier) .....	6–22
<i>Euphorbia falcata</i> .....	139–140	<i>Glischrochilus hortensis</i> (Geoffroy) .....	6–22
<i>Euphorbia lucida</i> .....	139	<i>Globicornis emarginata</i> (Gyllenhal).....	6–22
<i>Euphorbia palustris</i> .....	139	<i>Gloeophyllum abietinum</i> .....	9
<i>Euphorbia segetalis</i> .....	139	<i>Gloeophyllum protractum</i> .....	9
<i>Euphydryas aurinia</i> (Rottemburg).....	231–241	<i>Gloeophyllum sepiarium</i> .....	10
<i>Euphyllidorea phaeostigma</i> (Schummel) .....	47, 72–90	<i>Gloeophyllum trabeum</i> .....	10
<i>Euplectus decipiens</i> Raffray .....	72–90	<i>Glycyrrhiza glabra</i> .....	3
<i>Euryopsis flavomaculata</i> (Koch).....	180, 192	<i>Gnaphosa bicolor</i> (Hahn).....	154, 188
<i>Euryusa castanoptera</i> Kraatz .....	6–22	<i>Gnaphosa borea</i> Kulczynski .....	116
<i>Eusimulium</i> cf. <i>cryophilum</i> Rubtsov.....	72–90	<i>Gnaphosa microps</i> Holm.....	116, 154, 188
<i>Euthyneura myrtilli</i> Macquart .....	72–90	<i>Gnaphosa montana</i> (Koch) .....	154, 188
<i>Evarcha falcata</i> (Clerck).....	72–90, 178, 184, 191	<i>Gnaphosa nigerrima</i> Koch .....	115–116
<i>Evarcha proszynskii</i> Marusik & Logunov.....	113, 115, 117	<i>Gnaphosa similis</i> Kulczynski .....	115
<i>Exochomus quadripustulatus</i> (Linnaeus).....	72–90	<i>Gnaphosa sticta</i> Kulczynski.....	116
<i>Exotelia dodecella</i> (Linnaeus).....	72–90	<i>Gnathoncus buyssoni</i> Auzat .....	6–22
<i>Fabriciana adippe</i> (Denis & Schiffermüller).....	101	<i>Gnathotrichus materiarius</i> (Fitch).....	198–210
<i>Fabriciana niobe</i> (Linnaeus).....	101	<i>Gnaphomyia acheron</i> Alexander .....	45, 47
<i>Fagus</i> .....	120	<i>Gonatium rubellum</i> (Blackwall) .....	161, 189
<i>Fannia canicularis</i> (Linnaeus) .....	72–90	<i>Gonglydiellum latebricola</i> (P-Cambridge).....	161, 189
<i>Fannia carbonaria</i> (Meigen).....	72–90	<i>Gonglydiellum murcidum</i> Simon .....	161, 185
<i>Fannia umbrosa</i> (Stein).....	72–90	<i>Gonglydium rufipes</i> (Linnaeus) .....	161, 189
<i>Fannia verrallii</i> (Stein) .....	72–90	<i>Graphopsocus cruciatus</i> (Linnaeus).....	72–90
<i>Fistulina hepatica</i> .....	8	<i>Graptodera longicollis</i> Allard .....	139
<i>Fomes fomentarius</i> .....	6–22	<i>Grynocharis oblonga</i> (Linnaeus).....	6–22
<i>Fomitopsis pinicola</i> .....	9, 102–112	<i>Gyrophana affinis</i> Mannerheim.....	6–22
<i>Fomitopsis rosea</i> .....	110	<i>Gyrophana bihamata</i> Thomson.....	6–22
<i>Forcipomyia acidicola</i> (Tokunaga).....	72–90	<i>Gyrophana boleti</i> (Linnaeus).....	6–22
<i>Forcipomyia albostyla</i> Remm .....	72–90	<i>Gyrophana fasciata</i> (Marsham).....	6–22
<i>Forcipomyia bipunctata</i> (Linnaeus).....	72–90	<i>Gyrophana gentilis</i> Erichson .....	6–22
<i>Forcipomyia brevipennis</i> (Macquart).....	72–90	<i>Gyrophana joyi</i> Wendeler.....	6–22
<i>Forcipomyia ciliata</i> (Winnertz) .....	72–90	<i>Gyrophana joyioides</i> Wusthoff .....	6–22
<i>Forcipomyia fuliginosa</i> (Meigen) .....	72–90	<i>Gyrophana lucidula</i> Erichson.....	6–22
<i>Forcipomyia hygrophila</i> Kieffer .....	72–90	<i>Gyrophana manca</i> Erichson .....	6–22
<i>Forcipomyia kaltenbachi</i> (Winnertz).....	72–90	<i>Gyrophana minima</i> Erichson .....	6–22
<i>Forcipomyia monilicornis</i> (Coquillett) .....	72–90	<i>Gyrophana nana</i> (Paykull) .....	6–22
<i>Forcipomyia nigra</i> (Winnertz).....	72–90	<i>Gyrophana obsoleta</i> Ganglbauer .....	6–22
<i>Forcipomyia nigrans</i> Remm.....	72–90	<i>Gyrophana orientalis</i> Strand.....	6–22
<i>Forcipomyia palustris</i> (Meigen).....	72–90	<i>Gyrophana poweri</i> Crotch .....	6–22
<i>Forcipomyia titillans</i> (Winnertz) .....	72–90	<i>Gyrophana pulchella</i> Heer .....	6–22
<i>Formica (Serviformica) fusca</i> Linnaeus.....	211	<i>Gyrophana strictula</i> Erichson.....	6–22
<i>Formica aquilonia</i> Yarrow.....	72–90, 213–217	<i>Gyrophana transversalis</i> Strand .....	6–22
<i>Formica exsecta</i> Nylander .....	216	<i>Hahnia mengei</i> Chyzer & Kulczynski.....	156
<i>Formica fusca</i> Linnaeus .....	72–90	<i>Hahnia nava</i> (Blackwall) .....	156, 189
<i>Formica lemani</i> Bondroit.....	72–90	<i>Hahnia ononidum</i> Simon.....	156, 189
<i>Formica</i> Linnaeus .....	166, 211	<i>Hahnia pusilla</i> Koch .....	156, 189
<i>Formica lugubris</i> Zetterstedt.....	72–90, 213–217	<i>Hallomenus axillaris</i> (Illiger) .....	6–22
<i>Formica rufa</i> Linnaeus .....	170	<i>Hallomenus binotatus</i> (Quensel) .....	6–22
<i>Formica truncorum</i> Fabricius.....	213–217	<i>Haltica atrocaerulea</i> Stephens .....	139
<i>Fraxinus rhynchophylla</i> .....	130	<i>Haltica violacea</i> Koch .....	139
<i>Funalia trogii</i> .....	9	<i>Hapalopilus rutilans</i> .....	10
<i>Fuscozetes fuscipes</i> (Koch) .....	72–90	<i>Haplodrassus cognatus</i> (Westring).....	154, 188
<i>Ganoderma applanatum</i> .....	9	<i>Haplodrassus hiemalis</i> (Emerton) .....	116
<i>Ganoderma lipsiense</i> .....	9	<i>Haplodrassus moderatus</i> (Kulczynski).....	154, 188
<i>Gastrodes grossipes</i> (DeGeer).....	72–90	<i>Haplodrassus signifer</i> (Koch).....	154, 188
<i>Gaurax dubius</i> (Macquart).....	107	<i>Haplodrassus silvestris</i> (Blackwall).....	154, 188
<i>Gaurax maculipennis</i> (Zetterstedt).....	107	<i>Haplodrassus soerenseni</i> (Strand).....	154–155, 188
<i>Geotrupes stercorosus</i> (Scriba).....	6–22	<i>Haploglossa villosula</i> (Stephens) .....	6–22
<i>Gibbaranea omoeda</i> (Thorell) .....	151–152, 185, 188	<i>Haplothrips aculeatus</i> (Fabricius) .....	72–90
<i>Glischrochilus grandis</i> (Reitter) .....	6–22	<i>Helina daicles</i> (Walker).....	72–90

- Helina evecta* (Harris) ..... 72–90  
*Helina subvittata* (Séguy) ..... 72–90  
*Heliophanus camtschadalicus* Kulczynski ..... 115  
*Heliophanus dampfi* Schenkel ..... 178, 191  
*Heliophanus dubius* Koch ..... 178, 191  
*Heliophanus patagiatus* Thorell ..... 115  
*Helophora insignis* (Blackwall) ..... 162, 184, 189  
*Hemileius initialis* (Berlese) ..... 72–90  
*Hesperia comma* (Linnaeus) ..... 101  
*Heterobasidion* ..... 10  
*Heterobasidion annosum* ..... 7  
*Heterobasidion parviporum* ..... 7  
*Heterosminthurus claviger* Gisin ..... 72–90  
*Heterothera firmata* (Hübner) ..... 72–90  
*Hilaira hermiosa* (Thorell) ..... 162, 189  
*Hilara intermedia* (Fallén) ..... 72–90  
*Hilara interstincta* (Fallén) ..... 72–90  
*Homalota plana* (Gyllenhal) ..... 6–22  
*Hoplandrothrips williamsianus* Priesner ..... 72–90  
*Hoplothrips ulmi* (Fabricius) ..... 72–90  
*Hybos grossipes* (Linnaeus) ..... 72–90  
*Hydriomena furcata* (Thunberg) ..... 72–90  
*Hydrophoria lancifer* (Harris) ..... 72–90  
*Hylaea fasciaria* (Linnaeus) ..... 72–90  
*Hylastes angustatus* (Herbst) ..... 198–210  
*Hylastes attenuatus* Erichson ..... 198–210  
*Hylastes brunneus* Erichson ..... 198–210  
*Hylastes cucicularius* Erichson ..... 198–210  
*Hylastes fraxini* (Panzer) ..... 198–210  
*Hylastes opacus* Erichson ..... 198–210  
*Hylastes plumbeus* Blandford ..... 198–210  
*Hylastes varius* (Fabricius) ..... 198–210  
*Hyledelphax elegantula* (Boheman) ..... 72–90  
*Hylemya partita* (Meigen) ..... 72–90  
*Hylesinus crenatus* (Fabricius) ..... 198–210  
*Hylobius abietis* (Linnaeus) ..... 72–90  
*Hylobius piceus* (DeGeer) ..... 72–90  
*Hylocomium splendens* ..... 150  
*Hylurgops glabratus* (Zetterstedt) ..... 198–210  
*Hylurgops palliatus* (Gyllenhal) ..... 72–90, 198–210  
*Hylurgops ligniperda* (Fabricius) ..... 198–210  
*Hyoscymus niger* ..... 140  
*Hyphodontia paradoxa* ..... 10  
*Hypochthonius rufulus* Koch ..... 72–90  
*Hypogastrura socialis* (Uzel) ..... 72–90  
*Hypsosinga sanguinea* (Koch) ..... 152, 188  
*Incestophantes kochiellus* (Strand) ..... 162, 189  
*Inocutis rheades* ..... 10  
*Inonotus dryadeus* ..... 10  
*Inonotus hispidus* ..... 10  
*Inonotus obliquus* ..... 10  
*Inonotus radiatus* ..... 10–11  
*Inonotus rheades* ..... 10  
*Ipomoea batatas* ..... 51  
*Ips acuminatus* (Gyllenhal) ..... 198–210  
*Ips amitinus* (Eichhoff) ..... 198–210  
*Ips cembrae* (Heer) ..... 198–210  
*Ips duplicatus* Sahlberg ..... 72–90, 198–210  
*Ips sexdentatus* (Börner) ..... 198–210  
*Ips subelongatus* Motschulsky ..... 198–210  
*Ips typographus* (Linnaeus) ..... 198–210  
*Isotoma anglicana* Lubbock ..... 72–90  
*Isotoma hiemalis* Schött ..... 72–90  
*Isotoma notabilis* Schäffer ..... 72–90  
*Isotoma olivacea* Tullberg ..... 72–90  
*Isotoma viridis* Bourlet ..... 72–90  
*Italochrysa italica* (Rossi) ..... 220, 223  
*Iteaphila nitidula* (Zetterstedt) ..... 72–90  
*Juglans mandshurica* ..... 130  
*Juniperus communis* ..... 67  
*Kleidotoma ciliaris* (Zetterstedt) ..... 106  
*Korynetes caeruleus* (DeGeer) ..... 6–22  
*Laetiphorus sulphureus* ..... 6–22  
*Larinioides cornutus* (Clerck) ..... 115  
*Larinioides patagiatus* (Clerck) ..... 115  
*Larix* ..... 129, 207  
*Lasaeola tristis* (Hahn) ..... 180, 192  
*Lasiomma atricauda* (Zetterstedt) ..... 72–90  
*Lasiomma cuneicorne* (Zetterstedt) ..... 72–90  
*Lasiosoma nitens* Winnertz ..... 194  
*Lasius (Cautolasius) flavus* Fabricius ..... 212–217  
*Lasius* Fabricius ..... 212–218  
*Lasius fuliginosus* (Latreille) ..... 72–90  
*Lasius niger* (Linnaeus) ..... 212–217  
*Lasius platythorax* Seifert ..... 212–217  
*Lasius psammophilus* Seifert ..... 216  
*Latithorax faustus* ..... 167–168  
*Latridius brevicollis* (Thomson) ..... 6–22  
*Latridius consimilis* Mannerheim ..... 6–22  
*Latridius hirtus* Gyllenhal ..... 6–22  
*Latridius minutus* (Linnaeus) ..... 6–22  
*Ledum* ..... 151, 156–183  
*Leiestes seminigra* (Gyllenhal) ..... 6–22  
*Leiopus nebulosus* (Linnaeus) ..... 57–59  
*Lenzites betulinus* ..... 11  
*Lepidium* ..... 139–140  
*Lepidocyrtus lignorum* (Fabricius) ..... 72–90  
*Lepinotus patruelis* Pearman ..... 72–90  
*Lepthyphantes alacris* ..... 169  
*Lepthyphantes mengei* ..... 169  
*Lepthyphantes obscurus* (Blackwall) ..... 72–90  
*Lepthyphantes pallidus* (Cambridge) ..... 72–90  
*Lepthyphantes tenebricola* ..... 169–170  
*Leptophlebia vespertina* (Linnaeus) ..... 72–90  
*Leptothorax acervorum* (Fabricius) ..... 213–217  
*Leptothorax muscorum* (Nylander) ..... 213–217  
*Leptusa fumida* (Erichson) ..... 110  
*Leptusa pulchella* (Mannerheim) ..... 6–22, 72–90, 108, 110  
*Leptusa ruficollis* (Erichson) ..... 57–59, 72–90  
*Leptyphantes angulatus* ..... 166  
*Leptyphantes angulipalpis* ..... 157  
*Leptyphantes antroniensis* Schenkel ..... 162, 189  
*Leptyphantes cochiellus* ..... 160  
*Leptyphantes exiguus* Holm ..... 160  
*Leptyphantes expunctus* ..... 156  
*Leptyphantes obscurus* ..... 165  
*Leptyphantes pallidus* ..... 166  
*Lertha extensa* (Oliver) ..... 222  
*Lertha sheppardi* (Kirby) ..... 223  
*Lestodiplosis conii* (Kieffer) ..... 72–90

<i>Lestodiplosis polyperi</i> (Loew).....	107	<i>Lygus punctatus</i> (Zetterstedt) .....	72–90
<i>Lestremia cinera</i> Macquart.....	72–90	<i>Lymantor coryli</i> (Perris) .....	198–210
<i>Lestremia leucophaea</i> (Meigen) .....	72–90	<i>Lypha dubia</i> (Fallén) .....	72–90
<i>Leucophenga</i> Mik .....	107	<i>Lysitermoides</i> van Achterberg .....	225
<i>Leucophenga quinquemaculata</i> Strobl .....	107	<i>Macrargus boreus</i> Holm .....	162, 189
<i>Leucorrhinia dubia</i> (Van der Linden) .....	72–90	<i>Macrargus carpenteri</i> (P-Cambridge).....	162, 189
<i>Leuctra nigra</i> (Olivier).....	72–90	<i>Macrargus multesimus</i> (P-Cambridge).....	162, 189
<i>Liacarus subterraneus</i> (Koch).....	72–90	<i>Macrargus rufus</i> (Wider) .....	162–163, 189
<i>Liebstadia similis</i> (Michael) .....	72–90	<i>Magdalis violacea</i> (Linnaeus) .....	57–59
<i>Limnephilus centralis</i> Curtis.....	72–90	<i>Malthodes brevicollis</i> Paykull .....	72–90
<i>Limnephilus vittatus</i> (Fabricius) .....	72–90	<i>Malthodes fuscus</i> Waltl .....	72–90
<i>Limnobia indigenoides</i> Alexander .....	42, 44	<i>Malthodes guttifer</i> Kiesenwetter.....	72–90
<i>Limnophora nigripes</i> (Robineau-Desviody).....	72–90	<i>Malthodes pumilus</i> Brebisson.....	72–90
<i>Limnozetes rugosus</i> Sellnick .....	72–90	<i>Maniola jurtina</i> (Linnaeus) .....	101
<i>Limonia (Limonia) badia</i> Alexander .....	42	<i>Mantispa scabricollis</i> McLachlan .....	223
<i>Limonia (Limonia) indigenoides</i> Alexander .....	44	<i>Maro lehtineni</i> Saaristo .....	163, 189
<i>Limonia alpicola</i> (Lackschewitz) .....	44	<i>Maro lepidus</i> Casemir .....	163, 189
<i>Limonia badia</i> (Walker) .....	41–47	<i>Maro sublestus</i> Falconer.....	163, 189
<i>Limonia indigena</i> (Osten Sacken).....	44–45	<i>Maso sundevalli</i> (Westring).....	72–90, 163, 183, 189
<i>Limonia indigena jacksoni</i> (Alexander).....	45	<i>Mastigusa arietina</i> (Thorell).....	153, 188
<i>Limonia indigena loloensis</i> Alexander .....	45	<i>Matricaria</i> .....	161
<i>Limonia macrostigma</i> (Schummel).....	44–45	<i>Mecynargus tungusicus</i> (Eskov).....	116
<i>Limonia sylvicola</i> (Schummel).....	47	<i>Medetera abstrusa</i> Thunberg.....	107
<i>Limoniulus aeneoniger</i> (DeGeer) .....	72–90	<i>Medetera impigra</i> Collin.....	107
<i>Limothrips denticornis</i> Haliday .....	72–90	<i>Medetera setiventris</i> Thunberg .....	72–90
<i>Linyphia clathrata</i> .....	164–165	<i>Medetera striata</i> Parent .....	72–90
<i>Linyphia montana</i> .....	165	<i>Medicago sativa</i> .....	50
<i>Linyphia pusilla</i> .....	164	<i>Medina collaris</i> (Fallén).....	72–90
<i>Liposcelis silvarum</i> (Kolbe) .....	72–90	<i>Megarathrus denticollis</i> (Beck).....	6–22
<i>Lipsothrix eucullata</i> Edwards .....	45, 47	<i>Megarathrus depressus</i> (Paykull).....	6–22
<i>Lissonota</i> Gravenhorst .....	106	<i>Megarathrus hemipterus</i> (Illiger) .....	6–22
<i>Litargus connexus</i> (Geoffroy).....	6–22	<i>Megarathrus nitidulus</i> Kraatz.....	6–22
<i>Lithobius borealis</i> Meinert .....	72–90	<i>Megarathrus sinuatocollis</i> Lacordaire .....	6–22, 72–90
<i>Lochmaea suturalis</i> (Thomson).....	72–90	<i>Megaselia aculeata</i> (Schmitz) .....	72–90
<i>Loensia fasciata</i> (Fabricius) .....	72–90	<i>Megaselia aquilonia</i> Schmitz .....	72–90
<i>Lonchaea laxa</i> Collin .....	72–90	<i>Megaselia armata</i> (Wood) .....	107
<i>Lonchaea stackelbergi</i> Czerny .....	72–90	<i>Megaselia cothurnata</i> (Schmitz) .....	72–90
<i>Longitarsus jacobaea</i> (Waterhouse) .....	140	<i>Megaselia eccoptomera</i> Schmitz.....	72–90
<i>Lophomma punctatum</i> (Blackwall) .....	162, 189	<i>Megaselia emarginata</i> (Wood).....	72–90
<i>Lordithon exoletus</i> (Erichson) .....	6–22	<i>Megaselia fusciclava</i> Schmitz .....	72–90
<i>Lordithon lunulatus</i> (Linnaeus) .....	6–22	<i>Megaselia gartensis</i> Disney .....	72–90
<i>Lordithon thoracicus</i> (Fabricius) .....	6–22	<i>Megaselia giraudii</i> .....	72–90
<i>Loricula pselaphiformis</i> Curtis .....	72–90	<i>Megaselia nigriceps</i> (Loew).....	72–90
<i>Lycaena hippothoe</i> Linnaeus.....	101	<i>Megaselia pleuralis</i> (Wood) .....	72–90
<i>Lycaena phlaeas</i> (Linnaeus).....	101	<i>Megaselia pusilla</i> (Meigen).....	72–90
<i>Lycaena virgaureae</i> (Linnaeus).....	101	<i>Megaselia robusta</i> Schmitz .....	72–90
<i>Lycophotia porphyrea</i> (Denis & Schiffermüller).....	72–90	<i>Megaselia rufipes</i> (Meigen) .....	107
<i>Lycoriella globiceps</i> (Becher).....	72–90	<i>Megaselia spinigera</i> (Wood) .....	72–90
<i>Lycoriella latilobata</i> (Menzel & Mohrig) .....	72–90	<i>Megasternum obscurum</i> (Marsham).....	6–22
<i>Lycoriella solani</i> (Winnertz).....	107–108	<i>Meioneta affinis</i> (Kulczynski) .....	163, 190
<i>Lycosa chleata</i> (Müller) .....	174	<i>Meioneta beata</i> P-Cambridge.....	163
<i>Lycosa hyperborea</i> .....	174	<i>Meioneta gulosa</i> (Koch).....	163, 190
<i>Lycosa lugubris</i> .....	174	<i>Meioneta rurestris</i> (Koch) .....	163, 190
<i>Lycosa paludicola</i> .....	174	<i>Melanagromyza albocilia</i> Hendel.....	48
<i>Lycosa palustris</i> .....	174–175	<i>Melanagromyza cuscutae</i> Hering .....	48–52
<i>Lycosa pernix</i> Thorell .....	175	<i>Melandrya dubia</i> (Schaller).....	6–22
<i>Lycosa pullata</i> .....	175	<i>Melitaea cinxia</i> (Linnaeus).....	101, 239
<i>Lycosa riparia</i> .....	175	<i>Mellicta athalia</i> (Rottemburg).....	101
<i>Lycosa saccata</i> (Linnaeus).....	174	<i>Mellicta britomartis</i> (Assmann) .....	101
<i>Lycosa tarsalis</i> Thorell .....	174–175	<i>Menzioia obscuripes</i> (Schmitz).....	72–90



<i>Mesoacidalia aglaja</i> (Linnaeus).....	101	<i>Nemoura cinerea</i> (Retzius).....	72–90
<i>Mesopsocus unipunctatus</i> (Müller).....	72–90	<i>Nemurella pictetii</i> Klapalek.....	72–90
<i>Meta mengei</i> .....	179	<i>Neoleucopis obscura</i> (Haliday).....	72–90
<i>Meta merianae</i> .....	179	<i>Neoleucopis tapiae</i> (Blanchard).....	72–90
<i>Metalimnobia quadrimaculata</i> (Linnaeus).....	47	<i>Neolimonia dumetorum</i> (Meigen).....	47
<i>Metalimnobia zetterstedti</i> (Tjeder).....	47	<i>Neomida haemorrhoidalis</i> (Fabricius).....	6–22
<i>Metaspathius</i> Brues.....	225	<i>Neon reticulatus</i> (Blackwall).....	72–90, 178, 184, 191
<i>Metellina mengei</i> (Blackwall).....	179, 191	<i>Neottiura bimaculata</i> (Linnaeus).....	180, 192
<i>Metellina merianae</i> (Scopoli).....	179, 191	<i>Neriere clathrata</i> (Sundevall).....	164–165, 184, 190
<i>Metopia campestris</i> (Fallén).....	72–90	<i>Neriere marginata</i> (Koch).....	165
<i>Micaria aenea</i> Thorell.....	116–117, 155, 188	<i>Neriere montana</i> (Clerck).....	165, 190
<i>Micaria alpina</i> Koch.....	116	<i>Neriere peltata</i> (Wider).....	165, 185, 190
<i>Micaria lenzi</i> Bösenberg.....	116	<i>Neriere radiata</i> (Walckenaer).....	165, 190
<i>Micaria pulicaria</i> (Sundevall).....	155, 188	<i>Neuroleon assimilis</i> Navás.....	221, 223
<i>Micaria rossica</i> Thorell.....	116–117	<i>Neuroleon egenus</i> (Navás).....	222
<i>Micaria silesiaca</i> Koch.....	155, 188	<i>Neuroleon microstenus</i> (McLachlan).....	222
<i>Micrargus apertus</i> .....	163–164, 190	<i>Neuroleon tenellus</i> (Klug).....	221
<i>Micrargus herbigradus</i> (Blackwall).....	164, 190	<i>Nicrophorus vespilloides</i> Herbst.....	6–22
<i>Micreremus brevipes</i> (Michael).....	72–90	<i>Nossidium pilosellum</i> (Marsham).....	6–22
<i>Microcentria pusilla</i> Schenkel.....	159	<i>Obscuriphantes obscurus</i> (Blackwall).....	165, 190
<i>Microcentria rectangulata</i> .....	159	<i>Ochlodes faunus</i> (Turati).....	101
<i>Microlinyphia pusilla</i> (Sundevall).....	116, 164, 190	<i>Ocnerostoma friesei</i> Svensson.....	72–90
<i>Micrommata roseum</i> (Clerck).....	179	<i>Ocnerostoma piniarella</i> Zeller.....	72–90
<i>Micrommata virescens</i> (Clerck).....	179, 191	<i>Octemnus glabriculus</i> (Gyllenhal).....	6–22
<i>Micrommata viridissima</i> (DeGeer).....	179	<i>Ocydromia glabricula</i> (Fallén).....	72–90
<i>Microneta viaria</i> (Blackwall).....	164, 190	<i>Odontocephus elongatus</i> (Michael).....	72–90
<i>Micropterix aureatella</i> (Scopoli).....	72–90	<i>Oedothorax apicatus</i> (Blackwall).....	165, 190
<i>Minettia lupulina</i> (Fabricius).....	72–90	<i>Oedothorax gibbosus</i> (Blackwall).....	165, 184, 190
<i>Minicia marginella</i> (Wider).....	164, 190	<i>Oedothorax gibbosus tuberosus</i> (Blackwall).....	165
<i>Minilimosina v-atrum</i> (Villeneuve).....	72–90	<i>Oedothorax retusus</i> (Westring).....	165–166, 190
<i>Minyriolus pusillus</i> (Wider).....	72–90, 164, 190	<i>Oiceoptoma thoracica</i> (Linnaeus).....	6–22
<i>Misumena vatia</i> (Clerck).....	115	<i>Oligota granaria</i> Erichson.....	6–22
<i>Moebelia penicillata</i> (Westring).....	72–90, 164, 190	<i>Omalius caesum</i> Gravenhorst.....	72–90
<i>Molinia</i> .....	151–183	<i>Omalius rivulare</i> (Paykull).....	6–22
<i>Molophilus</i> s.str. <i>bifidus</i> Goetghebuer.....	72–90	<i>Oncophanes</i> Foerster.....	225–226
<i>Molorchus minor</i> (Linnaeus).....	72–90	<i>Oncophanes tobiasi</i> Zaykov.....	225
<i>Mycetophagus ater</i> (Reitter).....	6–22	<i>Oncopsis flavicollis</i> (Linnaeus).....	72–90
<i>Mycetophagus decempunctatus</i> Fabricius.....	6–22	<i>Oppiella nova</i> (Oudemans).....	72–90
<i>Mycetophagus multipunctatus</i> Fabricius.....	6–22	<i>Orchesella bifasciata</i> Nicolet.....	72–90
<i>Mycetophagus piceus</i> (Fabricius).....	6–22	<i>Orchesella cincta</i> (Linnaeus).....	72–90
<i>Mycetophagus quadriguttatus</i> Müller.....	6–22	<i>Orchesella flavescens</i> (Bourlet).....	72–90
<i>Mycetophagus quadripustulatus</i> (Linnaeus).....	6–22	<i>Orchesia fasciata</i> (Illiger).....	6–22
<i>Mycetophagus salicis</i> Briosot de Barneville.....	6–22	<i>Orchesia fusiformis</i> Solsky.....	6–22
<i>Mydaea electa</i> (Zetterstedt).....	72–90	<i>Orchesia micans</i> (Panzer).....	6–22
<i>Mydaea sootryeni</i> Ringdahl.....	72–90	<i>Oreoneta alpina</i> (Eskov).....	116–117
<i>Myrica</i> .....	151–183	<i>Oreonetides vaginatus</i> (Thorell).....	166, 190
<i>Myrmecaelurus maior</i> McLachlan.....	221, 223	<i>Oribatula tibialis</i> (Nicolet).....	72–90
<i>Myrmecaelurus trigrammus</i> (Pallas).....	221	<i>Ormosia</i> ( <i>Ormosia</i> ) <i>ruficauda</i> (Zetterstedt).....	47
<i>Myrmedobia exilis</i> (Fallén).....	72–90	<i>Ormosia ruficauda</i> (Zetterstedt).....	72–90
<i>Myrmeleon inconspicuus</i> Rambur.....	221, 223	<i>Ormyrus</i> Boucek.....	142
<i>Myrmica lobicomis</i> Nylander.....	72–90	<i>Ormyrus coccotori</i> sp. n.....	142–148
<i>Myrmica rubra</i> (Linnaeus).....	213–217	<i>Ormyrus flavotibialis</i> Yasumatsu & Kamijo.....	147
<i>Myrmica ruginodis</i> Nylander.....	72–90	<i>Ormyrus nitidulus</i> (Fabricius).....	147
<i>Myrrha octodecimguttata</i> (Linnaeus).....	72–90	<i>Orthoperus atomus</i> (Gyllenhal).....	6–22
<i>Myzia oblongoguttata</i> (Linnaeus).....	72–90	<i>Orthoperus corticalis</i> (Redtenbacher).....	6–22
<i>Nanhermannia coronata</i> Berlese.....	72–90	<i>Orthoperus improvisus</i> Bruce.....	6–22
<i>Nedroleon striatus</i> (Klug).....	222–223	<i>Orthoperus punctulatus</i> Reitter.....	6–22
<i>Need abeer</i> Linnaeus.....	1–256	<i>Orthoperus rogeri</i> Kraatz.....	6–22
<i>Nemapogon</i> Schrank.....	107	<i>Orthotomicus laricis</i> (Fabricius).....	198–210
<i>Nemoptera sinuata</i> Oliver.....	222	<i>Orthotomicus longicollis</i> (Gyllenhal).....	198–210

- Orthotomicus proximus* (Eichhoff) ..... 198–210  
*Orthotomicus starki* Spessivtseff ..... 198–210  
*Orthotomicus suturalis* (Gyllenhal) ..... 57–59, 198–210  
*Oryphantes angulatus* (P-Cambridge) ..... 166, 190  
*Oscinella frit* Linnaeus ..... 72–90  
*Ostoma ferruginea* (Linnaeus) ..... 6–22  
*Oxyptoda alternans* (Gravenhorst) ..... 6–22  
*Oxyporus rufus* (Linnaeus) ..... 6–22  
*Oxyptila atomaria* ..... 181  
*Oxyptila praticola* ..... 181–182  
*Oxyptila trux* ..... 182  
*Oxythrips ajugae* Uzel ..... 72–90  
*Oxythrips bicolor* (Reuter) ..... 72–90  
*Ozyptila arctica* Kulczynski ..... 117  
*Ozyptila atomaria* (Panzer) ..... 181, 192  
*Ozyptila praticola* (Koch) ..... 181–182, 184, 192  
*Ozyptila trux* (Blackwall) ..... 182, 192  
*Pachycerina seticornis* (Fallén) ..... 72–90  
*Pachygnatha listeri* Sundevall ..... 179, 185, 191  
*Paidiscura pallens* (Blackwall) ..... 72–90  
*Palliduphantes pallidus* (P-Cambridge) ..... 166, 190  
*Palloptera usta* (Meigen) ..... 72–90  
*Palpares libelluloides* (Linnaeus) ..... 221, 223  
*Palpomya pubescens* Kieffer ..... 72–90  
*Palpomya serripes* (Meigen) ..... 72–90  
*Panolis flammea* (Denis & Schiffermueller) ..... 72–90  
*Papestria biren* (Goeze) ..... 72–90  
*Papilio scuthus* Linnaeus ..... 38  
*Paracrocer orbicula* (Fabricius) ..... 72–90  
*Paraleius leontomycha* Travé ..... 72–90  
*Pardosa adustella* (Roewer) ..... 116  
*Pardosa algens* (Kulczynski) ..... 116  
*Pardosa amentata* (Clerck) ..... 174, 191  
*Pardosa fulvipes* (Collett) ..... 174, 191  
*Pardosa hyperborea* (Thorell) ..... 174, 191  
*Pardosa jenseica* Eskov & Marusik ..... 113, 115, 117  
*Pardosa lapponica* (Thorell) ..... 116  
*Pardosa lugubris* (Walckenaer) ..... 72–90, 174, 191  
*Pardosa lyrata* (Odenwall) ..... 113, 116–117  
*Pardosa paludicola* (Clerck) ..... 174, 191  
*Pardosa palustris* (Linnaeus) ..... 174–175, 191  
*Pardosa pernix* (Thorell) ..... 175  
*Pardosa plumipes* (Thorell) ..... 115  
*Pardosa pullata* (Clerck) ..... 175, 191  
*Pardosa ricta* (Odenwall) ..... 115  
*Pardosa riparia* (Koch) ..... 175, 185, 191  
*Pardosa schenkeli* Lessert ..... 175, 191  
*Pardosa sodalis* Holm ..... 116  
*Pardosa sphagnicola* (Dahl) ..... 175, 191  
*Pardosa tarsalis* (Thorell) ..... 174–175  
*Pardosa tesquorum* (Odenwall) ..... 115–116  
*Pegomya winthemi* (Meigen) ..... 72–90  
*Pelecopsis dorniana* Heimer ..... 115  
*Pelecopsis elongata* (Wider) ..... 166, 190  
*Pelecopsis mengi* (Simon) ..... 166, 190  
*Pellenes ignifrons* (Grube) ..... 116–117  
*Pellenes lapponicus* (Sundevall) ..... 178, 191  
*Pellenes limbatus* Kulczynski ..... 113, 117  
*Peltis grossa* (Linnaeus) ..... 6–22  
*Pentanota meuseli* Bernhauer ..... 6–22  
*Pentaphyllus testaceus* (Hellwig) ..... 6–22  
*Peponocranium praeceps* Miller ..... 166, 190  
*Peribaea setinervis* (Thomson) ..... 72–90  
*Phaonia incana* (Wiedermann) ..... 72–90  
*Phaonia meigeni* Pont ..... 72–90  
*Phauloppia coineau* Travé ..... 72–90  
*Phauloppia lucorum* (Koch) ..... 72–90  
*Phauloppia saxicola* Travé ..... 72–90  
*Phellinus alni* ..... 11  
*Phellinus cinereus* ..... 7, 11–12  
*Phellinus igniarius* ..... 7, 11–12  
*Phellinus nigricans* ..... 7, 11–12  
*Phellinus punctatus* ..... 12  
*Phellinus robustus* ..... 12  
*Phellinus tremulae* ..... 12  
*Philodromus alascensis* Keyserling ..... 116  
*Philodromus aureolus* (Clerck) ..... 72–90, 115  
*Philodromus cespitum* (Walckenaer) ..... 72–90  
*Philodromus collinus* Koch ..... 72–90  
*Philodromus fuscomarginatus* (DeGeer) ..... 115, 72–90  
*Philodromus histrio* (Latreille) ..... 115  
*Philodromus margaritatus* (Clerck) ..... 72–90  
*Philonthus carbonarius* (Gravenhorst) ..... 6–22  
*Philonthus fimetarius* (Gravenhorst) ..... 6–22  
*Philonthus subuliformis* (Gravenhorst) ..... 6–22  
*Philonthus succicola* Thomson ..... 6–22  
*Phloeocharis subtilissima* Mannerheim ..... 6–22, 57–59,  
..... 72–90  
*Phloeonomus lapponicus* (Zetterstedt) ..... 72–90  
*Phloeonomus pusillus* (Gravenhorst) ..... 6–22  
*Phloeotribus spinulosus* (Rey) ..... 198–210  
*Phoenicocoris obscurellus* (Fallén) ..... 72–90  
*Phora holoserica* Schmitz ..... 72–90  
*Phora obscura* (Zetterstedt) ..... 72–90  
*Phragmites* ..... 166, 170–176  
*Phrurolithus festivus* (Koch) ..... 153, 188  
*Phryganophilus auritus* Motschulsky ..... 6–22  
*Phylidorea (Paraphylidorea) fulvonervosa* (Schummel) ..... 47  
*Phylidorea squalens* (Zetterstedt) ..... 72–90  
*Phyllocnistis labyrinthella* (Bjerkander) ..... 72–90  
*Phyllomyza formicae* Schmitz ..... 72–90  
*Phyllomyza securicornis* ..... 72–90  
*Phylloettra atra lorestanica* Warchalowski ..... 139  
*Phylloettra lorestanica* Warchalowski ..... 138–141  
*Phylloettra nigripes* (Fabricius) ..... 140  
*Phylloettra vittula* (Redtenbacher) ..... 140  
*Phymatura brevicollis* (Kraatz) ..... 6–22  
*Phytomyza nigrifemur* Hering ..... 72–90  
*Picea* ..... 129  
*Picea abies* ..... 7, 55, 59, 67, 104, 150, 199  
*Pinguicula vulgaris* ..... 124–128  
*Pinus* ..... 129  
*Pinus sylvestris* ..... 7, 55, 59, 65–90, 105, 150, 199  
*Piptoporus betulinus* ..... 6–22  
*Pirata hygrophilus* Thorell ..... 175  
*Pirata piraticus* (Clerck) ..... 176  
*Pirata uliginosus* (Thorell) ..... 176  
*Pissodes pini* (Linnaeus) ..... 72–90  
*Pissodes piniphilus* (Herbst) ..... 72–90  
*Pityogenes bidentatus* (Herbst) ..... 57–59, 198–210

- Pityogenes chalcographus* (Linnaeus)..... 57–59, 72–90,  
 ..... 198–210  
*Pityogenes irkutensis* Eggers ..... 198–210  
*Pityogenes quadridens* (Hartig) ..... 57–59, 198–210  
*Pityogenes saalasi* Eggers ..... 198–210  
*Pityogenes trepanatus* (Nördlinger) ..... 198–210  
*Pityohyphantes phrygianus* (Koch) ..... 72–90, 166, 190  
*Pityophagus ferrugineus* (Linnaeus) ..... 57–59, 72–90  
*Pityophthorus glabratus* Eichhoff ..... 198–210  
*Pityophthorus lapponicus* Stark ..... 198–210  
*Pityophthorus lichtensteini* (Ratzeburg) ..... 198–210  
*Pityophthorus micrographus* (Linnaeus) .. 72–90, 198–210  
*Pityophthorus morosovi* Spessivtseff ..... 198–210  
*Pityophthorus traegardhi* Spessivtseff ..... 198–210  
*Pityphilus fasciculatus* (DeGeer) ..... 72–90  
*Placusa tachyporoides* (Waltl) ..... 6–22  
*Platycladus* ..... 129  
*Platynothrus peltifer* (Koch) ..... 72–90  
*Platypalpus boreoalpinus* Frey ..... 72–90  
*Platypalpus nigratarsis* (Fallén) ..... 72–90  
*Plebejus idas* (Linnaeus) ..... 101  
*Plectrocnemia conspersa* (Curtis) ..... 72–90  
*Plesiodema pinetella* (Zetterstedt) ..... 72–90  
*Pleurozium* ..... 154  
*Pocadicnemis pumila* (Blackwall) ..... 72–90, 166–167, 190  
*Pocadius ferrugineus* (Fabricius) ..... 6–22  
*Poecilometes globosa* (Wider) ..... 167  
*Poecilometes variegata* (Blackwall) ..... 167, 190  
*Pollenia pediculata* Macquart ..... 72–90  
*Polydrusus undatus* (Fabricius) ..... 72–90  
*Polygraphus poligraphus* (Linnaeus) ..... 198–210  
*Polygraphus punctifrons* Thomson ..... 198–210  
*Polygraphus subopacus* (Thomson) ..... 198–210  
*Polyommatus amandus* (Schneider) ..... 101  
*Polyommatus icarus* (Rottemburg) ..... 101  
*Polyporus alveolaris* ..... 12  
*Polyporus brumalis* ..... 12  
*Polyporus coronatus* ..... 12  
*Polyporus melanopus* ..... 12  
*Polyporus squamosus* ..... 6–22  
*Populus davidiana* ..... 130  
*Populus tremula* ..... 7, 45, 55, 59, 199  
*Porrhomma campbelli* P-Cambridge ..... 167, 190  
*Porrhomma fagei* Miller & Kratochvil ..... 167  
*Porrhomma pallidum* Jackson ..... 167, 190  
*Porrhomma pygmaeum* (Blackwall) ..... 167, 190  
*Porricondyla fuscocostriata* Panelius ..... 72–90  
*Postia caesia* ..... 13  
*Postia fragilis* ..... 13  
*Pristiphora coniceps* Lindquist ..... 72–90  
*Pristiphora pallidiventris* Fallén ..... 72–90  
*Pristiphora pallipes* Lepeletier ..... 72–90  
*Prolinyphia peltata* ..... 165  
*Proteinus atomarius* Erichson ..... 6–22  
*Proteinus brachypterus* (Fabricius) ..... 6–22  
*Proteinus macropterus* (Gravenhorst) ..... 6–22  
*Proteinus ovalis* Stephens ..... 6–22  
*Pseudachorutes subcrassus* Tullberg ..... 72–90  
*Pseudeophrys callida* (Walckenaer) ..... 178  
*Pseudeophrys erratica* (Walckenaer) ..... 178, 191  
*Pseudisotoma sensibilis* Tullberg ..... 72–90  
*Pseudobathystomus* (*Atlantobathystomus*)  
*macaronesius* sp. n. .... 225–230  
*Pseudobathystomus* Belokobylskij ..... 225–230  
*Pseudobathystomus funestus* (Haliday) ..... 229  
*Pseudobathystomus macaronesius* sp. n. .... 225–230  
*Pseudobathystomus tobiasi* (Zaykov) ..... 225–226, 229  
*Pseudobathystomus vernalis* Belokobylskij ..... 226  
*Pseudopomyza atrimana* (Meigen) ..... 72–90  
*Psithyrus* ..... 119  
*Psylliodes chalcomera* (Illiger) ..... 140  
*Psylliodes hyoscyami* (Linnaeus) ..... 140  
*Pteryngium crenatum* (Fabricius) ..... 6–22  
*Ptinus fur* Linnaeus ..... 72–90  
*Pycnoporellus fulgens* ..... 13  
*Pycnoporus cinnabarinus* ..... 13  
*Pyrgus malvae* (Elwes & Edwards) ..... 101  
*Quedius brevicornis* Thomson ..... 6–22  
*Quedius cruentus* (Olivier) ..... 6–22  
*Quercus* ..... 55, 59  
*Quercus brandtii* ..... 219  
*Quercus cedrorum* ..... 219  
*Quercus infectoria* ..... 219  
*Quercus liaotungensis* ..... 130  
*Quercus libani* ..... 219  
*Quercus robur* ..... 7, 199  
*Ramonda ringdahli* (Villeneuve) ..... 72–90  
*Reuterella helvimaculata* Enderlein ..... 72–90  
*Rhadicoleptus alpestris* (Kolenati) ..... 72–90  
*Rhagonycha atra* (Linnaeus) ..... 72–90  
*Rhagonycha elongata* (Fallén) ..... 72–90  
*Rhagonycha lignosa* (Müller) ..... 72–90  
*Rhamphomyia* (*Holoclera*) *umbripennis* Meigen ..... 72–90  
*Rhamphomyia* (*Megcyttarusus*) *crassirostris* (Fallén) 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *angulifera*  
 Frey ..... 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *caesia* Meigen 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *curvula* Frey .... 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *lividiventris*  
 (Zetterstedt) ..... 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *murina* Collin. 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *obscuripennis*  
 Meigen ..... 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *poplitea* .....  
 Wahlberg ..... 72–90  
*Rhamphomyia* (*Pararhamphomyia*) *unguiculata* .....  
 Frey ..... 72–90  
*Rhamphomyia* (s.str) *stigmosa* Macquart ..... 72–90  
*Rhaphium longicorne* (Fallén) ..... 72–90  
*Rhipidia* (*Rhipidia*) *maculata* Meigen ..... 47  
*Rhipidia* (*Rhipidia*) *uniserata* Schiner ..... 47  
*Rhizophagus bipustulatus* (Fabricius) ..... 6–22  
*Rhizophagus dispar* (Paykull) ..... 6–22, 57–59, 72–90, 110  
*Rhizophagus parvulus* (Paykull) ..... 6–22  
*Rhynchites cupreus* (Linnaeus) ..... 57–59  
*Rhysipolis* Foerster ..... 225  
*Rhyssaloides* Belokobylskij ..... 225  
*Rhyssalus* Haliday ..... 225  
*Rigidoporus corticola* ..... 13  
*Rigidoporus latemarginatus* ..... 13

- Rigidoporus ulmarius* ..... 13  
*Robertus arundineti* (P-Cambridge)..... 180, 192  
*Robertus lividus* (Blackwall)..... 180, 184, 192  
*Robertus lyrifer* Holm ..... 180, 192  
*Robertus scoticus* Jackson ..... 72–90, 181, 184, 192  
*Robinia pseudoacacia* ..... 50  
*Rogas (Colastes) funestus* Haliday ..... 225  
*Ropalodontus strandi* (Lohse) ..... 6–22  
*Rubus* ..... 50  
*Rumex* ..... 139  
*Salix* ..... 7, 55, 59, 171  
*Salticus cingulatus* (Panzer)..... 178, 191  
*Sarracenia purpurea* ..... 124  
*Savignia frontata* ..... 167  
*Savignia frontata* Blackwall ..... 167, 190  
*Savignia nenilini* Marusik ..... 116–117  
*Scaphidema metallicum* (Fabricius)..... 6–22  
*Scaphidium quadrimaculatum* Olivier ..... 6–22  
*Scaphisoma agaricinum* (Linnaeus) ..... 6–22  
*Scaphisoma assimile* Erichson ..... 6–22  
*Scaphisoma balcanicum* Tamanini ..... 6–22  
*Scaphisoma boleti* (Panzer) ..... 6–22  
*Scaphisoma boreale* Lundblad ..... 6–22  
*Scaphisoma inopinatum* Löbl ..... 6–22  
*Scaphisoma subalpinum* Reitter ..... 6–22  
*Scaptomyza teinoptera* Hackman ..... 72–90  
*Scaptosciara* Edwards ..... 107  
*Scatopsciara atomaria* (Zetterstedt) ..... 72–90  
*Schizohelea leucopeza* (Meigen) ..... 72–90  
*Schizopora paradoxa* ..... 10  
*Sciodrepoides fumatus* (Spence)..... 6–22  
*Sciodrepoides watsoni* (Spence)..... 6–22  
*Sciophila bicuspadata* Zaitzev ..... 196  
*Sciophila geniculata* (Zetterstedt) ..... 193–197  
*Sciophila longua* Garrett ..... 193–197  
*Sciophila nitens* (Winnertz) ..... 193–197  
*Sciphila subbicuspidata* Zaitzev & Økland..... 196  
*Scolytus carpini* (Ratzeburg) ..... 198–210  
*Scolytus intricatus* (Ratzeburg) ..... 198–210  
*Scolytus laevis* Chapuis ..... 198–210  
*Scolytus mali* (Bechstein) ..... 198–210  
*Scolytus morawitzi* Semenov ..... 198–210  
*Scolytus multistriatus* (Marsham) ..... 198–210  
*Scolytus ratzeburgi* Janson ..... 198–210  
*Scolytus rugulosus* (Ratzeburg) ..... 198–210  
*Scolytus scolytus* (Fabricius)..... 198–210  
*Scolytus triarmatus* (Eggers) ..... 198–210  
*Scotinotylus evansi* (P-Cambridge) ..... 167, 190  
*Scymnus suturalis* Thunberg..... 72–90  
*Sedum acre* ..... 161  
*Segestria senoculata* (Linnaeus)..... 72–90  
*Selatosomus impressus* (Fabricius) ..... 72–90  
*Semljicola faustus* (P-Cambridge)..... 167–168, 190  
*Semljicola latus* (Holm)..... 168, 190  
*Senecio jacobaeae* ..... 140  
*Sepedophilus bipustulatus* (Gravenhorst)..... 6–22  
*Sepedophilus littoreus* (Linnaeus)..... 6–22  
*Sepedophilus marshami* (Stephens) ..... 6–22  
*Sepedophilus pedicularius* (Gravenhorst)..... 6–22  
*Sepedophilus testaceus* (Fabricius) ..... 6–22  
*Sericoderus lateralis* (Gyllenhal)..... 6–22  
*Sericus brunneus* (Linnaeus) ..... 72–90  
*Serromyia femorata* (Meigen) ..... 72–90  
*Sibianor aurocinctus* (Ohlert) ..... 178–179, 191  
*Silometopoides sphagnicola* Eskov & Marusik ..... 116–117  
*Silometopus incurvatus* (P-Cambridge)..... 168, 190  
*Silometopus reussi* (Thorell)..... 168, 190  
*Simulium paramorsitans* Rubtsov ..... 127  
*Simulium truncatum* (Lundström) ..... 127  
*Simulium vernalis* Macquart ..... 127  
*Singa sanguinea*..... 152  
*Sisicus apertus* (Holm) ..... 168, 190  
*Sitticus caricis* (Westring)..... 179, 191  
*Sminthurinus aureus* (Lubbock) ..... 72–90  
*Sminthurinus flammeolus* Gisin ..... 72–90  
*Solanum tuberosum* ..... 50  
*Solter ledereri* Navás ..... 221, 223  
*Sorbus aucuparia* ..... 55, 59, 67  
*Sorbus pauhuashanensis* ..... 130  
*Speudotettix subfuscus* (Fallén) ..... 72–90  
*Sphaeristes castaneus* (Panzer)..... 72–90  
*Sphagnum* ..... 150, 159, 162–164, 167–168, 173–177,  
..... 179–183  
*Sphagnum fuscum* ..... 173–175  
*Sphinx pinastri* Linnaeus ..... 72–90  
*Spilogona* cf. *albisquama* (Ringdahl) ..... 72–90  
*Spilogona contractifrons* (Zetterstedt) ..... 72–90  
*Spilogona sororcula* (Zetterstedt) ..... 72–90  
*Spingipellis spumea* ..... 13  
*Steatoda bipunctata* (Linnaeus) ..... 181, 192  
*Steatoda phalerata* (Panzer) ..... 181, 192  
*Steatodea bipunctata* (Linnaeus) ..... 72–90  
*Siegana* cf. *coleoprata* Scopoli ..... 72–90  
*Steganacarus magnus* (Nicolet) ..... 72–90  
*Stegopterna trigonium* (Lundström) ..... 127  
*Stemonyphantes lineatus* (Linnaeus)..... 168, 190  
*Stenopsocus lachlani* Kolbe ..... 72–90  
*Strophosoma capitatum* Dejean ..... 72–90  
*Succisa pratensis* ..... 232, 237  
*Sulcaxis affinis* (Gyllenhal) ..... 6–22  
*Sulcaxis bidentulus* (Rosenhauer)..... 6–22  
*Sulcaxis fronticornis* (Panzer) ..... 6–22, 102–112  
*Synchita humeralis* (Fabricius) ..... 57–59  
*Syrphus cryptarum* Fabricius..... 123  
*Tachypeza nubila* (Meigen) ..... 72–90  
*Taeniothrips picipes* (Zetterstedt) ..... 72–90  
*Tallusia experta* (P-Cambridge) ..... 168, 184, 190  
*Tapinocyba insecta* (Koch)..... 168, 190  
*Tapinocyba pallens* (P-Cambridge)..... 168–169, 190  
*Tapinopa longidens* (Wider) ..... 169, 190  
*Tarentula aculeata* ..... 173  
*Tarentula inquilina*..... 173  
*Tarentula pinetorum*..... 173  
*Tarentula pulverulenta* ..... 173  
*Tectocephus velatus* (Michael) ..... 72–90  
*Tenuiphantes alacris* (Blackwall) ..... 72–90, 169, 184, 190  
*Tenuiphantes cristatus* (Menge)..... 169, 190  
*Tenuiphantes mengei* (Kulczynski) ..... 169, 190  
*Tenuiphantes tenebricola* (Wider) ..... 169–170, 190  
*Tetracanthella fjellbergi* Deharveng ..... 72–90

<i>Tetragnatha dearmata</i> Thorell.....	115	<i>Trachynella nudipalpis</i> .....	172
<i>Tetragnatha extensa</i> (Linnaeus).....	115, 117	<i>Trachynella obtusa</i> .....	172
<i>Tetragnatha montana</i> Simon.....	72–90	<i>Tradescantia</i> .....	51
<i>Tetragnatha pinicola</i> Koch.....	115	<i>Trametes cervina</i> .....	13
<i>Tetramorium caespitum</i> Linnaeus.....	213–217	<i>Trametes gibbosa</i> .....	13
<i>Thalycra fervida</i> (Olivier).....	72–90	<i>Trametes hirsuta</i> .....	13
<i>Thanasimus femoralis</i> (Zetterstedt).....	72–90	<i>Trametes ochracea</i> .....	14
<i>Thanatus albomaculatus</i> Kulczynski.....	116	<i>Trametes pubescens</i> .....	7, 14
<i>Thanatus arcticus</i> Thorell.....	116	<i>Trametes suaveolens</i> .....	14
<i>Thanatus formicinus</i> (Clerck).....	177, 191	<i>Trametes velutina</i> .....	7, 14
<i>Thanatus striatus</i> Koch.....	116–117	<i>Trametes versicolor</i> .....	14
<i>Thaumatomyia notata</i> (Meigen).....	72–90	<i>Tricca alpigena</i> (Doleschall).....	116
<i>Thaumatomyia trifasciata</i> (Zetterstedt).....	72–90	<i>Trichaptum abietinum</i> .....	14
<i>Theonoe minutissima</i> (Cambridge).....	72–90	<i>Trichaptum bifforme</i> .....	14
<i>Thera obeliscata</i> (Hübner).....	72–90	<i>Trichaptum fuscoviolaceum</i> .....	14
<i>Theridion impressum</i> Koch.....	113, 115, 117	<i>Trichaptum pargamenum</i> .....	14
<i>Theridion mystaceum</i> Koch.....	181, 192	<i>Trichina bilobata</i> Collin.....	72–90
<i>Theridion neglectum</i> Wiehle.....	181	<i>Trichina clavipes</i> Meigen.....	72–90
<i>Theridion notatum</i> (Linnaeus).....	181	<i>Trichopterna mendei</i> .....	166
<i>Theridion pictum</i> (Walckenaer).....	115	<i>Tricimba cincta</i> (Meigen).....	72–90
<i>Theridion pinastri</i> Koch.....	72–90	<i>Tricyphona s.str. unicolor</i> (Schummel).....	72–90
<i>Theridion sibiricum</i> Marusik.....	115	<i>Triogma trisulcata</i> (Schummel).....	47
<i>Theridion sisyphium</i> (Clerck).....	72–90, 181, 192	<i>Triphleba opaca</i> (Meigen).....	72–90
<i>Theridion tinctum</i> (Walckenaer).....	72–90	<i>Triphyllus bicolor</i> (Fabricius).....	6–22
<i>Theridion varians</i> Hahn.....	72–90	<i>Triplax russica</i> (Linnaeus).....	6–22
<i>Thricops cunctans</i> (Meigen).....	72–90	<i>Tritoma bipustulata</i> Fabricius.....	6–22
<i>Thricops innocuus</i> (Zetterstedt).....	72–90	<i>Tritoma subbasalis</i> (Reitter).....	6–22
<i>Thricops lividiventris</i> (Zetterstedt).....	72–90	<i>Trixa caerulea</i> Meigen.....	72–90
<i>Thricops semicinereus</i> (Wiedemann).....	72–90	<i>Trochosa ruricola</i> (DeGeer).....	176, 191
<i>Thrips flavus</i> Schrank.....	72–90	<i>Trochosa spinipalpis</i> (P-Cambridge).....	176, 191
<i>Thrips pini</i> (Uzel).....	72–90	<i>Trochosa terricola</i> Thorell.....	176, 191
<i>Thymalus oblongus</i> Reitter.....	6–22	<i>Troxochrota scabra</i> Kulczynski.....	170, 190
<i>Thymelicus lineola</i> (Ochsenheimer).....	101	<i>Troxochrus nasutus</i> Schenkel.....	170, 190
<i>Thyreosthenius biovatus</i> (P-Cambridge).....	170, 190	<i>Troxochrus scabriculus</i> (Westring).....	170, 184, 190
<i>Thyreosthenius parasiticus</i> (Westring).....	170, 190	<i>Trypodendron domesticum</i> (Linnaeus).....	198–210
<i>Tibellus asiaticus</i> Kulczynski.....	115	<i>Trypodendron laeve</i> Eggers.....	198–210
<i>Tibellus oblongus</i> (Walckenaer).....	177, 191	<i>Trypodendron lineatum</i> (Olivier).....	198–210
<i>Tibioploides arcuatus</i> (Tullgren).....	170, 190	<i>Trypodendron signatum</i> (Fabricius).....	198–210
<i>Tibioplus arcuatus</i> .....	170	<i>Trypophloeus alni</i> (Lindemann).....	198–210
<i>Tibioplus diversus</i> (Koch).....	170, 190	<i>Trypophloeus asperatus</i> (Gyllenhal).....	198–210
<i>Tilia cordata</i> .....	7, 55, 59, 199	<i>Trypophloeus bispinulus</i> Eggers.....	198–210
<i>Tilia mandshurica</i> .....	130	<i>Trypophloeus discedens</i> Palm.....	198–210
<i>Tilia mongolica</i> .....	130	<i>Tyromyces chioneus</i> .....	14
<i>Tillus elongatus</i> (Linnaeus).....	6–22	<i>Ula bolitophila</i> Loew.....	45, 47, 107–108
<i>Tipula (Lunatipula) circumdata</i> Siebke.....	45, 47	<i>Ula mixta</i> Starý.....	47
<i>Tipula (Lunatipula) limitata</i> Schummel.....	47	<i>Ula sylvatica</i> (Meigen).....	47
<i>Tipula (Pterelachisus) irrorata</i> Macquart.....	47, 72–90	<i>Ulmus</i> .....	199
<i>Tipula (Pterelachisus) wahlgreni</i> Lackschewitz.....	45, 47	<i>Ulmus glabra</i> .....	199, 206
<i>Tipula (Savtshenkia) limbata</i> Zetterstedt.....	47	<i>Ulmus laevis</i> .....	199, 206
<i>Tipula (Savtshenkia) signata</i> Staeger.....	47	<i>Upis ceramboides</i> (Linnaeus).....	6–22
<i>Tipula (Schummelia) variicornis</i> Schummel.....	47	<i>Urtica dioica</i> .....	50
<i>Tipula (Tipula) paludosa</i> Meigen.....	47	<i>Vaccinium</i> .....	28
<i>Tipula (Vestiplex) nubeculosa</i> Meigen.....	47	<i>Vaccinium myrtillus</i> .....	151, 165, 170
<i>Tipula (Vestiplex) scripta</i> Meigen.....	47, 72–90	<i>Valenzuela burmeisteri</i> (Brauer).....	72–90
<i>Tiso vagans</i> (Blackwall).....	170, 190	<i>Valenzuela despaxi</i> (Badonnel).....	72–90
<i>Titanoeca sibirica</i> Koch.....	117	<i>Valenzuela gynapterus</i> (Tetens).....	72–90
<i>Tobiason Belokobylskij</i> .....	225	<i>Variimorda villosa</i> (Schrank).....	6–22
<i>Tomicus minor</i> (Hartig).....	57–59, 198–210	<i>Velleius dilatatus</i> (Fabricius).....	6–22
<i>Tomicus piniperda</i> (Linnaeus).....	198–210	<i>Vespula rufa</i> (Linnaeus).....	72–90
<i>Tomoxia bucephala</i> Costa.....	6–22	<i>Wagaicis wagai</i> (Wankowicz).....	6–22

<i>Walckenaeria antica</i> (Wider).....	170–171, 184–185, 190	<i>Xylechinus pilosus</i> (Ratzeburg).....	198–210
<i>Walckenaeria atrotibialis</i> (P-Cambridge).....	171, 190	<i>Xysticus audax</i> (Schrank).....	72–90, 182, 192
<i>Walckenaeria cucullata</i> (Koch) .....	171, 190	<i>Xysticus austrosibiricus</i> Logunov & Marusik .....	117
<i>Walckenaeria cuspidata</i> Blackwall .....	171, 184, 190	<i>Xysticus baltistanus</i> (Caporiacco).....	117
<i>Walckenaeria dysderoides</i> (Wider).....	72–90, 171, 190	<i>Xysticus bifasciatus</i> Koch.....	182, 192
<i>Walckenaeria holmi</i> Millidge.....	171–172	<i>Xysticus britcheri</i> Gertsch .....	117
<i>Walckenaeria karpinskii</i> (P-Cambridge) .....	116–117, ..... 171–172, 190	<i>Xysticus cristatus</i> (Clerck).....	182, 192
<i>Walckenaeria melanocephala</i> P-Cambridge .....	171	<i>Xysticus emertoni</i> Keyserling .....	117
<i>Walckenaeria nudipalpis</i> (Westring) .....	172, 191	<i>Xysticus lineatus</i> (Westring) .....	182, 192
<i>Walckenaeria obtusa</i> Blackwall.....	172, 191	<i>Xysticus luctuosus</i> (Blackwall) .....	182, 192
<i>Walckenaeria unicornis</i> P-Cambridge.....	172, 191	<i>Xysticus obscurus</i> Collett.....	182, 192
<i>Walckenaeria vigilax</i> (Blackwall).....	172, 191	<i>Xysticus sabulosus</i> (Hahn).....	182, 192
<i>Wanachia triguttata</i> (Gyllenhal).....	6–22	<i>Xysticus ulmi</i> (Hahn) .....	183, 192
<i>Wideria antica</i> .....	170–171	<i>Zelotes clivicola</i> (Koch) .....	155, 188
<i>Wideria cucullata</i> .....	171	<i>Zelotes clivicolus</i> .....	155
<i>Wideria fugax</i> (P-Cambridge).....	171	<i>Zelotes fratris</i> (Chamberlin).....	113, 115, 117
<i>Wideria melanocephala</i> (P-Cambridge) .....	171	<i>Zelotes latreillei</i> (Simon) .....	155, 184, 188
<i>Wiehlenarius boreus</i> Eskov .....	113, 116–117	<i>Zelotes praefficus</i> .....	153
<i>Winnertzia nigripennis</i> Kieffer .....	107	<i>Zelotes pratensis</i> (Koch).....	155, 189
<i>Winnertzia Rondani</i> .....	107	<i>Zelotes pusillus</i> .....	153–154
<i>Xenillus tegeocranus</i> (Hermann) .....	72–90	<i>Zelotes subterraneus</i> (Koch).....	155, 189
<i>Xenylla boernerii</i> Axelson.....	72–90	<i>Zilora elongata</i> Sahlberg.....	6–22
<i>Xenylla brevicauda</i> Tullberg.....	72–90	<i>Zora nemoralis</i> (Blackwall).....	183, 192
<i>Xenylla maritima</i> Tullberg.....	72–90	<i>Zora spinimana</i> (Sundevall) .....	183–184, 192
<i>Xerolycosa nemoralis</i> (Westring).....	177, 191	<i>Zornella cultrigera</i> (Koch) .....	172, 190
<i>Xyela julii</i> (Brebisson).....	72–90	<i>Zygaena filipendulae</i> Linnaeus.....	91–101
<i>Xylaplothrips fuliginosus</i> Schille .....	72–90	<i>Zygaena loniceræ</i> Scheven.....	91–101
<i>Xyleborus cryptographus</i> (Ratzeburg) .....	198–210	<i>Zygaena loti</i> (Denis & Schiffermüller) .....	98
<i>Xyleborus dispar</i> (Fabricius) .....	198–210	<i>Zygaena osterodensis</i> Reiss.....	91–101
<i>Xyleborus monographus</i> (Fabricius).....	198–210	<i>Zygaena viciae</i> Denis & Schiffermüller .....	91–101
		<i>Zygiella stroemi</i> (Thorell).....	72–90